

SAUDI FOOD & DRUG AUTHORITY

SFDA.FD 382/2018

**MAXIMUM LIMITS OF PESTICIDE RESIDUES IN
AGRICULTURAL AND FOOD PRODUCTS**

SAUDI FOOD & DRUG AUTHORITY

Foreword

Saudi Food and Drug Authority is an autonomous body. The main purpose of this organization is to monitor food, drug and medical equipments-And its function is to issue technical regulations and specifications in the fields of food, drug and medical equipments and products either imported or locally manufactured. Food Sector in the authority has updated the Gulf Saudi Technical Regulations vide No. SFDA FD./GSO 382, 383-Maximum limits of Pesticide Residues in agricultural and food products. The draft has been updated after reviewing the concerned specifications and the technical regulation has been approved in the meeting of Board of Directors (17) on 16/9/1439H (31.05.2018).

SAUDI FOOD & DRUG AUTHORITY

Maximum Limits of Pesticide Residues in Agricultural and Food Products

1. Field and Scope of Application

This standard is concerned with maximum limits for the following pesticide residues in or on agricultural food and agricultural products.

2. Complementary References

2.1 GSO Standard, approved by the authority on “ Sampling for Determination of Pesticide Residues in

Food and Agricultural Products”.

2.2 GSO Standard, approved by the authority on “ Methods of Determination of Pesticide Residues in Food and Agriculture Products.

3. Definitions

3.1 Acceptable Daily Intake (ADI)

“ ADI” of a chemical is the daily intake which, during an entire lifetime, appears to be without appreciable risk to the health of the consumer on the basis of all the known facts at the time of the evaluation of the chemical by the Joint FAO/WHO Meeting on Pesticide Residues (JMPR). It is expressed in milligrams of the chemical per kilogram of body weight.

3.2 Extraneous Maximum Residue Limit (EMRL)

“ EMRL” refers to a pesticide residue or a contaminant arising from environment sources other than the use of a pesticide or contaminant substance directly or indirectly on the commodity. It is the maximum concentration of a pesticide residue or contaminant recommended by the food committee to be legally permitted or to be acceptable in or on a food, agricultural commodity, or animal feed. The concentration is expressed in milligrams or pesticide residue or contaminant per kilogram of the commodity.

3.3 Good Agricultural Practice in the Use of Pesticides (GAP)

“ Gap” means official recommendations or permission to use pesticides under actual conditions at any stage including production, storage, transport,

distribution and processing of food commodities and animal feed, taking into account the differences in the requirements and needs in various regions- And some that take into account the minimum necessary quantities for proper control in an appropriate manner that leaves the least amount of residues, to be accepted in terms of toxicity. Good agricultural practice also include recommendations that are necessary for various operations including preparation of dosage ratio and repetition of application before harvesting, permitted by the authorized or national agencies.

3.4 Limit of Determination (LOD)

“ Limit of determination” is the lowest concentration of a pesticide residue or contaminant that can be identified and quantitatively measured in a specified food, agricultural commodity, or animal feed with an acceptable degree of certainty by a regulatory method of analysis.

3.5 Maximum Residue Limit (MRL)

“ MRL” is the maximum concentration of a pesticide residues (expressed as mg/kg), recommended by the Codex Alimentarius Commission to be legally permitted in or in food commodities and animal feeds. MRLs are based on GAP data and foods derived from commodities that comply with the respective MRLs are intended to be toxicologically acceptable.

3.6 Pesticides

“ Pesticide” means any substance intended for preventing, destroying, attracting, repelling, or controlling any pest including unwanted species of plants or animals during the production, storage, transport, distribution, and processing of food, agricultural commodities, or animal feeds or which may be administered to animals for the control of ectoparasites. The term includes substances intended for use as a plant-growth regulator, defoliant, desiccant, fruit thinning agent, or sprouting inhibitor and substances applied to crops either before or after harvest to protect the commodity from deterioration during storage and transport. The term normally excludes fertilizers, plant and animal nutrients, food additives and animal drugs.

3.7 Pesticide Residues

“ Pesticide residue” means any specified substances in food, agricultural commodities, or animal feed resulting from the use of a pesticide. The term

includes any derivatives of a pesticide, such as conversion products, metabolites, reaction products, and impurities considered to be of toxicological significance. The term "pesticide residue" includes residues from unknown or unavoidable sources.

3.8 Temporary Acceptable Daily Intake

"Temporary ADI" is an acceptable daily intake established for a specified, limited period to enable additional biochemical, toxicological or other data to be obtained as may be required for estimating an acceptable daily intake. A TADI estimated by the Joint FAO/WHO Meeting on Pesticide Residues normally involves the application of a safety factor larger than that used in estimating an ADI).

3.9 Animal feed

: Harvested fodder crops, by-products of agricultural crops and other products of plant or animal origin which are used for animal feeding and which are not intended for human consumption.

4. Requirements

Pesticide residue limits in or on food, agricultural commodities or animal feeds shall not exceed the limits given against each in the following Tables.

5. Sampling

Sampling shall be carried out according to the GSO standard approved by the authority to assess. Pesticide residues in food and agricultural products.

6. Methods of Testing

Pesticide residues shall be determined according to the GSO standard to be approved by GSO on "Methods of testing for Pesticides Residues in Agricultural and Food Commodities".

Table: Maximum Limits of Pesticide Residues

| SUBSTANCE | COMMODITY | MRL | REMARKS |
|-----------|---|------|--|
| 2,4-D | Berries and other small fruits | 0.1 | |
| | Citrus fruits | 1 | The MRL accommodates post-harvest treatment of the commodity |
| | Edible offal (mammalian) | 5 | |
| | Eggs | 0.01 | At or about the limit of determination |
| | Hay or fodder (dry) of grasses | 400 | |
| | Maize | 0.05 | |
| | Maize fodder (dry) | 40 | |
| | Meat (from mammals other than marine mammals) | 0.2 | |
| | Milks | 0.01 | |
| | Pome fruits | 0.01 | At or about the limit of determination |
| | Potato | 0.2 | |
| | Poultry meat | 0.05 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.05 | At or about the limit of determination |
| | Rice straw and fodder, Dry | 10 | |
| | Rice, Husked | | |

| | Rye | 2 | |
|-------------------------------|------------------------------|------|---|
| | Sorghum | 0.01 | At or about the limit of determination |
| | Soya bean (dry) | 0.01 | At or about the limit of determination |
| | Soya bean fodder | 0.01 | At or about the limit of determination |
| | Stone fruits | 0.05 | At or about the limit of determination |
| | Sugar cane | 0.05 | |
| | Sweet corn (corn-on-the-cob) | 0.05 | At or about the limit of determination |
| | Tree nuts | 0.2 | |
| | Wheat | 2 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Wheat straw and fodder, Dry | 100 | |
| 2-Phenylphenol (Fungicide) | Citrus fruits | 10 | The MRL accommodates post-harvest treatment of the commodity |
| | Citrus pulp, Dry | 60 | The MRL accommodates post-harvest treatment of the primary food commodity |
| | Orange juice | 0.5 | The MRL accommodates post-harvest treatment of the primary food commodity |
| | Pear | 20 | The MRL accommodates post-harvest treatment of the commodity |
| Abamectin (Insecticide) | Almond hulls | 0.1 | |
| | Almonds | 0.01 | At or about the limit of determination |
| | Apple | 0.02 | |
| | Cattle fat | 0.1 | The MRL accommodates external animal treatment |
| | Cattle kidney | 0.05 | The MRL accommodates external animal treatment |
| | Cattle liver | 0.1 | The MRL accommodates external animal treatment |
| | Cattle meat | 0.01 | At or about the limit of determination |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| | Cattle milk | 0.005 | |
|---------------------------|--|-------|--|
| | Citrus fruits | 0.01 | At or about the limit of determination |
| | Cotton seed | 0.01 | At or about the limit of determination |
| | Cucumber | 0.01 | |
| | Goat meat | 0.01 | At or about the limit of determination |
| | Goat milk | 0.005 | |
| | Goat, Edible offal of | 0.1 | |
| | Hops, Dry | 0.1 | |
| | Lettuce, Leaf | 0.05 | |
| | Melons, except watermelon | 0.01 | At or about the limit of determination |
| | Pear | 0.02 | |
| | Peppers Chili, dried | 0.2 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Peppers, Sweet (including pimento or pimiento) | 0.02 | |
| | Potato | 0.01 | At or about the limit of determination |
| | Squash, summer | 0.01 | At or about the limit of determination |
| | Strawberry | 0.02 | |
| | Tomato | 0.02 | |
| | Walnuts | 0.01 | At or about the limit of determination |
| | Watermelon | 0.01 | At or about the limit of determination |
| Acephate (Insecticide) | Artichoke, Globe | 0.3 | |
| | Beans, except broad bean and soya bean | 5 | |
| | Cabbages, Head | 2 | |
| | Cranberry | 0.5 | |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| | Edible offal (mammalian) | 0.05 | |
|----------------------------|---|------|--|
| | Eggs | 0.01 | At or about the limit of determination |
| | Meat (from mammals other than marine mammals) | 0.05 | |
| | Milks | 0.02 | |
| | Peppers Chili, dried | 50 | |
| | Poultry fats | 0.1 | |
| | Poultry meat | 0.01 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination |
| | Rice straw and fodder, Dry | 0.3 | |
| | Rice, Husked | 1 | |
| | Soya bean (dry) | 0.3 | |
| | Spices | 0.2 | At or about the limit of determination |
| | Tomato | 1 | |
| Acetamiprid (Acaricide) | Beans, Shelled | 0.3 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Beans, except broad bean and soya bean | 0.4 | |
| | Berries and other small fruits | 2 | except grapes and strawberries |
| | Cabbages, Head | 0.7 | |
| | Celery | 1.5 | |
| | Cherries | 1.5 | |
| | Citrus fruits | 1 | |
| | Cotton seed | 0.7 | |
| | Edible offal (mammalian) | 0.05 | |
| | Eggs | 0.01 | At or about the limit of determination |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| | Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower) | 0.4 | |
|---------------------------|---|------------|--|
| | Fruiting vegetables other than cucurbits | 0.2 | except sweet corn & mushrooms |
| | Fruiting vegetables, Cucurbits | 0.2 | |
| | Garlic | 0.02 | |
| | Grapes | 0.5 | |
| | Mammalian fats (except milk fats) | 0.02 | |
| | Meat (from mammals other than marine mammals) | 0.02 | |
| | Milks | 0.02 | |
| | Nectarine | 0.7 | |
| | Onion, Bulb | 0.02 | |
| | Peach | 0.7 | |
| | Peas, Shelled (succulent seeds) | 0.3 | |
| | Peppers Chili, dried | 2 | |
| | Plums (including prunes) | 0.2 | except prunes |
| | Pome fruits | 0.8 | |
| | Poultry meat | 0.01 | At or about the limit of determination |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Poultry, Edible offal of | 0.05 | At or about the limit of determination |
| | Prunes | 0.6 | |
| | Spring Onion | 5 | |
| | Strawberry | 0.5 | |
| | Tree nuts | 0.06 | |
| Aldicarb (Insecticide) | Barley | 0.02 | |
| | Barley straw and fodder, Dry | 0.05 | |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| | Beans (dry) | 0.1 | |
|------------------|---|------------|--|
| | Brussels sprouts | 0.1 | |
| | Citrus fruits | 0.2 | |
| | Coffee beans | 0.1 | |
| | Cotton seed | 0.1 | |
| | Cotton seed oil, Edible | 0.01 | At or about the limit of determination |
| | Grapes | 0.2 | |
| | Maize | 0.05 | |
| | Maize fodder (dry) | 0.5 | |
| | Meat (from mammals other than marine mammals) | 0.01 | At or about the limit of determination |
| | Milks | 0.01 | At or about the limit of determination |
| | Onion, Bulb | 0.1 | |
| | Peanut | 0.02 | |
| | Peanut oil, Edible | 0.01 | At or about the limit of determination |
| | Pecan | 1 | |
| | Sorghum | 0.1 | |
| | Sorghum straw and fodder, Dry | 0.5 | |
| | Soya bean (dry) | 0.02 | At or about the limit of determination |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Spices, Fruits and Berries | 0.07 | |
| | Spices, Roots and Rhizomes | 0.02 | |
| | Sugar beet | 0.05 | At or about the limit of determination |
| | Sugar cane | 0.1 | |
| | Sunflower seed | 0.05 | At or about the limit of determination |
| | Sweet potato | 0.1 | |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | Wheat | 0.02 | |
|---------------------|---|-------|--|
| | Wheat straw and fodder, Dry | 0.05 | |
| Aldrin and Dieldrin | Bulb vegetables | 0.05 | The MRL is based on extraneous residues |
| | Cereal grains | 0.02 | The MRL is based on extraneous residues |
| | Citrus fruits | 0.05 | The MRL is based on extraneous residues |
| | Eggs | 0.1 | The MRL is based on extraneous residues |
| | Fruiting vegetables, Cucurbits | 0.1 | The MRL is based on extraneous residues |
| | Garden pea, Shelled (succulent seeds) | 1 | The MRL is based on extraneous residues |
| | Leafy vegetables | 0.05 | The MRL is based on extraneous residues |
| | Legume vegetables | 0.05 | The MRL is based on extraneous residues |
| | Meat (from mammals other than marine mammals) | 0.2 | The MRL/EMRL applies to the fat of meat. The MRL is based on extraneous residues. |
| | Milks | 0.006 | The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". The MRL is based on extraneous residues. |
| | Pome fruits | 0.05 | The MRL is based on extraneous residues |
| | Poultry meat | 0.2 | The MRL is based on extraneous residues |
| | Pulses | 0.05 | The MRL is based on extraneous residues |
| | Root and tuber vegetables | 0.1 | The MRL is based on extraneous residues |
| Ametoctradin | Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas | 9 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Celery | 20 | |
| | Cucumber | 0.4 | |
| | Dried grapes (=currants, raisins and sultanas) | 20 | |
| | Eggs | 0.03 | At or about the limit of determination |

| | Commodity | MRL | Remark |
|--------------|---|------|--|
| | Fruiting vegetables other than cucurbits | 1.5 | except sweet corn and mushroom |
| | Fruiting vegetables, Cucurbits | 3 | except cucumber |
| | Garlic | 1.5 | |
| | Grapes | 6 | |
| | Hops, Dry | 30 | |
| | Leafy vegetables | 50 | |
| | Onion, Bulb | 1.5 | |
| | Peppers Chili, dried | 15 | |
| | Potato | 0.05 | |
| | Poultry fats | 0.03 | At or about the limit of determination |
| | Poultry meat | 0.03 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.03 | At or about the limit of determination |
| | Shallot | 1.5 | |
| | Spring Onion | 20 | |
| Aminopyralid | Barley | 0.1 | |
| | Edible offal (mammalian) | 0.05 | Except kidney |
| | Eggs | 0.01 | At or about the limit of determination |
| | Fodder (dry) of cereal grains | 3 | |
| | Hay or fodder (dry) of grasses | 70 | |
| | Kidney of cattle, goats, pigs and sheep | 1 | |
| | Meat (from mammals other than marine mammals) | 0.1 | |
| Substance | Commodity | MRL | Remark |
| | Milks | 0.02 | |
| | Oats | 0.1 | |
| | Poultry meat | 0.01 | At or about the limit of determination |

| | Poultry, Edible offal of | 0.01 | At or about the limit of determination |
|-----------------|---|------|--|
| | Straw of cereal grains | 0.3 | |
| | Triticale | 0.1 | |
| | Wheat | 0.1 | |
| | Wheat bran, Unprocessed | 0.3 | |
| Amitraz | Cattle meat | 0.05 | The MRL accommodates external animal treatment |
| | Cherries | 0.5 | |
| | Cotton seed | 0.5 | |
| | Cotton seed oil, Crude | 0.05 | |
| | Cucumber | 0.5 | |
| | Edible offal of cattle, & sheep | 0.2 | The MRL accommodates external animal treatment |
| | Milks | 0.01 | At or about the limit of determination. The MRL accommodates external animal treatment. |
| | Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars | 0.5 | |
| | Peach | 0.5 | |
| | Pig meat | 0.05 | The MRL accommodates external animal treatment |
| | Pome fruits | 0.5 | |
| | Sheep meat | 0.1 | The MRL accommodates external animal treatment |
| | Tomato | 0.5 | |
| Amitrole | Grapes | 0.05 | |
| | Pome fruits | 0.05 | At or about the limit of determination |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Stone fruits | 0.05 | At or about the limit of determination |
| Azinphos-Methyl | Alfalfa fodder | 10 | |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| | Almond hulls | 5 | |
|-----------|--|------|--|
| | Almonds | 0.05 | |
| | Apple | 0.05 | |
| | Blueberries | 5 | |
| | Broccoli | 1 | |
| | Cherries | 2 | |
| | Clover hay or fodder | 5 | |
| | Cotton seed | 0.2 | |
| | Cranberry | 0.1 | |
| | Cucumber | 0.2 | |
| | Fruits (except as otherwise listed) | 1 | |
| | Melons, except watermelon | 0.2 | |
| | Nectarine | 2 | |
| | Peach | 2 | |
| | Pear | 2 | |
| | Pecan | 0.3 | |
| | Peppers Chili, dried | 10 | |
| | Peppers, Sweet (including pimento or pimiento) | 1 | |
| | Plums (including prunes) | 2 | |
| | Potato | 0.05 | At or about the limit of determination |
| | Soya bean (dry) | 0.05 | At or about the limit of determination |
| | Spices | 0.5 | At or about the limit of determination |
| | Sugar cane | 0.2 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Tomato | 1 | |

| SUBSTANCE | COMMODITY | MRL | REMARK |
|--------------|---|------|---|
| | Vegetables (except as otherwise listed) | 0.5 | |
| | Walnuts | 0.3 | |
| | Watermelon | 0.2 | |
| Azocyclotin | Apple | 0.2 | |
| | Currants, Black, Red, White | 0.1 | |
| | Grapes | 0.3 | |
| | Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars | 0.2 | |
| | Pear | 0.2 | |
| Azoxystrobin | Almond hulls | 7 | |
| | Artichoke, Globe | 5 | |
| | Asparagus | 0.01 | At or about the limit of determination |
| | Banana | 2 | |
| | Barley | 0.5 | |
| | Berries and other small fruits | 5 | Except cranberry, grapes and strawberry |
| | Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas | 5 | |
| | Bulb vegetables | 10 | |
| | Carambola | 0.1 | |
| | Celery | 5 | |
| | Citrus fruits | 15 | |
| | Coffee beans | 0.02 | |
| | Cotton seed | 0.7 | |
| | Cranberry | 0.5 | |
| | Dried herbs | 300 | Except hops (dry) |
| | Edible offal (mammalian) | 0.07 | |

| | | | |
|--|---|------|---|
| | Eggs | 0.01 | At or about the limit of determination |
| | Fruiting vegetables other than cucurbits | 3 | Except mushrooms and sweet corn |
| | Fruiting vegetables, Cucurbits | 1 | |
| | Ginseng | 0.1 | |
| | Ginseng, dried including red ginseng | 0.3 | |
| | Ginseng, extracts | 0.5 | |
| | Grapes | 2 | |
| | Herbs | 70 | |
| | Hops, Dry | 30 | |
| | Legume vegetables | 3 | |
| | Lettuce, Head | 3 | |
| | Lettuce, Leaf | 3 | |
| | Maize | 0.02 | |
| | Maize fodder (dry) | 40 | Dry Weight |
| | Maize oil, Edible | 0.1 | |
| | Mango | 0.7 | |
| | Meat (from mammals other than marine mammals) | 0.05 | The MRL/EMRL applies to the fat of meat |
| | Milk fats | 0.03 | |
| | Milks | 0.01 | |
| | Oats | 0.5 | |
| | Papaya | 0.3 | |
| | Peanut | 0.2 | |
| | Peanut fodder | 30 | |
| | Peppers Chili, dried | 30 | |
| | Pistachio nuts | 1 | |

| SUBSTANCE | COMMODITY | MRL | REMARK |
|------------|---|------|--|
| | Plantain | 2 | |
| | Poultry meat | 0.01 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination |
| | Rice | 5 | |
| | Root and tuber vegetables | 1 | |
| | Rye | 0.2 | |
| | Soya bean (dry) | 0.5 | |
| | Soya bean fodder | 100 | |
| | Stone fruits | 2 | |
| | Straw and fodder (dry) of cereal grains | 15 | |
| | Strawberry | 10 | |
| | Sunflower seed | 0.5 | |
| | Tree nuts | 0.01 | |
| | Triticale | 0.2 | |
| | Wheat | 0.2 | |
| | Witloof chicory (sprouts) | 0.3 | |
| Benalaxyil | Grapes | 0.3 | |
| | Lettuce, Head | 1 | |
| | Melons, except watermelon | 0.3 | |
| | Onion, Bulb | 0.02 | At or about the limit of determination |
| | Potato | 0.02 | At or about the limit of determination |
| | Tomato | 0.2 | |
| | Watermelon | 0.1 | |
| Bentazone | Barley | 0.1 | |
| | Beans (dry) | 0.05 | At or about the limit of determination |

| | Broad bean (dry) | 0.05 | At or about the limit of determination |
|------------|---|------|--|
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Common bean (pods and/or immature seeds) | 0.2 | |
| | Eggs | 0.05 | At or about the limit of determination |
| | Field pea (dry) | 1 | |
| | Garden pea (young pods)(=succulent, immature seeds) | 0.2 | |
| | Lima bean (young pods and/or immature beans) | 0.05 | |
| | Linseed | 0.1 | |
| | Maize | 0.2 | |
| | Maize fodder (dry) | 0.2 | |
| | Meat (from mammals other than marine mammals) | 0.05 | At or about the limit of determination |
| | Milks | 0.05 | At or about the limit of determination |
| | Oats | 0.1 | |
| | Onion, Bulb | 0.1 | |
| | Peanut | 0.05 | |
| | Potato | 0.1 | |
| | Rice | 0.1 | |
| | Rye | 0.1 | |
| | Sorghum | 0.1 | |
| | Soya bean (dry) | 0.1 | |
| | Wheat | 0.1 | |
| Bifenazate | Almond hulls | 10 | |
| | Beans (dry) | 0.3 | |
| | Blackberries | 7 | |
| | Cotton seed | 0.3 | |

| | Dewberries (including boysenberry and loganberry) | 7 | |
|-----------|---|------|---|
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Dried grapes (=currants, raisins and sultanas) | 2 | |
| | Edible offal (mammalian) | 0.01 | At or about the limit of determination |
| | Eggs | 0.01 | At or about the limit of determination |
| | Fruiting vegetables, Cucurbits | 0.5 | |
| | Grapes | 0.7 | |
| | Hops, Dry | 20 | |
| | Legume vegetables | 7 | |
| | Meat (from mammals other than marine mammals) | 0.05 | The MRL/EMRL applies to the fat of meat |
| | Milk fats | 0.05 | |
| | Milks | 0.01 | At or about the limit of determination |
| | Mints | 40 | |
| | Peppers Chili | 3 | |
| | Peppers, Sweet (including pimento or pimiento) | 2 | |
| | Pome fruits | 0.7 | |
| | Poultry meat | 0.01 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination |
| | Raspberries, Red, Black | 7 | |
| | Stone fruits | 2 | |
| | Strawberry | 2 | |
| | Tomato | 0.5 | |
| | Tree nuts | 0.2 | |

| SUBSTANCE | COMMODITY | MRL | REMARK |
|------------|---|------|---|
| Bifenthrin | Banana | 0.1 | |
| | Barley | 0.05 | At or about the limit of determination |
| | Barley straw and fodder, Dry | 0.5 | |
| | Blackberries | 1 | |
| | Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas | 0.4 | |
| | Citrus fruits | 0.05 | |
| | Cotton seed | 0.5 | |
| | Dewberries (including boysenberry and loganberry) | 1 | |
| | Edible offal (mammalian) | 0.2 | |
| | Egg plant | 0.3 | |
| | Hops, Dry | 20 | |
| | Maize | 0.05 | At or about the limit of determination |
| | Maize fodder (dry) | 15 | |
| | Meat (from mammals other than marine mammals) | 3 | The MRL/EMRL applies to the fat of meat |
| | Milk fats | 3 | |
| | Milks | 0.2 | |
| | Mustard greens | 4 | |
| | Pea hay or pea fodder (dry) | 0.7 | |
| | Peppers | 0.5 | |
| | Peppers Chili, dried | 5 | |
| | Pulses | 0.3 | |
| | Radish leaves (including radish tops) | 4 | |
| | Rape seed | 0.05 | |
| | Rapeseed oil, Edible | 0.1 | |

| | Raspberries, Red, Black | 1 | |
|---------------|--|------|---|
| | Root and tuber vegetables | 0.05 | |
| | Spices, Fruits and Berries | 0.03 | |
| | Spices, Roots and Rhizomes | 0.05 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Strawberry | 1 | |
| | Tea, Green, Black (black, fermented and dried) | 30 | |
| | Tomato | 0.3 | |
| | Tree nuts | 0.05 | |
| | Wheat | 0.5 | The MRL accommodates post-harvest treatment of the commodity |
| | Wheat bran, Unprocessed | 2 | The MRL accommodates post-harvest treatment of the primary food commodity |
| | Wheat germ | 1 | The MRL accommodates post-harvest treatment of the commodity |
| Bioresmethrin | Wheat | 1 | The MRL accommodates post-harvest treatment of the commodity |
| | Wheat bran, Unprocessed | 5 | The MRL accommodates post-harvest treatment of the primary food commodity |
| | Wheat flour | 1 | The MRL accommodates post-harvest treatment of the primary food commodity |
| | Wheat germ | 3 | The MRL accommodates post-harvest treatment of the primary food commodity |
| | Wheat wholemeal | 1 | The MRL accommodates post-harvest treatment of the primary food commodity |
| Bitertanol | Apricot | 1 | |
| | Banana | 0.5 | |
| | Barley | 0.05 | At or about the limit of determination |
| | Barley straw and fodder, Dry | 0.05 | At or about the limit of determination |
| | Cherries | 1 | |
| | Cucumber | 0.5 | |

| | Edible offal (mammalian) | 0.05 | At or about the limit of determination |
|-----------|---|------|---|
| | Eggs | 0.01 | At or about the limit of determination |
| | Meat (from mammals other than marine mammals) | 0.05 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |
| | Milks | 0.05 | At or about the limit of determination |
| | Nectarine | 1 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Oat straw and fodder, Dry | 0.05 | At or about the limit of determination |
| | Oats | 0.05 | At or about the limit of determination |
| | Peach | 1 | |
| | Plums (including prunes) | 2 | |
| | Pome fruits | 2 | |
| | Poultry meat | 0.01 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination |
| | Rye | 0.05 | At or about the limit of determination |
| | Rye straw and fodder, Dry | 0.05 | At or about the limit of determination |
| | Tomato | 3 | |
| | Triticale | 0.05 | At or about the limit of determination |
| | Triticale straw and fodder, Dry | 0.05 | At or about the limit of determination |
| | Wheat | 0.05 | At or about the limit of determination |
| | Wheat straw and fodder, Dry | 0.05 | At or about the limit of determination |
| Boscalid | Almond hulls | 15 | |
| | Apple | 2 | |
| | Banana | 0.6 | |
| | Barley | 0.5 | |
| | Barley straw and fodder, Dry | 50 | Dry Weight |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | Berries and other small fruits | 10 | Except strawberry and grapes |
|-----------|---|------|---|
| | Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas | 5 | |
| | Bulb vegetables | 5 | |
| | Cereal grains | 0.1 | Except barley, oats, rye and wheat |
| | Citrus fruits | 2 | |
| | Citrus oil, edible | 50 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Citrus pulp, Dry | 6 | |
| | Coffee beans | 0.05 | At or about the limit of determination |
| | Dried grapes (=currants, raisins and sultanas) | 10 | |
| | Edible offal (mammalian) | 0.2 | |
| | Eggs | 0.02 | |
| | Fruiting vegetables other than cucurbits | 3 | Except fungi, mushroom and sweet corn |
| | Fruiting vegetables, Cucurbits | 3 | |
| | Grapes | 5 | |
| | Hops, Dry | 60 | |
| | Kiwifruit | 5 | |
| | Leafy vegetables | 40 | |
| | Legume vegetables | 3 | |
| | Meat (from mammals other than marine mammals) | 0.7 | The MRL/EMRL applies to the fat of meat |
| | Milk fats | 2 | |
| | Milks | 0.1 | |
| | Oat straw and fodder, Dry | 50 | Dry Weight |
| | Oats | 0.5 | |
| | Oilseed | 1 | |

| | Peppers Chili, dried | 10 | |
|-------------|--|------|--|
| | Pistachio nuts | 1 | |
| | Poultry fats | 0.02 | |
| | Poultry meat | 0.02 | |
| | Poultry, Edible offal of | 0.02 | |
| | Prunes | 10 | |
| | Pulses | 3 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Root and tuber vegetables | 2 | |
| | Rye | 0.5 | |
| | Rye straw and fodder, Dry | 50 | Dry Weight |
| | Stalk and Stem Vegetables | 30 | |
| | Stone fruits | 3 | |
| | Straw and fodder (dry) of cereal grains | 5 | Dry Weight. Except straw and fodder of barley, oats, rye and wheat. |
| | Strawberry | 3 | |
| | Tree nuts | 0.05 | At or about the limit of determination. Except pistachio. |
| | Wheat | 0.5 | |
| | Wheat straw and fodder, Dry | 50 | Dry Weight |
| Bromide Ion | Avocado | 75 | |
| | Broad bean (green pods and immature seeds) | 500 | |
| | Broccoli | 30 | |
| | Cabbages, Head | 100 | |
| | Celery | 300 | |
| | Cereal grains | 50 | |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| | Citrus fruits | 30 | |
|----------------|---|-------|--------|
| | Cucumber | 100 | |
| | Dates, Dried or dried and candied | 100 | |
| | Dried fruits | 30 | |
| | Dried grapes (=currants, raisins and sultanas) | 100 | |
| | Dried herbs | 400 | |
| | Figs, Dried or dried and candied | 250 | |
| | Fruits (except as otherwise listed) | 20 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Garden pea (young pods)(=succulent, immature seeds) | 500 | |
| | Lettuce, Head | 100 | |
| | Okra | 200 | |
| | Peach, Dried | 50 | |
| | Peppers Chili, dried | 200 | |
| | Peppers, Sweet (including pimento or pimiento) | 20 | |
| | Prunes (see plums) | 20 | |
| | Radish | 200 | |
| | Spices | 400 | |
| | Squash, summer | 200 | |
| | Strawberry | 30 | |
| | Tomato | 75 | |
| | Turnip greens | 1,000 | |
| | Turnip, Garden | 200 | |
| | Wheat wholemeal | 50 | |
| Bromopropylate | Citrus fruits | 2 | |

| | Common bean (pods and/or immature seeds) | 3 | |
|------------|--|------|--|
| | Cucumber | 0.5 | |
| | Grapes | 2 | |
| | Melons, except watermelon | 0.5 | |
| | Plums (including prunes) | 2 | |
| | Pome fruits | 2 | |
| | Squash, summer | 0.5 | |
| | Strawberry | 2 | |
| Buprofezin | Almond hulls | 2 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Almonds | 0.05 | At or about the limit of determination |
| | Apple | 3 | |
| | Banana | 0.3 | |
| | Cherries | 2 | |
| | Citrus fruits | 1 | excluding kumquats |
| | Citrus pulp, Dry | 2 | |
| | Dried grapes (=currants, raisins and sultanas) | 2 | |
| | Edible offal (mammalian) | 0.05 | At or about the limit of determination |
| | Fruiting vegetables, Cucurbits | 0.7 | |
| | Grapes | 1 | |
| | Mango | 0.1 | |
| | Meat (from mammals other than marine mammals) | 0.05 | At or about the limit of determination |
| | Milks | 0.01 | At or about the limit of determination |
| | Nectarine | 9 | |
| | Olives | 5 | |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | Peach | 9 | |
|-----------|--|------|--|
| | Pear | 6 | |
| | Peppers | 2 | |
| | Peppers Chili | 10 | |
| | Peppers Chili, dried | 10 | |
| | Plums (including prunes) | 2 | |
| | Strawberry | 3 | |
| | Tea, green | 30 | |
| | Tomato | 1 | |
| Cadusafos | Banana | 0.01 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| Captan | Almonds | 0.3 | |
| | Blueberries | 20 | |
| | Cherries | 25 | |
| | Cucumber | 3 | |
| | Dried grapes (=currants, raisins and sultanas) | 50 | |
| | Grapes | 25 | |
| | Melons, except watermelon | 10 | |
| | Nectarine | 3 | |
| | Peach | 20 | |
| | Plums (including prunes) | 10 | |
| | Pome fruits | 15 | The MRL accommodates post-harvest treatment of the commodity |
| | Potato | 0.05 | |
| | Raspberries, Red, Black | 20 | |
| | Spices, Roots and Rhizomes | 0.05 | |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | Strawberry | 15 | |
|-----------|--|------|--|
| | Tomato | 5 | |
| Carbaryl | Almond hulls | 50 | |
| | Asparagus | 15 | |
| | Beetroot | 0.1 | |
| | Carrot | 0.5 | |
| | Citrus fruits | 15 | excluding kumquats |
| | Cranberry | 5 | |
| | Egg plant | 1 | |
| | Kidney of cattle, goats, and sheep | 3 | |
| | Liver of cattle, goats, & sheep | 1 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Maize | 0.02 | At or about the limit of determination |
| | Maize fodder (dry) | 250 | |
| | Maize oil, Crude | 0.1 | |
| | Meat (from mammals other than marine mammals) | 0.05 | |
| | Milks | 0.05 | |
| | Olive oil, Virgin | 25 | |
| | Olives | 30 | |
| | Peppers Chili | 0.5 | |
| | Peppers Chili, dried | 2 | |
| | Peppers, Sweet (including pimento or pimiento) | 5 | |
| | Rice bran, Unprocessed | 170 | |
| | Rice hulls | 50 | |
| | Rice straw and fodder, Dry | 120 | |

| | Rice, Polished | 1 | |
|-----------|------------------------------|------|--|
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Sorghum | 10 | The MRL accommodates post-harvest treatment of the commodity. The MRL/EMRL is temporary, irrespective of the status of the ADI, until required information has been provided and evaluated. |
| | Sorghum forage (dry) | 50 | |
| | Soya bean (dry) | 0.2 | |
| | Soya bean fodder | 15 | |
| | Soya bean hulls | 0.3 | |
| | Soya bean oil, Crude | 0.2 | |
| | Spices, Fruits and Berries | 0.8 | |
| | Spices, Roots and Rhizomes | 0.1 | |
| | Sunflower seed | 0.2 | |
| | Sunflower seed oil, crude | 0.05 | |
| | Sweet corn (corn-on-the-cob) | 0.1 | |
| | Sweet corn cannery waste | 7.4 | |
| | Sweet potato | 0.02 | At or about the limit of determination |
| | Tomato | 5 | |
| | Tomato juice | 3 | |
| | Tomato paste | 10 | |
| | Tree nuts | 1 | |
| | Turnip, Garden | 1 | |
| | Wheat | 2 | |
| | Wheat bran, Unprocessed | 2 | |
| | Wheat flour | 0.2 | |
| | Wheat germ | 1 | |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| | Wheat straw and fodder, Dry | 30 | |
|-------------|--|------|--|
| Carbendazim | Apricot | 2 | |
| | Asparagus | 0.2 | |
| | Banana | 0.2 | |
| | Barley | 0.5 | |
| | Barley straw and fodder, Dry | 2 | |
| | Beans (dry) | 0.5 | |
| | Berries and other small fruits | 1 | Except grapes |
| | Brussels sprouts | 0.5 | |
| | Carrot | 0.2 | |
| | Cattle meat | 0.05 | At or about the limit of determination |
| | Cherries | 10 | |
| | Chicken fat | 0.05 | At or about the limit of determination |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Coffee beans | 0.1 | |
| | Common bean (pods and/or immature seeds) | 0.5 | |
| | Cucumber | 0.05 | At or about the limit of determination |
| | Edible offal (mammalian) | 0.05 | At or about the limit of determination |
| | Eggs | 0.05 | At or about the limit of determination |
| | Garden pea, Shelled (succulent seeds) | 0.02 | |
| | Gherkin | 0.05 | At or about the limit of determination |
| | Grapes | 3 | |
| | Lettuce, Head | 5 | |
| | Mango | 5 | |
| | Milks | 0.05 | At or about the limit of determination |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| | Nectarine | 2 | |
|------------------|---|------------|--|
| | Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars | 1 | |
| | Peach | 2 | |
| | Peanut | 0.1 | At or about the limit of determination |
| | Peanut fodder | 3 | |
| | Peppers Chili | 2 | |
| | Peppers Chili, dried | 20 | |
| | Pineapple | 5 | |
| | Plums (including prunes) | 0.5 | |
| | Pome fruits | 3 | |
| | Poultry meat | 0.05 | At or about the limit of determination |
| | Rape seed | 0.05 | At or about the limit of determination |
| | Rice straw and fodder, Dry | 15 | |
| | Rice, Husked | 2 | At or about the limit of determination |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Rye | 0.1 | |
| | Soya bean (dry) | 0.5 | |
| | Soya bean fodder | 0.1 | |
| | Spices, Fruits and Berries | 0.1 | |
| | Spices, Roots and Rhizomes | 0.1 | |
| | Squash, summer | 0.5 | |
| | Sugar beet | 0.1 | At or about the limit of determination |
| | Tomato | 0.5 | |
| | Tree nuts | 0.1 | At or about the limit of determination |
| | Wheat | 0.05 | At or about the limit of determination |

| | Wheat straw and fodder, Dry | 1 | |
|------------|---|------|---|
| Carbofuran | Banana | 0.01 | At or about the limit of determination |
| | Cattle fat | 0.05 | At or about the limit of determination |
| | Citrus pulp, Dry | 2 | Based on the use of carbosulfan |
| | Coffee beans | 1 | |
| | Cotton seed | 0.1 | |
| | Edible offal of cattle, goats, horses, pigs & sheep | 0.05 | At or about the limit of determination |
| | Goat fat | 0.05 | At or about the limit of determination |
| | | | |
| | Maize | 0.05 | At or about the limit of determination. Based on the use of carbosulfan. |
| | Mandarin | 0.5 | Based on the use of carbosulfan |
| | Meat of cattle, goats, horses, pigs & sheep | 0.05 | At or about the limit of determination |
| | Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars | 0.5 | |
| | | | |
| | | | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Rape seed | 0.05 | At or about the limit of determination |
| | Rice straw and fodder, Dry | 1 | |
| | Rice, Husked | 0.1 | |
| | Sheep fat | 0.05 | At or about the limit of determination |
| | Sorghum | 0.1 | At or about the limit of determination |
| | Sorghum straw and fodder, Dry | 0.5 | |
| | Spices, Roots and Rhizomes | 0.1 | |
| | Sugar beet | 0.2 | Based on the use of carbosulfan |
| | Sugar cane | 0.1 | At or about the limit of determination |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| | Sunflower seed | 0.1 | At or about the limit of determination |
|---------------------|---|------|---|
| Carbosulfan | Citrus pulp, Dry | 0.1 | |
| | Cotton seed | 0.05 | |
| | Edible offal (mammalian) | 0.05 | At or about the limit of determination |
| | Eggs | 0.05 | At or about the limit of determination |
| | Maize | 0.05 | At or about the limit of determination |
| | Mandarin | 0.1 | |
| | Meat (from mammals other than marine mammals) | 0.05 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |
| | Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars | 0.1 | |
| | Poultry meat | 0.05 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.05 | At or about the limit of determination |
| | Rice straw and fodder, Dry | 0.05 | At or about the limit of determination |
| | Spices, Fruits and Berries | 0.07 | |
| | Spices, Roots and Rhizomes | 0.1 | |
| | Sugar beet | 0.3 | |
| Chlorantraniliprole | Alfalfa fodder | 50 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Berries and other small fruits | 1 | |
| | Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas | 2 | |
| | Celery | 7 | |
| | Cereal grains | 0.02 | |
| | Citrus fruits | 0.5 | |
| | Cotton seed | 0.3 | |
| | Edible offal (mammalian) | 0.2 | |

| | Commodity | MRL | Remark |
|-----------|---|------|---|
| | Eggs | 0.1 | |
| | Fruiting vegetables other than cucurbits | 0.6 | |
| | Fruiting vegetables, Cucurbits | 0.3 | |
| | Leafy vegetables | 20 | |
| | Maize fodder (dry) | 25 | |
| | Meat (from mammals other than marine mammals) | 0.2 | The MRL/EMRL applies to the fat of meat |
| | Milk fats | 0.2 | |
| | Milks | 0.05 | |
| | Mints | 15 | |
| | Peppers Chili, dried | 5 | |
| | Pome fruits | 0.4 | |
| | Poultry meat | 0.01 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination |
| | Root and tuber vegetables | 0.02 | |
| | Stone fruits | 1 | |
| | Straw and fodder (dry) of cereal grains | 0.3 | |
| | Sugar cane | 0.5 | |
| | Sweet corn (corn-on-the-cob) | 0.01 | At or about the limit of determination |
| Substance | Commodity | MRL | Remark |
| | Tree nuts | 0.02 | |
| Chlordane | Almonds | 0.02 | The MRL is based on extraneous residues |
| | Cotton seed oil, Crude | 0.05 | The MRL is based on extraneous residues |
| | Eggs | 0.02 | The MRL is based on extraneous residues |
| | Fruits and vegetables | 0.02 | At or about the limit of determination. The MRL is based on extraneous residues. |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | Hazelnuts | 0.02 | The MRL is based on extraneous residues |
|-------------|---|-------|--|
| | Linseed oil, Crude | 0.05 | The MRL is based on extraneous residues |
| | Maize | 0.02 | The MRL is based on extraneous residues |
| | Meat (from mammals other than marine mammals) | 0.05 | The MRL/EMRL applies to the fat of meat. The MRL is based on extraneous residues. |
| | Milks | 0.002 | The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". The MRL is based on extraneous residues. |
| | Oats | 0.02 | The MRL is based on extraneous residues |
| | Pecan | 0.02 | The MRL is based on extraneous residues |
| | Poultry meat | 0.5 | The MRL/EMRL applies to the fat of meat. The MRL is based on extraneous residues. |
| | Rice, Polished | 0.02 | The MRL is based on extraneous residues |
| | Rye | 0.02 | The MRL is based on extraneous residues |
| | Sorghum | 0.02 | The MRL is based on extraneous residues |
| | Soya bean oil, Crude | 0.05 | The MRL is based on extraneous residues |
| | Soya bean oil, Refined | 0.02 | The MRL is based on extraneous residues |
| | Walnuts | 0.02 | The MRL is based on extraneous residues |
| | Wheat | 0.02 | The MRL is based on extraneous residues |
| Chlormequat | Barley | 2 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Cotton seed | 0.5 | |
| | Eggs | 0.1 | |
| | Goat meat | 0.2 | |
| | Kidney of cattle, goats, and sheep | 0.5 | |
| | Liver of cattle, goats, & sheep | 0.1 | |

| | Maize fodder (dry) | 7 | |
|----------------|--|------|--|
| | Meat of cattle, & sheep | 0.2 | |
| | Milk of cattle, goats & sheep | 0.5 | |
| | Oats | 10 | |
| | Poultry meat | 0.04 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.1 | |
| | Rape seed | 5 | |
| | Rape seed oil, Crude | 0.1 | At or about the limit of determination |
| | Rye | 3 | |
| | Rye bran, Unprocessed | 10 | |
| | Rye flour | 3 | |
| | Rye wholemeal | 4 | |
| | Straw and fodder (dry) of cereal grains | 30 | |
| | Triticale | 3 | |
| | Wheat | 3 | |
| | Wheat bran, Unprocessed | 10 | |
| | Wheat flour | 2 | |
| | Wheat wholemeal | 5 | |
| Chlorothalonil | Banana | 15 | |
| | Brussels sprouts | 6 | |
| | Celery | 20 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Chard | 50 | |
| | Cherries | 0.5 | |
| | Common bean (pods and/or immature seeds) | 5 | |

| | Cranberry | 5 | |
|-----------|---|------|--------|
| | Cucumber | 3 | |
| | Currants, Black, Red, White | 20 | |
| | Edible offal (mammalian) | 0.2 | |
| | Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower) | 5 | |
| | Gherkin | 3 | |
| | Gooseberry | 20 | |
| | Grapes | 3 | |
| | Leek | 40 | |
| | Mammalian fats (except milk fats) | 0.07 | |
| | Meat (from mammals other than marine mammals) | 0.02 | |
| | Melons, except watermelon | 2 | |
| | Milks | 0.07 | |
| | Onion, Bulb | 0.5 | |
| | Onion, Chinese | 10 | |
| | Onion, Welsh | 10 | |
| | Papaya | 20 | |
| | Peach | 0.2 | |
| | Peanut | 0.1 | |
| | Peppers Chili, dried | 70 | |
| | Peppers, Sweet (including pimento or pimiento) | 7 | |
| | Poultry fats | 0.01 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Poultry meat | 0.01 | |
| | Poultry skin | 0.01 | |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| | Poultry, Edible offal of | 0.07 | |
|---------------------|--------------------------------|------------|--|
| | Pulses | 1 | |
| | Root and tuber vegetables | 0.3 | |
| | Spring Onion | 10 | |
| | Squash, summer | 3 | |
| | Strawberry | 5 | |
| | Tomato | 5 | |
| Chlorpropham | Cattle meat | 0.1 | The MRL/EMRL applies to the fat of meat |
| | Cattle, Edible offal of | 0.01 | At or about the limit of determination |
| | Milk fats | 0.02 | |
| | Milks | 0.01 | At or about the limit of determination |
| | Potato | 30 | The MRL accommodates post-harvest treatment of the commodity |
| Chlorpyrifos | Alfalfa fodder | 5 | |
| | Almonds | 0.05 | |
| | Banana | 2 | |
| | Broccoli | 2 | |
| | Cabbages, Head | 1 | |
| | Carrot | 0.1 | |
| | Cattle kidney | 0.01 | |
| | Cattle liver | 0.01 | |
| | Cattle meat | 1 | The MRL/EMRL applies to the fat of meat |
| | Cauliflower | 0.05 | |
| | Chinese cabbage (type pe-tsai) | 1 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Citrus fruits | 1 | excluding kumquats |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| SUBSTANCE | COMMODITY | MRL | REMARK |
|------------------|--|------------|---|
| | Coffee beans | 0.05 | |
| | Common bean (pods and/or immature seeds) | 0.01 | |
| | Cotton seed | 0.3 | |
| | Cotton seed oil, Edible | 0.05 | At or about the limit of determination |
| | Cranberry | 1 | |
| | Dried grapes (=currants, raisins and sultanas) | 0.1 | |
| | Eggs | 0.01 | At or about the limit of determination |
| | Grapes | 0.5 | |
| | Maize | 0.05 | |
| | Maize fodder (dry) | 10 | |
| | Maize oil, Edible | 0.2 | |
| | Milk of cattle, goats & sheep | 0.02 | |
| | Onion, Bulb | 0.2 | |
| | Peach | 0.5 | |
| | Peas (pods and succulent=immature seeds) | 0.01 | |
| | Pecan | 0.05 | At or about the limit of determination |
| | Peppers Chili, dried | 20 | |
| | Peppers, Sweet (including pimento or pimiento) | 2 | |
| | | | |
| | | | |
| | Plums (including prunes) | 0.5 | |
| | Pome fruits | 1 | |
| | Potato | 2 | |
| | Poultry meat | 0.01 | The MRL/EMRL applies to the fat of meat |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | | | |
|---------------------|--|------|---|
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination |
| | Rice | 0.5 | |
| | Sheep meat | 1 | The MRL/EMRL applies to the fat of meat |
| | Sheep, Edible offal of | 0.01 | |
| | Sorghum | 0.5 | |
| | Sorghum straw and fodder, Dry | 2 | |
| | Soya bean (dry) | 0.1 | |
| | Soya bean oil, Refined | 0.03 | |
| | Spices, Fruits and Berries | 1 | |
| | Spices, Roots and Rhizomes | 1 | |
| | Spices, Seeds | 5 | |
| | Strawberry | 0.3 | |
| | Sugar beet | 0.05 | |
| | Sweet corn (corn-on-the-cob) | 0.01 | |
| | Tea, Green, Black (black, fermented and dried) | 2 | |
| | Walnuts | 0.05 | At or about the limit of determination |
| | Wheat | 0.5 | |
| | Wheat flour | 0.1 | |
| | Wheat straw and fodder, Dry | 5 | |
| Chlorpyrifos-Methyl | Citrus fruits | 2 | excluding kumquats |
| | Edible offal (mammalian) | 0.01 | |
| | Egg plant | 1 | |
| | Eggs | 0.01 | At or about the limit of determination |
| | Grape pomace, Dry | 5 | |
| | Grapes | 1 | |

| SUBSTANCE | COMMODITY | MRL | REMARK |
|-----------|---|------|---|
| | Meat (from mammals other than marine mammals) | 0.1 | The MRL/EMRL applies to the fat of meat |
| | Milk fats | 0.01 | At or about the limit of determination |
| | Milks | 0.01 | At or about the limit of determination |
| | Peppers | 1 | |
| | Peppers Chili, dried | 10 | |
| | Pome fruits | 1 | |
| | Potato | 0.01 | At or about the limit of determination |
| | Poultry meat | 0.01 | The MRL/EMRL applies to the fat of meat |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination |
| | Rice | 0.1 | |
| | Sorghum | 10 | The MRL accommodates post-harvest treatment of the commodity |
| | Spices, Fruits and Berries | 0.3 | |
| | Spices, Roots and Rhizomes | 5 | |
| | Spices, Seeds | 1 | |
| | Stone fruits | 0.5 | |
| | Strawberry | 0.06 | |
| | Tomato | 1 | |
| | Wheat | 10 | The MRL accommodates post-harvest treatment of the commodity |
| | Wheat bran, Unprocessed | 20 | The MRL accommodates post-harvest treatment of the primary food commodity |
| Clethodim | Alfalfa fodder | 10 | |
| | Bean fodder | 10 | |
| | Beans (dry) | 2 | |
| | Beans, except broad bean and soya bean | 0.5 | At or about the limit of determination |

| SUBSTANCE | COMMODITY | MRL | REMARK |
|-----------|---|------|--|
| | Cotton seed | 0.5 | |
| | Cotton seed oil, Crude | 0.5 | At or about the limit of determination |
| | Cotton seed oil, Edible | 0.5 | At or about the limit of determination |
| | Edible offal (mammalian) | 0.2 | At or about the limit of determination |
| | Eggs | 0.05 | At or about the limit of determination |
| | Field pea (dry) | 2 | |
| | Fodder beet | 0.1 | At or about the limit of determination |
| | Garlic | 0.5 | |
| | Meat (from mammals other than marine mammals) | 0.2 | At or about the limit of determination |
| | Milks | 0.05 | At or about the limit of determination |
| | Onion, Bulb | 0.5 | |
| | Peanut | 5 | |
| | Potato | 0.5 | |
| | Poultry meat | 0.2 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.2 | At or about the limit of determination |
| | Rape seed | 0.5 | |
| | Rape seed oil, Crude | 0.5 | At or about the limit of determination |
| | Rapeseed oil, Edible | 0.5 | At or about the limit of determination |
| | Soya bean (dry) | 10 | |
| | Soya bean oil, Crude | 1 | |
| | Soya bean oil, Refined | 0.5 | At or about the limit of determination |
| | Sugar beet | 0.1 | |
| | Sunflower seed | 0.5 | |
| | Sunflower seed oil, crude | 0.1 | At or about the limit of determination |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | Tomato | 1 | |
|--------------|--|------|--|
| Clofentezine | Almond hulls | 5 | |
| | Citrus fruits | 0.5 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Cucumber | 0.5 | |
| | Currants, Black, Red, White | 0.2 | |
| | Dried grapes (=currants, raisins and sultanas) | 2 | |
| | Edible offal (mammalian) | 0.05 | At or about the limit of determination |
| | Eggs | 0.05 | At or about the limit of determination |
| | Grapes | 2 | |
| | Meat (from mammals other than marine mammals) | 0.05 | At or about the limit of determination |
| | Melons, except watermelon | 0.1 | |
| | Milks | 0.05 | At or about the limit of determination |
| | Pome fruits | 0.5 | |
| | Poultry meat | 0.05 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.05 | At or about the limit of determination |
| | Stone fruits | 0.5 | |
| | Strawberry | 2 | |
| | Tomato | 0.5 | |
| | Tree nuts | 0.5 | |
| Clothianidin | Artichoke, Globe | 0.05 | |
| | Banana | 0.02 | |
| | Barley | 0.04 | |
| | Barley straw and fodder, Dry | 0.2 | Dry Weight |
| | Berries and other small fruits | 0.07 | Except grapes |

| | Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas | 0.2 | |
|-----------|---|------|--|
| | Cacao beans | 0.02 | At or about the limit of determination |
| | Celery | 0.04 | |
| | Citrus fruits | 0.07 | excluding kumquats |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Coffee beans | 0.05 | |
| | Dried grapes (=currants, raisins and sultanas) | 1 | |
| | Edible offal (mammalian) | 0.02 | At or about the limit of determination. Except liver. |
| | Eggs | 0.01 | At or about the limit of determination |
| | Fruiting vegetables other than cucurbits | 0.05 | Except sweet corn |
| | Fruiting vegetables, Cucurbits | 0.02 | At or about the limit of determination |
| | Grape juice | 0.2 | |
| | Grapes | 0.7 | |
| | Leafy vegetables | 2 | |
| | Legume vegetables | 0.01 | At or about the limit of determination |
| | Liver of cattle, goats, & sheep | 0.2 | |
| | Maize | 0.02 | |
| | Maize fodder (dry) | 0.01 | At or about the limit of determination. Dry Weight. |
| | Mammalian fats (except milk fats) | 0.02 | At or about the limit of determination |
| | Meat (from mammals other than marine mammals) | 0.02 | At or about the limit of determination |
| | Milks | 0.02 | |
| | Oilseed | 0.02 | At or about the limit of determination |
| | Papaya | 0.01 | At or about the limit of determination |
| | Pea hay or pea fodder (dry) | 0.2 | Dry Weight |

| | Pecan | 0.01 | At or about the limit of determination |
|------------|--|------|--|
| | Peppers Chili, dried | 0.5 | |
| | Pineapple | 0.01 | At or about the limit of determination |
| | Pome fruits | 0.4 | |
| | Popcorn | 0.01 | At or about the limit of determination |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Poultry fats | 0.01 | At or about the limit of determination |
| | Poultry meat | 0.01 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.1 | |
| | Prunes | 0.2 | |
| | Pulses | 0.02 | |
| | Rice | 0.5 | |
| | Sorghum | 0.01 | At or about the limit of determination |
| | Sorghum straw and fodder, Dry | 0.01 | At or about the limit of determination. Dry Weight. |
| | Stalk and Stem Vegetables | 0.04 | Except artichoke and celery |
| | Stone fruits | 0.2 | |
| | Sugar cane | 0.4 | |
| | Sweet corn (corn-on-the-cob) | 0.01 | At or about the limit of determination |
| | Tea, Green, Black (black, fermented and dried) | 0.7 | |
| | Wheat | 0.02 | At or about the limit of determination |
| | Wheat straw and fodder, Dry | 0.2 | Dry Weight |
| Cycloxydim | Beans (dry) | 30 | |
| | Beans, except broad bean and soya bean | 15 | green pods & immature seeds |
| | Beetroot | 0.2 | |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| | Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas | 9 | |
|-----------|---|------|--|
| | Carrot | 5 | |
| | Celeriac | 1 | |
| | Edible offal (mammalian) | 0.5 | |
| | Eggs | 0.15 | |
| | Grapes | 0.3 | |
| | Kale, curly | 3 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Leek | 4 | |
| | Lettuce, Head | 1.5 | |
| | Lettuce, Leaf | 1.5 | |
| | Linseed | 7 | |
| | Maize | 0.2 | |
| | Maize fodder (dry) | 2 | |
| | Mammalian fats (except milk fats) | 0.1 | |
| | Meat (from mammals other than marine mammals) | 0.06 | |
| | Milks | 0.02 | |
| | Onion, Bulb | 3 | |
| | Peas (dry) | 30 | |
| | Peas, Shelled (succulent seeds) | 15 | |
| | Peppers | 9 | |
| | Peppers Chili, dried | 90 | |
| | Pome fruits | 0.09 | At or about the limit of determination |
| | Potato | 3 | |
| | Poultry fats | 0.03 | At or about the limit of determination |

| | Poultry meat | 0.03 | At or about the limit of determination |
|----------------------------|---|------|---|
| | Poultry, Edible offal of | 0.02 | |
| | Rape seed | 7 | |
| | Rice | 0.09 | At or about the limit of determination |
| | Rice straw and fodder, Dry | 0.09 | |
| | Soya bean (dry) | 80 | |
| | Stone fruits | 0.09 | At or about the limit of determination |
| | Strawberry | 3 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Sugar beet | 0.2 | |
| | Sunflower seed | 6 | |
| | Swede | 0.2 | |
| | Tomato | 1.5 | |
| Cyfluthrin/beta-cyfluthrin | Apple | 0.1 | |
| | Cabbages, Head | 0.08 | |
| | Cauliflower | 2 | |
| | Citrus fruits | 0.3 | |
| | Citrus pulp, Dry | 2 | |
| | Cotton seed | 0.7 | |
| | Cotton seed oil, Crude | 1 | |
| | Edible offal (mammalian) | 0.02 | |
| | Egg plant | 0.2 | |
| | Eggs | 0.01 | At or about the limit of determination |
| | Meat (from mammals other than marine mammals) | 0.2 | The MRL/EMRL applies to the fat of meat |
| | Milks | 0.01 | |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| | Pear | 0.1 | |
|--|--|------|---|
| | Peppers | 0.2 | |
| | Peppers Chili, dried | 1 | |
| | Potato | 0.01 | At or about the limit of determination |
| | Poultry meat | 0.01 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination |
| | Rape seed | 0.07 | |
| | Soya bean (dry) | 0.03 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Soya bean fodder | 4 | |
| | Spices, Fruits and Berries | 0.03 | |
| | Spices, Roots and Rhizomes | 0.05 | |
| | Tomato | 0.2 | |
| Cyhalothrin (includes lambda-cyhalothrin) | Almond hulls | 2 | |
| | Apricot | 0.5 | |
| | Asparagus | 0.02 | |
| | Barley | 0.5 | |
| | Berries and other small fruits | 0.2 | |
| | Bulb vegetables | 0.2 | |
| | Cabbages, Head | 0.3 | |
| | Cherries | 0.3 | |
| | Citrus fruits | 0.2 | excluding kumquats |
| | Dried grapes (=currants, raisins and sultanas) | 0.3 | |

| | Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower) | 0.5 | |
|-----------|---|------|---|
| | Fruiting vegetables other than cucurbits | 0.3 | Except mushrooms |
| | Fruiting vegetables, Cucurbits | 0.05 | |
| | Kidney of cattle, goats, pigs and sheep | 0.2 | |
| | Legume vegetables | 0.2 | |
| | Liver of cattle, goats, & sheep | 0.05 | |
| | Maize | 0.02 | |
| | Mango | 0.2 | |
| | Meat (from mammals other than marine mammals) | 3 | The MRL/EMRL applies to the fat of meat |
| | Milks | 0.2 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Nectarine | 0.5 | |
| | Oats | 0.05 | |
| | Oilseed | 0.2 | |
| | Olives | 1 | |
| | Peach | 0.5 | |
| | Peppers Chili, dried | 3 | |
| | Plums (including prunes) | 0.2 | Except prunes |
| | Pome fruits | 0.2 | |
| | Pulses | 0.05 | |
| | Rice | 1 | |
| | Root and tuber vegetables | 0.01 | At or about the limit of determination |
| | Rye | 0.05 | |
| | Spices, Fruits and Berries | 0.03 | |
| | Spices, Roots and Rhizomes | 0.05 | |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | Straw and fodder (dry) of cereal grains | 2 | |
|--|---|------|--|
| | Sugar cane | 0.05 | |
| | Tree nuts | 0.01 | At or about the limit of determination |
| | Triticale | 0.05 | |
| | Wheat | 0.05 | |
| | Wheat bran, Unprocessed | 0.1 | |
| Cyhexatin | Apple | 0.2 | |
| | Currants, Black, Red, White | 0.1 | |
| | Grapes | 0.3 | |
| | Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars | 0.2 | |
| | Pear | 0.2 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Peppers Chili, dried | 5 | |
| Cypermethrins (including alpha- and zeta-cypermethrin) | Alfalfa fodder | 30 | |
| | Artichoke, Globe | 0.1 | |
| | Asparagus | 0.4 | |
| | Barley | 2 | The MRL accommodates post-harvest treatment of the commodity |
| | Bean fodder | 2 | |
| | Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas | 1 | |
| | Carambola | 0.2 | |
| | Cereal grains | 0.3 | Except rice barley, oats, rye and wheat |
| | Citrus fruits | 0.3 | excluding shaddocks or pomelos and kumquats |
| | Coffee beans | 0.05 | At or about the limit of determination |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| | Dried grapes (=currants, raisins and sultanas) | 0.5 | |
|-----------|--|------|---|
| | Durian | 1 | |
| | Edible offal (mammalian) | 0.05 | At or about the limit of determination. The MRL accommodates external animal treatment. |
| | Egg plant | 0.03 | |
| | Eggs | 0.01 | At or about the limit of determination |
| | Fruiting vegetables, Cucurbits | 0.07 | |
| | Grapes | 0.2 | |
| | Leafy vegetables | 0.7 | |
| | Leek | 0.05 | |
| | Legume vegetables | 0.7 | |
| | Litchi | 2 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Longan | 1 | |
| | Mango | 0.7 | |
| | Meat (from mammals other than marine mammals) | 2 | The MRL/EMRL applies to the fat of meat. The MRL accommodates external animal treatment. |
| | Milk fats | 0.5 | |
| | Milks | 0.05 | The MRL accommodates external animal treatment |
| | Oats | 2 | The MRL accommodates post-harvest treatment of the commodity |
| | Oilseed | 0.1 | |
| | Okra | 0.5 | |
| | Olive oil, Refined | 0.5 | |
| | Olive oil, Virgin | 0.5 | |
| | Olives | 0.05 | At or about the limit of determination |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| | Onion, Bulb | 0.01 | At or about the limit of determination |
|-----------|--|------|---|
| | Papaya | 0.5 | |
| | Pea hay or pea fodder (dry) | 2 | |
| | Peppers Chili | 2 | |
| | Peppers Chili, dried | 10 | |
| | Peppers, Sweet (including pimento or pimiento) | 0.1 | |
| | Pome fruits | 0.7 | |
| | Poultry fats | 0.1 | |
| | Poultry meat | 0.1 | The MRL/EMRL applies to the fat of meat |
| | Poultry, Edible offal of | 0.05 | At or about the limit of determination |
| | Pulses | 0.05 | At or about the limit of determination |
| | Rice | 2 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Root and tuber vegetables | 0.01 | At or about the limit of determination. Except sugar beet. |
| | Rye | 2 | The MRL accommodates post-harvest treatment of the commodity |
| | Shaddocks or pomelos | 0.5 | |
| | Spices, Fruits and Berries | 0.5 | |
| | Spices, Roots and Rhizomes | 0.2 | |
| | Stone fruits | 2 | |
| | Straw and fodder (dry) of cereal grains | 10 | |
| | Strawberry | 0.07 | |
| | Sugar beet | 0.1 | |
| | Sugar cane | 0.2 | |

| | Sweet corn (corn-on-the-cob) | 0.05 | At or about the limit of determination |
|---------------|--|------|---|
| | Tea, Green, Black (black, fermented and dried) | 15 | |
| | Tomato | 0.2 | |
| | Tree nuts | 0.05 | At or about the limit of determination |
| | Wheat | 2 | The MRL accommodates post-harvest treatment of the commodity |
| | Wheat bran, Unprocessed | 5 | The MRL accommodates post-harvest treatment of the primary food commodity |
| Cyproconazole | Beans (dry) | 0.02 | At or about the limit of determination |
| | Cereal grains | 0.08 | Except maize, rice and sorghum |
| | Edible offal (mammalian) | 0.5 | |
| | Eggs | 0.01 | At or about the limit of determination |
| | Maize | 0.01 | At or about the limit of determination |
| | Maize fodder (dry) | 2 | |
| | Meat (from mammals other than marine mammals) | 0.02 | The MRL/EMRL applies to the fat of meat |
| | Milks | 0.01 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Peas (dry) | 0.02 | At or about the limit of determination |
| | Peas, Shelled (succulent seeds) | 0.01 | |
| | Poultry meat | 0.01 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination |
| | Rape seed | 0.4 | |
| | Soya bean (dry) | 0.07 | |
| | Soya bean fodder | 3 | |
| | Soya bean oil, Refined | 0.1 | |
| | Straw and fodder (dry) of cereal grains | 5 | Except maize, rice and sorghum |
| | Sugar beet | 0.05 | |

| Cyprodinil | Almond hulls | 0.05 | At or about the limit of determination |
|------------|--|------------|---|
| | Almonds | 0.02 | At or about the limit of determination |
| | Apple | 0.05 | |
| | Barley | 3 | |
| | Beans, except broad bean and soya bean | 0.5 | |
| | Cucumber | 0.2 | |
| | Dried grapes (=currants, raisins and sultanas) | 5 | |
| | Edible offal (mammalian) | 0.01 | At or about the limit of determination |
| | Egg plant | 0.2 | |
| | Eggs | 0.01 | At or about the limit of determination |
| | Grapes | 3 | |
| | Lettuce, Head | 10 | |
| | Lettuce, Leaf | 10 | |
| | Meat (from mammals other than marine mammals) | 0.01 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Milks | 0.000 4 | At or about the limit of determination. The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". The MRL is calculated as 4% of the LOQ for milk fat (0.01 mg/kg). Milk fat is the fraction of the milk that is analyzed (JMPR 2003). |
| | Onion, Bulb | 0.3 | |
| | Pear | 1 | |
| | Peppers, Sweet (including pimento or pimiento) | 0.5 | |
| | Poultry meat | 0.01 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | Poultry, Edible offal of | 0.01 | At or about the limit of determination |
|------------|--|------|---|
| | Prunes | 5 | |
| | Raspberries, Red, Black | 0.5 | |
| | Squash, summer | 0.2 | |
| | Stone fruits | 2 | |
| | Straw and fodder (dry) of cereal grains | 10 | |
| | Strawberry | 2 | |
| | Tomato | 0.5 | |
| | Wheat | 0.5 | |
| | Wheat bran, Unprocessed | 2 | |
| Cyromazine | Artichoke, Globe | 3 | |
| | Beans (dry) | 3 | |
| | Broccoli | 1 | |
| | Celery | 4 | |
| | Chick-pea (dry) | 3 | |
| | Cucumber | 2 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Edible offal (mammalian) | 0.3 | |
| | Eggs | 0.3 | |
| | Fruiting vegetables other than cucurbits | 1 | Except mushrooms and sweet corn (corn-on-the-cob) |
| | Lentil (dry) | 3 | |
| | Lettuce, Head | 4 | |
| | Lettuce, Leaf | 4 | |
| | Lima bean (young pods and/or immature beans) | 1 | |
| | Lupin (dry) | 3 | |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| | Mango | 0.5 | |
|------------------|---|------------|--|
| | Meat (from mammals other than marine mammals) | 0.3 | |
| | Melons, except watermelon | 0.5 | |
| | Milks | 0.01 | |
| | Mushrooms | 7 | |
| | Mustard greens | 10 | |
| | Onion, Bulb | 0.1 | |
| | Peppers Chili, dried | 10 | |
| | Poultry meat | 0.1 | |
| | Poultry, Edible offal of | 0.2 | |
| | Spring Onion | 3 | |
| | Squash, summer | 2 | |
| DDT | Carrot | 0.2 | The MRL is based on extraneous residues. |
| | Cereal grains | 0.1 | The MRL is based on extraneous residues. |
| | Eggs | 0.1 | The MRL is based on extraneous residues. |
| | Meat (from mammals other than marine mammals) | 5 | The MRL/EMRL applies to the fat of meat. The MRL is based on extraneous residues. |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Milks | 0.02 | The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". The MRL is based on extraneous residues. |
| | Poultry meat | 0.3 | The MRL/EMRL applies to the fat of meat. The MRL is based on extraneous residues. |
| Deltamethrin | Apple | 0.2 | |
| | Carrot | 0.02 | |
| | Cereal grains | 2 | The MRL accommodates post-harvest treatment of the commodity. |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | Commodity | MRL | Remark |
|-----------|---|------|--|
| | Citrus fruits | 0.02 | |
| | Eggs | 0.02 | At or about the limit of determination. |
| | Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower) | 0.1 | |
| | Fruiting vegetables, Cucurbits | 0.2 | |
| | Grapes | 0.2 | |
| | Hazelnuts | 0.02 | At or about the limit of determination. |
| | Kidney of cattle, goats, and sheep | 0.03 | At or about the limit of determination. |
| | Leafy vegetables | 2 | |
| | Leek | 0.2 | |
| | Legume vegetables | 0.2 | |
| | Liver of cattle, goats, & sheep | 0.03 | At or about the limit of determination. |
| | Meat (from mammals other than marine mammals) | 0.5 | The MRL/EMRL applies to the fat of meat. |
| | Milks | 0.05 | The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". |
| | Mushrooms | 0.05 | The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". |
| | Nectarine | 0.05 | |
| Substance | Commodity | MRL | Remark |
| | Olives | 1 | |
| | Onion, Bulb | 0.05 | |
| | Peach | 0.05 | |
| | Plums (including prunes) | 0.05 | |
| | Potato | 0.01 | At or about the limit of determination. |
| | Poultry meat | 0.1 | The MRL/EMRL applies to the fat of meat. |
| | Poultry, Edible offal of | 0.02 | At or about the limit of determination. |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | Pulses | 1 | The MRL accommodates post-harvest treatment of the commodity. |
|-----------|--|------|--|
| | Radish | 0.01 | At or about the limit of determination. |
| | Spices, Fruits and Berries | 0.03 | |
| | Spices, Roots and Rhizomes | 0.5 | |
| | Strawberry | 0.2 | |
| | Sunflower seed | 0.05 | At or about the limit of determination. |
| | Sweet corn (corn-on-the-cob) | 0.02 | At or about the limit of determination. |
| | Tea, Green, Black (black, fermented and dried) | 5 | |
| | Tomato | 0.3 | |
| | Walnuts | 0.02 | At or about the limit of determination. |
| | Wheat bran, Unprocessed | 5 | The MRL accommodates post-harvest treatment of the primary food commodity. |
| | Wheat flour | 0.3 | The MRL accommodates post-harvest treatment of the primary food commodity. |
| | Wheat wholemeal | 2 | The MRL accommodates post-harvest treatment of the primary food commodity. |
| Diazinon | Almond hulls | 5 | |
| | Almonds | 0.05 | |
| | Blackberries | 0.1 | |
| | Boysenberry | 0.1 | |
| | Broccoli | 0.5 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Cabbages, Head | 0.5 | |
| | Cantaloupe | 0.2 | |
| | Carrot | 0.5 | |
| | Cherries | 1 | |
| | Chicken eggs | 0.02 | |
| | Chicken meat | 0.02 | |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| | Chicken, Edible offal of | 0.02 | |
|-----------|--|------|--------|
| | Chinese cabbage (type pe-tsai) | 0.05 | |
| | Common bean (pods and/or immature seeds) | 0.2 | |
| | Cranberry | 0.2 | |
| | Cucumber | 0.1 | |
| | Currants, Black, Red, White | 0.2 | |
| | Garden pea, Shelled (succulent seeds) | 0.2 | |
| | Goat meat | 2 | |
| | Hops, Dry | 0.5 | |
| | Kale | 0.05 | |
| | Kidney of cattle, goats, and sheep | 0.03 | |
| | Kiwifruit | 0.2 | |
| | Kohlrabi | 0.2 | |
| | Lettuce, Head | 0.5 | |
| | Lettuce, Leaf | 0.5 | |
| | Liver of cattle, goats, & sheep | 0.03 | |
| | Maize | 0.02 | |
| | Meat of cattle, & sheep | 2 | |
| | Milks | 0.02 | |
| | Onion, Bulb | 0.05 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Peach | 0.2 | |
| | Peppers Chili, dried | 0.5 | |
| | Peppers, Sweet (including pimento or pimiento) | 0.05 | |
| | Pineapple | 0.1 | |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| | | | |
|---------|--------------------------------|------|--|
| | Plums (including prunes) | 1 | |
| | Pome fruits | 0.3 | |
| | Potato | 0.01 | |
| | Prunes | 2 | |
| | Radish | 0.1 | |
| | Raspberries, Red, Black | 0.2 | |
| | Spices, Fruits and Berries | 0.1 | |
| | Spices, Roots and Rhizomes | 0.5 | |
| | Spices, Seeds | 5 | |
| | Spinach | 0.5 | |
| | Spring Onion | 1 | |
| | Squash, summer | 0.05 | |
| | Strawberry | 0.1 | |
| | Sugar beet | 0.1 | |
| | Sweet corn (corn-on-the-cob) | 0.02 | |
| | Tomato | 0.5 | |
| | Walnuts | 0.01 | |
| Dicamba | Asparagus | 5 | |
| | Barley | 7 | |
| | Barley straw and fodder, Dry | 50 | |
| | Cotton seed | 0.04 | |
| | | | |
| | | | |
| | | | |
| | Edible offal (mammalian) | 0.7 | |
| | Eggs | 0.01 | |
| | Hay or fodder (dry) of grasses | 30 | |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| | | | |
|---------------|---|------|--|
| | Maize | 0.01 | |
| | Maize fodder (dry) | 0.6 | |
| | Mammalian fats (except milk fats) | 0.07 | |
| | Meat (from mammals other than marine mammals) | 0.03 | |
| | Milks | 0.2 | |
| | Poultry fats | 0.04 | |
| | Poultry meat | 0.02 | |
| | Poultry, Edible offal of | 0.07 | |
| | Sorghum | 4 | |
| | Sorghum straw and fodder, Dry | 8 | |
| | Sugar cane | 1 | |
| | Sweet corn (kernels) | 0.02 | |
| | Wheat | 2 | |
| | Wheat straw and fodder, Dry | 50 | |
| Dichlofluanid | Apple | 5 | |
| | Cucumber | 5 | |
| | Currants, Black, Red, White | 15 | |
| | Gooseberry | 7 | |
| | Grapes | 15 | |
| | Lettuce, Head | 10 | |
| | Onion, Bulb | 0.1 | |
| | Peach | 5 | |
| | Pear | 5 | |
| | Peppers | 2 | |

| SUBSTANCE | COMMODITY | MRL | REMARK |
|------------|---|------|--------|
| | Wheat | 7 | |
| | Spices | 0.1 | |
| | Rice, Polished | 0.15 | |
| | Rice, Husked | 1.5 | |
| | Rice bran, Unprocessed | 15 | |
| | Rice | 7 | |
| | Poultry meat | 0.01 | |
| | Poultry fats | 0.01 | |
| | Milks | 0.01 | |
| | Meat (from mammals other than marine mammals) | 0.01 | |
| | Mammalian fats (except milk fats) | 0.01 | |
| Dichlorvos | Edible offal (mammalian) | 0.01 | |
| | Eggs | 0.01 | |
| | Nectarine | 7 | |
| | Onion, Bulb | 0.2 | |
| | Peach | 7 | |
| Dichloran | Carrot | 15 | |
| | Grapes | 7 | |
| | Raspberries, Red, Black | 15 | |
| | Strawberry | 10 | |
| | Potato | 0.1 | |
| | Peppers Chili, dried | 20 | |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| SUBSTANCE | COMMODITY | MRL | REMARK |
|----------------|--|------|---|
| | Wheat bran, Unprocessed | 15 | |
| | Wheat flour | 0.7 | |
| | Wheat wholemeal | 3 | |
| Dicofol | Spices, Fruits and Berries | 0.1 | |
| | Spices, Roots and Rhizomes | 0.1 | |
| | Spices, Seeds | 0.05 | |
| | Tea, Green, Black (black, fermented and dried) | 40 | |
| Difenoconazole | Asparagus | 0.03 | |
| | Banana | 0.1 | |
| | Beans, except broad bean and soya bean | 0.7 | |
| | Broccoli | 0.5 | |
| | Brussels sprouts | 0.2 | |
| | Cabbages, Head | 0.2 | |
| | Carrot | 0.2 | |
| | Cauliflower | 0.2 | |
| | Celeriac | 0.5 | |
| | Celery | 3 | |
| | Cherries | 0.2 | |
| | Edible offal (mammalian) | 0.2 | |
| | Eggs | 0.01 | At or about the limit of determination. |
| | Garlic | 0.02 | At or about the limit of determination. |
| | Ginseng | 0.5 | |
| | Grapes | 0.1 | |
| | Leek | 0.3 | |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | | | |
|--|---|-------|---|
| | Lettuce, Head | 2 | |
| | Lettuce, Leaf | 2 | |
| | Mango | 0.07 | |
| | Meat (from mammals other than marine mammals) | 0.05 | The MRL/EMRL applies to the fat of meat. |
| | Milks | 0.005 | At or about the limit of determination. |
| | Nectarine | 0.5 | |
| | Olives | 2 | |
| | Papaya | 0.2 | |
| | Passion fruit | 0.05 | |
| | Peach | 0.5 | |
| | Peas (pods and succulent=immature seeds) | 0.7 | |
| | Plums (including prunes) | 0.2 | |
| | Pome fruits | 0.5 | |
| | Potato | 0.02 | |
| | Poultry meat | 0.01 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination. |
| | Rape seed | 0.05 | |
| | Soya bean (dry) | 0.02 | At or about the limit of determination. |
| | Sugar beet | 0.2 | |
| | Sunflower seed | 0.02 | |
| | Tomato | 0.5 | |
| | Tree nuts | 0.03 | |
| | Wheat | 0.02 | At or about the limit of determination. |
| | Wheat straw and fodder, Dry | 3 | |

| SUBSTANCE | COMMODITY | MRL | REMARK |
|---------------|--|------|---|
| Diflubenzuron | Barley | 0.05 | At or about the limit of determination. |
| | Citrus fruits | 0.5 | |
| | Edible offal (mammalian) | 0.1 | At or about the limit of determination. |
| | Eggs | 0.05 | At or about the limit of determination. |
| | Hay or fodder (dry) of grasses | 3 | |
| | Meat (from mammals other than marine mammals) | 0.1 | The MRL/EMRL applies to the fat of meat. |
| | Milks | 0.02 | At or about the limit of determination. The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". |
| | Mushrooms | 0.3 | |
| | Mustard greens | 10 | |
| | Nectarine | 0.5 | |
| | Oats | 0.05 | At or about the limit of determination. |
| | Peach | 0.5 | |
| | Peanut | 0.1 | |
| | Peanut fodder | 40 | |
| | Peppers Chili | 3 | |
| | Peppers Chili, dried | 20 | |
| | Peppers, Sweet (including pimento or pimiento) | 0.7 | |
| | Plums (including prunes) | 0.5 | |
| | Pome fruits | 5 | |
| | Poultry meat | 0.05 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |
| | Rice | 0.01 | At or about the limit of determination. |

| SUBSTANCE | COMMODITY | MRL | REMARK |
|----------------|---|------|---|
| | Rice straw and fodder, Dry | 0.7 | |
| | Straw and fodder (dry) of cereal grains | 1.5 | |
| | | | |
| | Tree nuts | 0.2 | |
| | Triticale | 0.05 | At or about the limit of determination. |
| | Wheat | 0.05 | At or about the limit of determination. |
| Dimethenamid-P | Bean fodder | 0.01 | At or about the limit of determination. |
| | Beans (dry) | 0.01 | At or about the limit of determination. |
| | Beetroot | 0.01 | At or about the limit of determination. |
| | Eggs | 0.01 | At or about the limit of determination. |
| | Fodder beet | 0.01 | At or about the limit of determination. |
| | Garlic | 0.01 | At or about the limit of determination. |
| | Maize | 0.01 | At or about the limit of determination. |
| | Maize fodder (dry) | 0.01 | At or about the limit of determination. |
| | Meat (from mammals other than marine mammals) | 0.01 | At or about the limit of determination. |
| | Milks | 0.01 | At or about the limit of determination. |
| | Onion, Bulb | 0.01 | At or about the limit of determination. |
| | Peanut | 0.01 | At or about the limit of determination. |
| | Peanut fodder | 0.01 | At or about the limit of determination. |
| | Potato | 0.01 | At or about the limit of determination. |
| | Poultry meat | 0.01 | At or about the limit of determination. |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination. |
| | Shallot | 0.01 | At or about the limit of determination. |
| | Sorghum | 0.01 | At or about the limit of determination. |
| | Sorghum straw and fodder, Dry | 0.01 | At or about the limit of determination. |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| | Soya bean (dry) | 0.01 | At or about the limit of determination. |
|------------|---|------|---|
| | Sugar beet | 0.01 | At or about the limit of determination. |
| | Sweet corn (corn-on-the-cob) | 0.01 | At or about the limit of determination. |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Sweet potato | 0.01 | At or about the limit of determination. |
| Dimethipin | Cotton seed | 1 | |
| | Cotton seed oil, Crude | 0.1 | |
| | Cotton seed oil, Edible | 0.1 | |
| | Edible offal (mammalian) | 0.01 | At or about the limit of determination. |
| | Eggs | 0.01 | At or about the limit of determination. |
| | Meat (from mammals other than marine mammals) | 0.01 | At or about the limit of determination. |
| | Milks | 0.01 | At or about the limit of determination. |
| | Potato | 0.05 | At or about the limit of determination. |
| | Poultry meat | 0.01 | At or about the limit of determination. |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination. |
| | Rape seed | 0.2 | |
| | Sunflower seed | 1 | |
| Dimethoate | Artichoke, Globe | 0.05 | |
| | Asparagus | 0.05 | At or about the limit of determination. |
| | Barley | 2 | |
| | Brussels sprouts | 0.2 | |
| | Cabbage, Savoy | 0.05 | At or about the limit of determination. |
| | Cattle, Edible offal of | 0.05 | At or about the limit of determination. |
| | Cauliflower | 0.2 | |
| | Celery | 0.5 | |

| | Cherries | 2 | |
|-----------|--|------|---|
| | Citrus fruits | 5 | (excluding kumquats) |
| | Eggs | 0.05 | At or about the limit of determination. |
| | Lettuce, Head | 0.3 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Mammalian fats (except milk fats) | 0.05 | At or about the limit of determination. |
| | Mango | 1 | The MRL accommodates post-harvest treatment of the commodity. |
| | Meat of cattle, goats, horses, pigs & sheep | 0.05 | At or about the limit of determination. |
| | Milk of cattle, goats & sheep | 0.05 | At or about the limit of determination. |
| | Olives | 0.5 | |
| | Pear | 1 | |
| | Peas (pods and succulent=immature seeds) | 1 | |
| | Peppers Chili, dried | 3 | |
| | Peppers, Sweet (including pimento or pimiento) | 0.5 | |
| | Potato | 0.05 | |
| | Poultry fats | 0.05 | At or about the limit of determination. |
| | Poultry meat | 0.05 | At or about the limit of determination. |
| | Poultry, Edible offal of | 0.05 | At or about the limit of determination. |
| | Sheep, Edible offal of | 0.05 | At or about the limit of determination. |
| | Spices, Fruits and Berries | 0.5 | |
| | Spices, Roots and Rhizomes | 0.1 | At or about the limit of determination. |
| | Spices, Seeds | 5 | |
| | Sugar beet | 0.05 | |
| | Turnip greens | 1 | |
| | Turnip, Garden | 0.1 | |

| | Wheat | 0.05 | |
|--------------|--|------|--|
| | Wheat straw and fodder, Dry | 1 | |
| Dimethomorph | Broccoli | 1 | |
| | Cabbages, Head | 2 | |
| | Corn salad | 10 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Dried grapes (=currants, raisins and sultanas) | 5 | |
| | Edible offal (mammalian) | 0.01 | At or about the limit of determination. |
| | Eggs | 0.01 | At or about the limit of determination. |
| | Fruiting vegetables other than cucurbits | 1 | Except fungi, edible; mushrooms and sweet corn (corn-on-the-cob and kernels) |
| | Fruiting vegetables, Cucurbits | 0.5 | |
| | Grapes | 2 | |
| | Hops, Dry | 80 | |
| | Kohlrabi | 0.02 | |
| | Lettuce, Head | 10 | |
| | Meat (from mammals other than marine mammals) | 0.01 | At or about the limit of determination. |
| | Milks | 0.01 | At or about the limit of determination. |
| | Peppers Chili, dried | 5 | |
| | Pineapple | 0.01 | At or about the limit of determination. |
| | Potato | 0.05 | |
| | Poultry meat | 0.01 | At or about the limit of determination. |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination. |
| | Strawberry | 0.05 | |
| Dinocap | Apple | 0.2 | |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | Cucumber | 0.7 | |
|-------------|---|------|---|
| | Fruiting vegetables, Cucurbits | 0.05 | At or about the limit of determination. |
| | Grapes | 0.5 | |
| | Melons, except watermelon | 0.5 | |
| | Peach | 0.1 | |
| | Peppers | 0.2 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Peppers Chili, dried | 2 | |
| | Squash, summer | 0.07 | |
| | Strawberry | 0.5 | |
| | Tomato | 0.3 | |
| Dinotefuran | Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas | 2 | |
| | Celery | 0.6 | |
| | Cotton seed | 0.2 | |
| | Cranberry | 0.15 | |
| | Dried grapes (=currants, raisins and sultanas) | 3 | |
| | Edible offal (mammalian) | 0.1 | |
| | Eggs | 0.02 | At or about the limit of determination. |
| | Fruiting vegetables other than cucurbits | 0.5 | (except sweet corn and mushrooms) |
| | Fruiting vegetables, Cucurbits | 0.5 | |
| | Grapes | 0.9 | |
| | Leafy vegetables | 6 | (except watercress) |
| | Meat (from mammals other than marine mammals) | 0.1 | |
| | Milks | 0.1 | |
| | Nectarine | 0.8 | |

| | Onion, Bulb | 0.1 | |
|---------------|----------------------------|------|--|
| | Peach | 0.8 | |
| | Peppers Chili, dried | 5 | |
| | Poultry meat | 0.02 | At or about the limit of determination. |
| | Poultry, Edible offal of | 0.02 | At or about the limit of determination. |
| | Rice | 8 | |
| | Rice straw and fodder, Dry | 6 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Rice, Polished | 0.3 | |
| | Spring Onion | 4 | |
| | Watercress | 7 | |
| Diphenylamine | Apple | 10 | The MRL accommodates post-harvest treatment of the commodity. |
| | Apple juice | 0.5 | (for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity. |
| | Cattle kidney | 0.01 | At or about the limit of determination. |
| | Cattle liver | 0.05 | |
| | Cattle meat | 0.01 | At or about the limit of determination. (for meat) The MRL/EMRL applies to the fat of meat. |
| | Milk fats | 0.01 | |
| | Milks | 0.01 | At or about the limit of determination. |
| | Pear | 5 | The MRL accommodates post-harvest treatment of the commodity. |
| Diquat | Alfalfa fodder | 100 | |
| | Barley | 5 | |
| | Beans (dry) | 0.2 | |
| | Edible offal (mammalian) | 0.05 | At or about the limit of determination. |
| | Eggs | 0.05 | At or about the limit of determination. |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| | Lentil (dry) | 0.2 | |
|------------|---|------|---|
| | Maize | 0.05 | At or about the limit of determination. |
| | Meat (from mammals other than marine mammals) | 0.05 | At or about the limit of determination. |
| | Milks | 0.01 | At or about the limit of determination. |
| | Oats | 2 | |
| | Peas (dry) | 0.2 | |
| | Potato | 0.05 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Poultry meat | 0.05 | At or about the limit of determination. |
| | Poultry, Edible offal of | 0.05 | At or about the limit of determination. |
| | Rape seed | 2 | |
| | Rice | 10 | |
| | Rice, Husked | 1 | |
| | Rice, Polished | 0.2 | |
| | Sorghum | 2 | |
| | Soya bean (dry) | 0.2 | |
| | Sunflower seed | 1 | |
| | Vegetable oils, Crude | 0.05 | At or about the limit of determination. |
| | Vegetables (except as otherwise listed) | 0.05 | At or about the limit of determination. |
| | Wheat | 2 | |
| | Wheat bran, Unprocessed | 2 | |
| | Wheat flour | 0.5 | |
| | Wheat wholemeal | 2 | |
| Disulfoton | Alfalfa fodder | 5 | Dry Weight. |
| | Asparagus | 0.02 | At or about the limit of determination. |

| | Barley | 0.2 | |
|-----------|---|------|---|
| | Barley straw and fodder, Dry | 3 | |
| | Beans (dry) | 0.2 | |
| | Chicken eggs | 0.02 | At or about the limit of determination. |
| | Clover hay or fodder | 10 | |
| | Coffee beans | 0.2 | |
| | Common bean (pods and/or immature seeds) | 0.2 | |
| | Cotton seed | 0.1 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Garden pea (young pods)(=succulent, immature seeds) | 0.1 | At or about the limit of determination. |
| | Garden pea, Shelled (succulent seeds) | 0.02 | |
| | Maize | 0.02 | |
| | Maize fodder (dry) | 3 | |
| | Milk of cattle, goats & sheep | 0.01 | |
| | Oat straw and fodder, Dry | 0.05 | |
| | Oats | 0.02 | At or about the limit of determination. |
| | Peanut | 0.1 | |
| | Pecan | 0.1 | |
| | Pineapple | 0.1 | |
| | Poultry meat | 0.02 | At or about the limit of determination. |
| | Spices | 0.05 | At or about the limit of determination. |
| | Sugar beet | 0.2 | |
| | Sweet corn (corn-on-the-cob) | 0.02 | At or about the limit of determination. |
| | Sweet corn (kernels) | 0.02 | At or about the limit of determination. |
| | Wheat | 0.2 | |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | Wheat straw and fodder, Dry | 5 | |
|------------------|------------------------------|------|--|
| Dithianon | Cherries | 5 | |
| | Grapes | 3 | |
| | Hops, Dry | 100 | |
| | Mandarin | 3 | |
| | Pome fruits | 5 | |
| | Shaddocks or pomelos | 3 | |
| Dithiocarbamates | Almond hulls | 20 | |
| | Almonds | 0.1 | At or about the limit of determination |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Asparagus | 0.1 | |
| | Banana | 2 | |
| | Barley | 1 | |
| | Barley straw and fodder, Dry | 25 | |
| | Cabbages, Head | 5 | |
| | Carrot | 1 | |
| | Cherries | 0.2 | |
| | Cos lettuce | 10 | |
| | Cranberry | 5 | |
| | Cucumber | 2 | |
| | Currants, Black, Red, White | 10 | |
| | Edible offal (mammalian) | 0.1 | |
| | Eggs | 0.05 | At or about the limit of determination |
| | Garlic | 0.5 | |
| | Grapes | 5 | |

| | Hops, Dry | 30 | |
|-----------|---|------|--|
| | Kale | 15 | |
| | Leek | 0.5 | |
| | Lettuce, Head | 0.5 | |
| | Maize fodder (dry) | 2 | |
| | Mandarins | 10 | |
| | Mango | 2 | |
| | Meat (from mammals other than marine mammals) | 0.05 | At or about the limit of determination |
| | Melons, except watermelon | 0.5 | |
| | Milks | 0.05 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Onion, Bulb | 0.5 | |
| | Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars | 2 | |
| | Papaya | 5 | |
| | Peanut | 0.1 | At or about the limit of determination |
| | Peanut fodder | 5 | |
| | Pecan | 0.1 | At or about the limit of determination |
| | Peppers Chili, dried | 10 | |
| | Peppers, Sweet (including pimento or pimiento) | 1 | |
| | Pome fruits | 5 | |
| | Potato | 0.2 | |
| | Poultry meat | 0.1 | |
| | Poultry, Edible offal of | 0.1 | |
| | Pumpkins | 0.2 | |
| | Spring Onion | 10 | |

| | Squash, summer | 1 | |
|--------------------|--|-------|---|
| | Stone fruits | 7 | |
| | Strawberry | 5 | |
| | Sugar beet | 0.5 | |
| | Sweet corn (corn-on-the-cob) | 0.1 | At or about the limit of determination |
| | Tomato | 2 | |
| | Watermelon | 1 | |
| | Wheat | 1 | |
| | Wheat straw and fodder, Dry | 25 | |
| | Winter squash | 0.1 | |
| Dodine | Cherries | 3 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Nectarine | 5 | |
| | Peach | 5 | |
| | Pome fruits | 5 | |
| Emamectin benzoate | Beans, except broad bean and soya bean | 0.01 | |
| | Cos lettuce | 1 | |
| | Cotton seed | 0.002 | At or about the limit of determination. |
| | Edible offal (mammalian) | 0.08 | |
| | Fruiting vegetables other than cucurbits | 0.02 | except sweet corn and mushrooms |
| | Fruiting vegetables, Cucurbits | 0.007 | |
| | Grapes | 0.03 | |
| | Lettuce, Head | 1 | |
| | Lettuce, Leaf | 1 | |
| | Mammalian fats (except milk fats) | 0.02 | |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | Meat (from mammals other than marine mammals) | 0.004 | |
|------------|---|-------|--|
| | Milks | 0.002 | |
| | Mustard greens | 0.2 | |
| | Nectarine | 0.03 | |
| | Peach | 0.03 | |
| | Peppers Chili, dried | 0.2 | |
| | Pome fruits | 0.02 | |
| Endosulfan | Avocado | 0.5 | |
| | Cacao beans | 0.2 | |
| | Coffee beans | 0.2 | |
| | Cotton seed | 0.3 | |
| | Cucumber | 1 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Custard apple | 0.5 | |
| | Egg plant | 0.1 | |
| | Eggs | 0.03 | At or about the limit of determination. |
| | Hazelnuts | 0.02 | At or about the limit of determination. |
| | Kidney of cattle, goats, and sheep | 0.03 | At or about the limit of determination. |
| | Litchi | 2 | |
| | Liver of cattle, goats, & sheep | 0.1 | |
| | Macadamia nuts | 0.02 | At or about the limit of determination. |
| | Mango | 0.5 | |
| | Meat (from mammals other than marine mammals) | 0.2 | The MRL/EMRL applies to the fat of meat. |
| | Melons, except watermelon | 2 | |
| | Milk fats | 0.1 | |

| | Milks | 0.01 | |
|---------------|--|------|---|
| | Papaya | 0.5 | |
| | Persimmon, American | 2 | |
| | Potato | 0.05 | At or about the limit of determination. |
| | Poultry meat | 0.03 | At or about the limit of determination. |
| | Poultry, Edible offal of | 0.03 | At or about the limit of determination. |
| | Soya bean (dry) | 1 | |
| | Soya bean oil, Crude | 2 | |
| | Spices, Fruits and Berries | 5 | |
| | Spices, Roots and Rhizomes | 0.5 | |
| | Spices, Seeds | 1 | |
| | Squash, summer | 0.5 | |
| | Sweet potato | 0.05 | At or about the limit of determination. |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Tea, Green, Black (black, fermented and dried) | 10 | |
| | Tomato | 0.5 | |
| Endrin | Fruiting vegetables, Cucurbits | 0.05 | The MRL is based on extraneous residues. |
| | Poultry meat | 0.1 | The MRL is based on extraneous residues. |
| Esfenvalerate | Cotton seed | 0.05 | |
| | Eggs | 0.01 | At or about the limit of determination. |
| | Poultry meat | 0.01 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination. |
| | Rape seed | 0.01 | At or about the limit of determination. |
| | Tomato | 0.1 | |
| | Wheat | 0.05 | |

| | Wheat straw and fodder, Dry | 2 | |
|-----------|---|------|---|
| Ethephon | Apple | 5 | |
| | Barley | 1 | |
| | Barley straw and fodder, Dry | 5 | |
| | Blueberries | 20 | |
| | Cantaloupe | 1 | |
| | Cherries | 10 | |
| | Chicken eggs | 0.2 | At or about the limit of determination. |
| | Cotton seed | 2 | |
| | Dried grapes (=currants, raisins and sultanas) | 5 | |
| | Edible offal of cattle, goats, horses, pigs & sheep | 0.2 | At or about the limit of determination. |
| | Figs, Dried or dried and candied | 10 | |
| | Grapes | 1 | |
| | Hazelnuts | 0.2 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Meat of cattle, goats, & sheep | 0.1 | At or about the limit of determination. |
| | Milk of cattle, goats & sheep | 0.05 | At or about the limit of determination. |
| | Peppers | 5 | |
| | Peppers Chili, dried | 50 | |
| | Pineapple | 2 | |
| | Poultry meat | 0.1 | At or about the limit of determination. |
| | Poultry, Edible offal of | 0.2 | At or about the limit of determination. |
| | Rye | 1 | |
| | Rye straw and fodder, Dry | 5 | |
| | Tomato | 2 | |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | Walnuts | 0.5 | |
|-------------|--|------|---|
| | Wheat | 1 | |
| | Wheat straw and fodder, Dry | 5 | |
| Ethion | Spices, Fruits and Berries | 5 | |
| | Spices, Roots and Rhizomes | 0.3 | |
| | Spices, Seeds | 3 | |
| Ethoprophos | Banana | 0.02 | |
| | Cucumber | 0.01 | At or about the limit of determination. |
| | Edible offal (mammalian) | 0.01 | At or about the limit of determination. |
| | Meat (from mammals other than marine mammals) | 0.01 | |
| | Melons, except watermelon | 0.02 | |
| | Milks | 0.01 | At or about the limit of determination. |
| | Peppers Chili, dried | 0.2 | |
| | Peppers, Sweet (including pimento or pimiento) | 0.05 | |
| | Potato | 0.05 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Strawberry | 0.02 | At or about the limit of determination. |
| | Sugar cane | 0.02 | |
| | Sugar cane fodder | 0.02 | At or about the limit of determination. |
| | Sweet potato | 0.05 | |
| | Tomato | 0.01 | At or about the limit of determination. |
| | Turnip, Garden | 0.02 | At or about the limit of determination. |
| Ethoxyquin | Pear | 3 | The MRL accommodates post-harvest treatment of the commodity. |
| | Pear | 3 | The MRL accommodates post-harvest treatment of the commodity. |
| Etofenprox | Apple | 0.6 | |

| | Beans (dry) | 0.05 | |
|-----------|--|------|---|
| | Dried grapes (=currants, raisins and sultanas) | 8 | |
| | Edible offal (mammalian) | 0.05 | |
| | Eggs | 0.01 | At or about the limit of determination. |
| | Grapes | 4 | |
| | Maize | 0.05 | At or about the limit of determination. |
| | Meat (from mammals other than marine mammals) | 0.5 | The MRL/EMRL applies to the fat of meat. |
| | Milks | 0.02 | |
| | Nectarine | 0.6 | |
| | Peach | 0.6 | |
| | Pear | 0.6 | |
| | Poultry meat | 0.01 | At or about the limit of determination. |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination. |
| | Rape seed | 0.01 | At or about the limit of determination. |
| | Rice | 0.01 | At or about the limit of determination. |
| | Rice straw and fodder, Dry | 0.05 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| Etoxazole | Almond hulls | 3 | |
| | Citrus fruits | 0.1 | |
| | Cucumber | 0.02 | |
| | Edible offal (mammalian) | 0.01 | At or about the limit of determination. |
| | Grapes | 0.5 | |
| | Hops, Dry | 15 | |
| | Meat (from mammals other than marine mammals) | 0.01 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | Milks | 0.01 | At or about the limit of determination. |
|------------|--|------|--|
| | Mints | 15 | |
| | Pome fruits | 0.07 | |
| | Tea, Green, Black (black, fermented and dried) | 15 | |
| | Tree nuts | 0.01 | At or about the limit of determination. |
| Famoxadone | Barley | 0.2 | |
| | Barley straw and fodder, Dry | 5 | |
| | Cucumber | 0.2 | |
| | Dried grapes (=currants, raisins and sultanas) | 5 | |
| | Edible offal (mammalian) | 0.5 | |
| | Eggs | 0.01 | At or about the limit of determination. |
| | Grape pomace, Dry | 7 | |
| | Grapes | 2 | |
| | Meat (from mammals other than marine mammals) | 0.5 | The MRL/EMRL applies to the fat of meat. |
| | Milks | 0.03 | The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". |
| | Potato | 0.02 | At or about the limit of determination. |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Poultry meat | 0.01 | At or about the limit of determination. |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination. |
| | Squash, summer | 0.2 | |
| | Tomato | 2 | |
| | Wheat | 0.1 | |
| | Wheat bran, Unprocessed | 0.2 | |
| | Wheat straw and fodder, Dry | 7 | |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| Fenamiphos | Apple | 0.05 | At or about the limit of determination. |
|------------------|--|------------|---|
| | Banana | 0.05 | At or about the limit of determination. |
| | Brussels sprouts | 0.05 | |
| | Cabbages, Head | 0.05 | |
| | Cotton seed | 0.05 | At or about the limit of determination. |
| | Cotton seed oil, Crude | 0.05 | At or about the limit of determination. |
| | Edible offal (mammalian) | 0.01 | At or about the limit of determination. |
| | Eggs | 0.01 | At or about the limit of determination. |
| | Meat (from mammals other than marine mammals) | 0.01 | At or about the limit of determination. |
| | Melons, except watermelon | 0.05 | |
| | Milks | 0.005 | At or about the limit of determination. |
| | Peanut | 0.05 | At or about the limit of determination. |
| | Peanut oil, Crude | 0.05 | At or about the limit of determination. |
| | Poultry meat | 0.01 | At or about the limit of determination. |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination. |
| Fenarimol | Apple pomace, dry | 5 | |
| | Artichoke, Globe | 0.1 | |
| | Banana | 0.2 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Cattle kidney | 0.02 | At or about the limit of determination. |
| | Cattle liver | 0.05 | |
| | Cattle meat | 0.02 | At or about the limit of determination. |
| | Cherries | 1 | |
| | Dried grapes (=currants, raisins and sultanas) | 0.2 | |
| | Grapes | 0.3 | |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | Hops, Dry | 5 | |
|---------------|--|------|---|
| | Melons, except watermelon | 0.05 | |
| | Peach | 0.5 | |
| | Pecan | 0.02 | At or about the limit of determination. |
| | Peppers Chili, dried | 5 | |
| | Peppers, Sweet (including pimento or pimiento) | 0.5 | |
| | Pome fruits | 0.3 | |
| | Strawberry | 1 | The MRL/EMRL is temporary, irrespective of the status of the ADI, until required information has been provided and evaluated. |
| Fenbuconazole | Almond hulls | 3 | |
| | Apple pomace, dry | 1 | |
| | Apricot | 0.5 | |
| | Banana | 0.05 | |
| | Barley | 0.2 | |
| | Barley bran, unprocessed | 1 | |
| | Barley straw and fodder, Dry | 3 | |
| | Blueberries | 0.5 | |
| | Cherries | 1 | |
| | Cranberry | 1 | |
| | Cucumber | 0.2 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Edible offal (mammalian) | 0.1 | |
| | Eggs | 0.01 | At or about the limit of determination. |
| | Grapes | 1 | |
| | Meat (from mammals other than marine mammals) | 0.01 | |

| | Melons, except watermelon | 0.2 | |
|------------------|-----------------------------|------|---|
| | Milks | 0.01 | At or about the limit of determination. |
| | Peach | 0.5 | |
| | Peanut | 0.1 | |
| | Peanut fodder | 15 | |
| | Peppers | 0.6 | |
| | Peppers Chili, dried | 2 | |
| | Plums (including prunes) | 0.3 | |
| | Pome fruits | 0.5 | At or about the limit of determination. |
| | Poultry meat | 0.01 | At or about the limit of determination. |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination. |
| | Rape seed | 0.05 | |
| | Rye | 0.1 | |
| | Squash, summer | 0.05 | |
| | Sunflower seed | 0.05 | At or about the limit of determination. |
| | Tree nuts | 0.01 | At or about the limit of determination. |
| | Wheat | 0.1 | |
| | Wheat straw and fodder, Dry | 3 | |
| Fenbutatin Oxide | Almonds | 0.5 | |
| | Banana | 10 | |
| | Cherries | 10 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Chicken meat | 0.05 | At or about the limit of determination. |
| | Chicken, Edible offal of | 0.05 | At or about the limit of determination. |
| | Citrus fruits | 5 | (including kumquats) |
| | Citrus pulp, Dry | 25 | |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| | Cucumber | 0.5 | |
|------------------|--|------------|---|
| | Edible offal (mammalian) | 0.2 | |
| | Eggs | 0.05 | |
| | Grape pomace, Dry | 100 | |
| | Grapes | 5 | |
| | Meat (from mammals other than marine mammals) | 0.05 | At or about the limit of determination. |
| | Milks | 0.05 | At or about the limit of determination. |
| | Peach | 7 | |
| | Pecan | 0.5 | |
| | Plums (including prunes) | 3 | |
| | Pome fruits | 5 | |
| | Prunes | 10 | |
| | Raisins (seedless white grape var., partially dried) | 20 | |
| | Strawberry | 10 | |
| | Tomato | 1 | |
| | Walnuts | 0.5 | |
| Fenhexamid | Almond hulls | 2 | |
| | Almonds | 0.02 | At or about the limit of determination. |
| | Apricot | 10 | |
| | Bilberry | 5 | |
| | Blackberries | 15 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Blueberries | 5 | |
| | Cherries | 7 | |
| | Cucumber | 1 | |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| SUBSTANCE | COMMODITY | MRL | REMARK |
|------------------|---|------------|---|
| | Currants, Black, Red, White | 5 | |
| | Dewberries (including boysenberry and loganberry) | 15 | |
| | Dried grapes (=currants, raisins and sultanas) | 25 | |
| | Edible offal (mammalian) | 0.05 | At or about the limit of determination. |
| | Egg plant | 2 | |
| | Elderberries | 5 | |
| | Gherkin | 1 | |
| | Gooseberry | 5 | |
| | Grapes | 15 | |
| | Juneberries | 5 | |
| | Kiwifruit | 15 | |
| | Lettuce, Head | 30 | |
| | Lettuce, Leaf | 30 | |
| | Meat (from mammals other than marine mammals) | 0.05 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |
| | Milks | 0.01 | At or about the limit of determination. The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". |
| | Nectarine | 10 | |
| | Peach | 10 | |
| | Peppers | 2 | |
| | Plums (including prunes) | 1 | |
| | Raspberries, Red, Black | 15 | |
| | Squash, summer | 1 | |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| SUBSTANCE | COMMODITY | MRL | REMARK |
|------------------|----------------------------|------------|--|
| | Strawberry | 10 | |
| | Tomato | 2 | |
| Fenitrothion | Peppers | 2 | |
| | Plums (including prunes) | 1 | The MRL accommodates post-harvest treatment of the commodity. |
| | Raspberries, Red, Black | 15 | At or about the limit of determination. |
| | Squash, summer | 1 | At or about the limit of determination. |
| | Strawberry | 10 | At or about the limit of determination. |
| | Tomato | 2 | |
| | Poultry meat | 0.05 | At or about the limit of determination. |
| | Rice bran, Unprocessed | 40 | The MRL accommodates post-harvest treatment of the primary food commodity. |
| | Soya bean (dry) | 0.01 | |
| | Spices, Fruits and Berries | 1 | |
| | Spices, Roots and Rhizomes | 0.1 | At or about the limit of determination. |
| | Spices, Seeds | 7 | |
| | Wheat bran, Unprocessed | 25 | The MRL accommodates post-harvest treatment of the primary food commodity. |
| Fenpropathrin | Cattle meat | 0.5 | The MRL/EMRL applies to the fat of meat. |
| | Cattle milk | 0.1 | The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". |
| | Cattle, Edible offal of | 0.05 | |
| | Cotton seed | 1 | |
| | Cotton seed oil, Crude | 3 | |
| | Egg plant | 0.2 | |
| | Eggs | 0.01 | At or about the limit of determination. |
| | Gherkin | 0.2 | |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | | | |
|---------------|--|------|--|
| | Grapes | 5 | |
| | Peppers Chili, dried | 10 | |
| | Peppers, Sweet (including pimento or pimiento) | 1 | |
| | Pome fruits | 5 | |
| | Poultry meat | 0.02 | The MRL/EMRL applies to the fat of meat. |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination. |
| | Tea, Green, Black (black, fermented and dried) | 2 | |
| | Tomato | 1 | |
| Fenpropimorph | Banana | 2 | |
| | Barley | 0.5 | |
| | Barley straw and fodder, Dry | 5 | |
| | Eggs | 0.01 | At or about the limit of determination. |
| | Kidney of cattle, goats, and sheep | 0.05 | |
| | Liver of cattle, goats, & sheep | 0.3 | |
| | Mammalian fats (except milk fats) | 0.01 | |
| | Meat (from mammals other than marine mammals) | 0.02 | |
| | Milks | 0.01 | |
| | Oat straw and fodder, Dry | 5 | |
| | Oats | 0.5 | |
| | Poultry fats | 0.01 | At or about the limit of determination. |
| | Poultry meat | 0.01 | At or about the limit of determination. |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination. |
| | Rye | 0.5 | |
| | Rye straw and fodder, Dry | 5 | |
| | Sugar beet | 0.05 | At or about the limit of determination. |

| SUBSTANCE | COMMODITY | MRL | REMARK |
|---------------|--|-------|---|
| | Wheat | 0.5 | |
| | Wheat straw and fodder, Dry | 5 | |
| Fenpyroximate | Cattle kidney | 0.01 | At or about the limit of determination. |
| | Cattle liver | 0.01 | At or about the limit of determination. |
| | Cattle meat | 0.02 | The MRL/EMRL applies to the fat of meat. |
| | Cattle milk | 0.005 | At or about the limit of determination. The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". |
| | Citrus fruits | 0.5 | (excluding kumquats) |
| | Cucumber | 0.03 | |
| | Dried grapes (=currants, raisins and sultanas) | 0.3 | |
| | Fruiting vegetables other than cucurbits | 0.2 | Except sweet corn and mushrooms |
| | Grapes | 0.1 | |
| | Hops, Dry | 10 | |
| | Melons, except watermelon | 0.05 | At or about the limit of determination. |
| | Peppers Chili, dried | 1 | |
| | Pome fruits | 0.3 | |
| | Tree nuts | 0.05 | At or about the limit of determination. |
| Fenthion | Cherries | 2 | |
| | Citrus fruits | 2 | |
| | Olive oil, Virgin | 1 | |
| | Olives | 1 | |
| | Rice, Husked | 0.05 | |
| Fenvvalerate | Broccoli, Chinese | 3 | |

| | Edible offal (mammalian) | 0.02 | |
|-----------|---|-------|--|
| | Mango | 1.5 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Meat (from mammals other than marine mammals) | 1 | The MRL/EMRL applies to the fat of meat. |
| | Milks | 0.1 | The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". |
| | Spices, Fruits and Berries | 0.03 | |
| | Spices, Roots and Rhizomes | 0.05 | |
| Fipronil | Banana | 0.005 | |
| | Barley | 0.002 | At or about the limit of determination. |
| | Cabbages, Head | 0.02 | |
| | Cattle kidney | 0.02 | |
| | Cattle liver | 0.1 | |
| | Cattle meat | 0.5 | The MRL/EMRL applies to the fat of meat. |
| | Cattle milk | 0.02 | |
| | Eggs | 0.02 | |
| | Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower) | 0.02 | |
| | Maize | 0.01 | |
| | Maize fodder (dry) | 0.1 | Dry Weight |
| | Oats | 0.002 | At or about the limit of determination. |
| | Potato | 0.02 | |
| | Poultry meat | 0.01 | At or about the limit of determination. |
| | Poultry, Edible offal of | 0.02 | |
| | Rice | 0.01 | |
| | Rice straw and fodder, Dry | 0.2 | Dry Weight |

| | Rye | 0.002 | At or about the limit of determination. |
|---------------|---|-------|--|
| | Sugar beet | 0.2 | |
| | Sunflower seed | 0.002 | At or about the limit of determination. |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Triticale | 0.002 | At or about the limit of determination. |
| | Wheat | 0.002 | At or about the limit of determination. |
| Flubendiamide | Almond hulls | 10 | |
| | Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas | 4 | |
| | Celery | 5 | |
| | Cotton seed | 1.5 | |
| | Edible offal (mammalian) | 1 | |
| | Fruiting vegetables, Cucurbits | 0.2 | |
| | Grapes | 2 | |
| | Legume vegetables | 2 | |
| | Lettuce, Head | 5 | |
| | Lettuce, Leaf | 7 | |
| | Maize | 0.02 | |
| | Meat (from mammals other than marine mammals) | 2 | The MRL/EMRL applies to the fat of meat. |
| | Milk fats | 5 | |
| | Milks | 0.1 | |
| | Pea hay or pea fodder (dry) | 40 | |
| | Peppers | 0.7 | |
| | Peppers Chili, dried | 7 | |
| | Pome fruits | 0.8 | |
| | Pulses | 1 | |

| | Soya bean fodder | 60 | |
|-------------|---|------|---|
| | Stone fruits | 2 | |
| | Sweet corn (corn-on-the-cob) | 0.02 | |
| | Tea, Green, Black (black, fermented and dried) | 50 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Tomato | 2 | |
| | Tree nuts | 0.1 | |
| Fludioxonil | Apple pomace, dry | 20 | |
| | Basil | 10 | |
| | Basil, dry | 50 | |
| | Beans (dry) | 0.07 | |
| | Beans, Shelled | 0.03 | |
| | Beans, except broad bean and soya bean | 0.3 | |
| | Blackberries | 5 | |
| | Blueberries | 2 | |
| | Broccoli | 0.7 | |
| | Cabbages, Head | 2 | |
| | Carrot | 0.7 | |
| | Cereal grains | 0.05 | At or about the limit of determination. |
| | Chives | 10 | |
| | Chives, dry | 50 | |
| | Citrus fruits | 10 | The MRL accommodates post-harvest treatment of the commodity. |
| | Cotton seed | 0.05 | At or about the limit of determination. |
| | Cucumber | 0.3 | |
| | Dewberries (including boysenberry and loganberry) | 5 | |

| | Edible offal (mammalian) | 0.05 | At or about the limit of determination. |
|-----------|--|------|---|
| | Egg plant | 0.3 | |
| | Eggs | 0.05 | At or about the limit of determination. |
| | Grapes | 2 | |
| | Kiwifruit | 15 | The MRL accommodates post-harvest treatment of the commodity. |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Lettuce, Head | 10 | |
| | Mango | 2 | |
| | Meat (from mammals other than marine mammals) | 0.01 | At or about the limit of determination. |
| | Melons, except watermelon | 0.03 | |
| | Milks | 0.01 | |
| | Mustard greens | 10 | |
| | Onion, Bulb | 0.5 | |
| | Peas (dry) | 0.07 | |
| | Peas (pods and succulent=immature seeds) | 0.3 | |
| | Peas, Shelled (succulent seeds) | 0.03 | |
| | Peppers, Sweet (including pimento or pimiento) | 1 | |
| | Pistachio nuts | 0.2 | |
| | Pome fruits | 5 | The MRL accommodates post-harvest treatment of the commodity. |
| | Pomegranate | 2 | The MRL accommodates post-harvest treatment of the commodity. |
| | Potato | 0.02 | |
| | Poultry meat | 0.01 | At or about the limit of determination. |
| | Poultry, Edible offal of | 0.05 | At or about the limit of determination. |
| | Rape seed | 0.02 | At or about the limit of determination. |
| | Raspberries, Red, Black | 5 | |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | Squash, summer | 0.3 | |
|--------------|---|------|---|
| | Stone fruits | 5 | The MRL accommodates post-harvest treatment of the commodity. |
| | Straw and fodder (dry) of cereal grains | 0.06 | At or about the limit of determination. |
| | Strawberry | 3 | |
| | Sweet corn (corn-on-the-cob) | 0.01 | At or about the limit of determination. |
| | Sweet potato | 10 | The MRL accommodates post-harvest treatment of the commodity. |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Tomato | 0.5 | |
| | Watercress | 10 | |
| | Yams | 10 | The MRL accommodates post-harvest treatment of the commodity. |
| Flumethrin | Cattle meat | 0.2 | The MRL/EMRL applies to the fat of meat. On carcass fat basis. The MRL accommodates external animal treatment. |
| | Cattle milk | 0.05 | The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". On carcass fat basis. The MRL accommodates external animal treatment. |
| Fluopicolide | Brussels sprouts | 0.2 | |
| | Cabbages, Head | 7 | |
| | Celery | 20 | |
| | Dried grapes (=currants, raisins and sultanas) | 10 | |
| | Edible offal (mammalian) | 0.01 | At or about the limit of determination. |
| | Eggs | 0.01 | At or about the limit of determination. |
| | Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower) | 2 | |
| | Fruiting vegetables other than cucurbits | 1 | Except mushrooms and sweet corn. |
| | Fruiting vegetables, Cucurbits | 0.5 | |
| | Grape pomace, Dry | 7 | |

| | Grapes | 2 | |
|-----------|--|------|---|
| | Leafy vegetables | 30 | |
| | Meat (from mammals other than marine mammals) | 0.01 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |
| | Milks | 0.02 | |
| | Onion, Bulb | 1 | |
| | Onion, Welsh | 10 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Peppers Chili, dried | 7 | |
| | Poultry meat | 0.01 | At or about the limit of determination. |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination. |
| | Straw and fodder (dry) of cereal grains | 0.2 | |
| Fluopyram | Banana | 0.8 | |
| | Beans (dry) | 0.07 | |
| | Carrot | 0.4 | |
| | Cherries | 0.7 | |
| | Chick-pea (dry) | 0.07 | |
| | Cucumber | 0.5 | |
| | Dried grapes (=currants, raisins and sultanas) | 5 | |
| | Eggs | 0.3 | |
| | Grapes | 2 | |
| | Kidney of cattle, goats, and sheep | 0.5 | |
| | Lentil (dry) | 0.07 | |
| | Liver of cattle, goats, & sheep | 3 | |
| | Lupin (dry) | 0.07 | |

| | Meat (from mammals other than marine mammals) | 0.5 | |
|-------------|--|------|--|
| | Milks | 0.3 | |
| | Peach | 0.4 | |
| | Peanut | 0.03 | |
| | Pome fruits | 0.5 | |
| | Potato | 0.03 | |
| | Poultry meat | 0.2 | |
| | Poultry, Edible offal of | 0.7 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Strawberry | 0.4 | |
| | Sugar beet | 0.04 | |
| | Tomato | 0.4 | |
| | Tree nuts | 0.04 | |
| Flusilazole | Apple pomace, dry | 2 | |
| | Apricot | 0.2 | |
| | Banana | 0.03 | |
| | Cereal grains | 0.2 | Except rice |
| | Dried grapes (=currants, raisins and sultanas) | 0.3 | |
| | Edible offal (mammalian) | 2 | |
| | Eggs | 0.1 | |
| | Grape pomace, Dry | 2 | |
| | Grapes | 0.2 | |
| | Meat (from mammals other than marine mammals) | 1 | The MRL/EMRL applies to the fat of meat. |
| | Milks | 0.05 | |
| | Nectarine | 0.2 | |

| | Peach | 0.2 | |
|------------|---|------|---|
| | Pome fruits | 0.3 | |
| | Poultry meat | 0.2 | |
| | Poultry, Edible offal of | 0.2 | |
| | Rape seed | 0.1 | |
| | Soya bean (dry) | 0.05 | |
| | Soya bean hulls | 0.05 | |
| | Soya bean oil, Refined | 0.1 | |
| | Straw and fodder (dry) of cereal grains | 5 | Except rice |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Sugar beet | 0.05 | At or about the limit of determination. |
| | Sunflower seed | 0.1 | |
| | Sweet corn (corn-on-the-cob) | 0.01 | |
| Flutolanil | Eggs | 0.05 | |
| | Kidney of cattle, goats, and sheep | 0.1 | At or about the limit of determination. |
| | Liver of cattle, goats, & sheep | 0.2 | |
| | Meat (from mammals other than marine mammals) | 0.05 | At or about the limit of determination. |
| | Milks | 0.05 | At or about the limit of determination. |
| | Poultry meat | 0.05 | At or about the limit of determination. |
| | Poultry, Edible offal of | 0.05 | At or about the limit of determination. |
| | Rice bran, Unprocessed | 10 | |
| | Rice straw and fodder, Dry | 10 | |
| | Rice, Husked | 2 | |
| | Rice, Polished | 1 | |
| Flutriafol | Banana | 0.3 | |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | Coffee beans | 0.15 | |
|--------------|--|------|---|
| | Dried grapes (=currants, raisins and sultanas) | 2 | |
| | Grapes | 0.8 | |
| | Peanut | 0.15 | |
| | Peanut fodder | 20 | |
| | Peppers Chili, dried | 10 | |
| | Peppers, Sweet (including pimento or pimiento) | 1 | |
| | Pome fruits | 0.3 | |
| | Soya bean (dry) | 0.4 | |
| | Wheat | 0.15 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Wheat bran, Unprocessed | 0.3 | |
| | Wheat straw and fodder, Dry | 8 | |
| Fluxapyroxad | Barley | 2 | |
| | Barley bran, processed | 4 | |
| | Barley straw and fodder, Dry | 30 | |
| | Beans (dry) | 0.3 | |
| | Beans, Shelled | 0.09 | |
| | Beans, except broad bean and soya bean | 2 | |
| | Chick-pea (dry) | 0.4 | |
| | Cotton seed | 0.01 | At or about the limit of determination. |
| | Edible offal (mammalian) | 0.1 | |
| | Eggs | 0.02 | |
| | Fruiting vegetables other than cucurbits | 0.6 | (except sweet corn and mushrooms) |
| | Lentil (dry) | 0.4 | |

| | Maize | 0.01 | At or about the limit of determination. |
|-----------|---|------|--|
| | Maize fodder (dry) | 15 | |
| | Meat (from mammals other than marine mammals) | 0.2 | The MRL/EMRL applies to the fat of meat. |
| | Milk fats | 0.5 | |
| | Milks | 0.02 | |
| | Oat straw and fodder, Dry | 30 | |
| | Oats | 2 | |
| | Oilseed | 0.8 | (except peanut and cotton) |
| | Pea hay or pea fodder (dry) | 40 | Dry Weight. |
| | Peanut | 0.01 | |
| | Peas (dry) | 0.4 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Peas (pods and succulent=immature seeds) | 2 | |
| | Peas, Shelled (succulent seeds) | 0.09 | |
| | Peppers Chili, dried | 6 | |
| | Pome fruits | 0.9 | |
| | Potato | 0.03 | |
| | Poultry fats | 0.05 | |
| | Poultry meat | 0.02 | |
| | Poultry, Edible offal of | 0.02 | |
| | Prunes | 5 | |
| | Rye | 0.3 | |
| | Rye straw and fodder, Dry | 30 | |
| | Soya bean (dry) | 0.15 | |
| | Soya bean (immature seeds) | 0.5 | |

| | Soya bean (young pod) | 1.5 | |
|----------------------|---|------|-------------|
| | Soya bean fodder | 30 | Dry Weight. |
| | Soya bean hulls | 0.3 | |
| | Stone fruits | 2 | |
| | Sugar beet | 0.15 | |
| | Sweet corn (corn-on-the-cob) | 0.15 | |
| | Triticale | 0.3 | |
| | Triticale straw and fodder, Dry | 30 | |
| | Wheat | 0.3 | |
| | Wheat bran, Unprocessed | 1 | |
| | Wheat straw and fodder, Dry | 30 | |
| Folpet | Apple | 10 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Cucumber | 1 | |
| | Dried grapes (=currants, raisins and sultanas) | 40 | |
| | Grapes | 10 | |
| | Lettuce, Head | 50 | |
| | Melons, except watermelon | 3 | |
| | Onion, Bulb | 1 | |
| | Potato | 0.1 | |
| | Strawberry | 5 | |
| | Tomato | 3 | |
| Glufosinate-Ammonium | Asparagus | 0.4 | |
| | Assorted tropical and sub-tropical fruits - edible peel | 0.1 | |

| | Assorted tropical and sub-tropical fruits - inedible peel | 0.1 | (except banana and kiwifruit) |
|-----------|---|------|---|
| | Banana | 0.2 | |
| | Bean fodder | 1 | |
| | Blueberries | 0.1 | |
| | Carrot | 0.05 | |
| | Citrus fruits | 0.05 | |
| | Coffee beans | 0.1 | |
| | Common bean (dry) | 0.05 | |
| | Common bean (pods and/or immature seeds) | 0.05 | At or about the limit of determination. |
| | Corn salad | 0.05 | |
| | Cotton seed | 5 | |
| | Currants, Black, Red, White | 1 | |
| | Edible offal (mammalian) | 0.1 | At or about the limit of determination. |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Eggs | 0.05 | At or about the limit of determination. |
| | Gooseberry | 0.1 | |
| | Grapes | 0.15 | |
| | Lettuce, Head | 0.4 | |
| | Maize | 0.1 | |
| | Maize fodder (dry) | 8 | |
| | Meat (from mammals other than marine mammals) | 0.05 | |
| | Milks | 0.02 | At or about the limit of determination. |
| | Onion, Bulb | 0.05 | |
| | Pome fruits | 0.1 | |
| | Potato | 0.1 | |

| | Poultry meat | 0.05 | At or about the limit of determination. |
|------------|--------------------------------|------|---|
| | Poultry, Edible offal of | 0.1 | At or about the limit of determination. |
| | Prunes | 0.3 | |
| | Rape seed | 1.5 | |
| | Rape seed oil, Crude | 0.05 | At or about the limit of determination. |
| | Raspberries, Red, Black | 0.1 | |
| | Rice | 0.9 | |
| | Rice straw and fodder, Dry | 2 | |
| | Soya bean (dry) | 2 | |
| | Stone fruits | 0.15 | |
| | Strawberry | 0.3 | |
| | Sugar beet | 1.5 | |
| | Sugar beet molasses | 8 | |
| | Tree nuts | 0.1 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| Glyphosate | Alfalfa fodder | 500 | |
| | Banana | 0.05 | At or about the limit of determination. |
| | Barley straw and fodder, Dry | 400 | |
| | Bean fodder | 200 | |
| | Beans (dry) | 2 | |
| | Cereal grains | 30 | Except maize and rice |
| | Cotton seed | 40 | |
| | Edible offal (mammalian) | 5 | Except pigs |
| | Eggs | 0.05 | At or about the limit of determination. |
| | Hay or fodder (dry) of grasses | 500 | |
| | Lentil (dry) | 5 | |

| | Maize | 5 | |
|-----------|---|------|---|
| | Maize fodder (dry) | 150 | |
| | Meat (from mammals other than marine mammals) | 0.05 | At or about the limit of determination. |
| | Milks | 0.05 | At or about the limit of determination. |
| | Oat straw and fodder, Dry | 100 | |
| | Pea hay or pea fodder (dry) | 500 | |
| | Peas (dry) | 5 | |
| | | | |
| | Poultry meat | 0.05 | |
| | Poultry, Edible offal of | 0.5 | |
| | Rape seed | 20 | |
| | Sorghum straw and fodder, Dry | 50 | |
| | Soya bean (dry) | 20 | |
| | Sugar beet | 15 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Sugar cane | 2 | |
| | Sugar cane molasses | 10 | |
| | Sunflower seed | 7 | |
| | Sweet corn (corn-on-the-cob) | 3 | |
| | Wheat bran, Unprocessed | 20 | |
| | Wheat straw and fodder, Dry | 300 | |
| Guazatine | Cereal grains | 0.05 | At or about the limit of determination. |
| | Citrus fruits | 5 | The MRL accommodates post-harvest treatment of the commodity. |
| Haloxyfop | Banana | 0.02 | At or about the limit of determination. |
| | Beans (dry) | 3 | |

| | Beans, except broad bean and soya bean | 0.5 | |
|-----------|---|------|--|
| | Chick-pea (dry) | 0.05 | |
| | Citrus fruits | 0.02 | At or about the limit of determination. |
| | Coffee beans | 0.02 | At or about the limit of determination. |
| | Cotton seed | 0.7 | |
| | Edible offal (mammalian) | 2 | |
| | Eggs | 0.1 | |
| | Fodder beet | 0.4 | |
| | Grapes | 0.02 | At or about the limit of determination. |
| | Meat (from mammals other than marine mammals) | 0.5 | The MRL/EMRL applies to the fat of meat. |
| | Milk fats | 7 | |
| | Milks | 0.3 | |
| | Onion, Bulb | 0.2 | |
| | Peanut fodder | 5 | |
| | Peas (dry) | 0.2 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Peas (pods and succulent=immature seeds) | 0.7 | |
| | Peas, Shelled (succulent seeds) | 1 | |
| | Pome fruits | 0.02 | At or about the limit of determination. |
| | Poultry meat | 0.7 | The MRL/EMRL applies to the fat of meat. |
| | Poultry, Edible offal of | 0.7 | |
| | Rape seed | 3 | |
| | Soya bean (dry) | 2 | |
| | Stone fruits | 0.02 | At or about the limit of determination. |
| | Sugar beet | 0.4 | |

| | Sunflower seed | 0.3 | |
|------------------|--|------------|--|
| Heptachlor | Cereal grains | 0.02 | The MRL is based on extraneous residues. |
| | Citrus fruits | 0.01 | The MRL is based on extraneous residues. |
| | Cotton seed | 0.02 | The MRL is based on extraneous residues. |
| | Eggs | 0.05 | The MRL is based on extraneous residues. |
| | Meat (from mammals other than marine mammals) | 0.2 | The MRL/EMRL applies to the fat of meat. The MRL is based on extraneous residues. |
| | Milks | 0.006 | The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". The MRL is based on extraneous residues. |
| | Pineapple | 0.01 | The MRL is based on extraneous residues. |
| | Poultry meat | 0.2 | The MRL/EMRL applies to the fat of meat. |
| | Soya bean (immature seeds) | 0.02 | The MRL is based on extraneous residues. |
| | Soya bean oil, Crude | 0.5 | The MRL is based on extraneous residues. |
| | Soya bean oil, Refined | 0.02 | The MRL is based on extraneous residues. |
| Hexythiazox | Citrus fruits | 0.5 | |
| | Date | 2 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Dried grapes (=currants, raisins and sultanas) | 1 | |
| | Edible offal (mammalian) | 0.05 | |
| | Egg plant | 0.1 | |
| | Eggs | 0.05 | |
| | Fruiting vegetables, Cucurbits | 0.05 | Except watermelon. |
| | Grape pomace, Dry | 15 | |
| | Grapes | 1 | |
| | Hops, Dry | 3 | |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | Mammalian fats (except milk fats) | 0.05 | |
|--------------------|--|------|---|
| | Meat (from mammals other than marine mammals) | 0.05 | The MRL/EMRL applies to the fat of meat. |
| | Milk fats | 0.05 | |
| | Milks | 0.05 | |
| | Pome fruits | 0.4 | |
| | Poultry meat | 0.05 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |
| | Poultry, Edible offal of | 0.05 | |
| | Prunes | 1 | |
| | Stone fruits | 0.3 | |
| | Strawberry | 6 | |
| | Tea, Green, Black (black, fermented and dried) | 15 | |
| | Tomato | 0.1 | |
| | Tree nuts | 0.05 | At or about the limit of determination. |
| Hydrogen Phosphide | Cacao beans | 0.01 | The MRL accommodates post-harvest treatment of the commodity. |
| | Cereal grains | 0.1 | The MRL accommodates post-harvest treatment of the commodity. |
| | Dried fruits | 0.01 | The MRL accommodates post-harvest treatment of the commodity. |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Dried vegetables | 0.01 | The MRL accommodates post-harvest treatment of the commodity. |
| | Peanut | 0.01 | The MRL accommodates post-harvest treatment of the commodity. |
| | Spices | 0.01 | The MRL accommodates post-harvest treatment of the commodity. |
| | Tree nuts | 0.01 | The MRL accommodates post-harvest treatment of the commodity. |
| Imazalil | Banana | 2 | The MRL accommodates post-harvest treatment of the commodity. |

| | Citrus fruits | 5 | The MRL accommodates post-harvest treatment of the commodity. |
|--------------|--|------|---|
| | Cucumber | 0.5 | |
| | Gherkin | 0.5 | |
| | Melons, except watermelon | 2 | The MRL accommodates post-harvest treatment of the commodity. |
| | Persimmon, Japanese | 2 | The MRL accommodates post-harvest treatment of the commodity. |
| | Pome fruits | 5 | The MRL accommodates post-harvest treatment of the commodity. |
| | Potato | 5 | The MRL accommodates post-harvest treatment of the commodity. |
| | Raspberries, Red, Black | 2 | |
| | Strawberry | 2 | |
| | Wheat | 0.01 | At or about the limit of determination. |
| | Wheat straw and fodder, Dry | 0.1 | |
| Imidacloprid | Almond hulls | 5 | |
| | Apple | 0.5 | |
| | Apple pomace, dry | 5 | |
| | Apricot | 0.5 | |
| | Banana | 0.05 | |
| | Barley straw and fodder, Dry | 1 | |
| | Beans, except broad bean and soya bean | 2 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Berries and other small fruits | 5 | Except cranberries, grapes and strawberries. |
| | Broccoli | 0.5 | |
| | Brussels sprouts | 0.5 | |
| | Cabbages, Head | 0.5 | |
| | Cauliflower | 0.5 | |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| | Celery | 6 | |
|-----------|---|------|---|
| | Cereal grains | 0.05 | |
| | Cherry, Sweet | 0.5 | |
| | Citrus fruits | 1 | (excluding kumquats) |
| | Citrus pulp, Dry | 10 | |
| | Coffee beans | 1 | |
| | Cranberry | 0.05 | At or about the limit of determination. |
| | Cucumber | 1 | |
| | Edible offal (mammalian) | 0.3 | |
| | Egg plant | 0.2 | |
| | Eggs | 0.02 | |
| | Grapes | 1 | |
| | Hops, Dry | 10 | |
| | Leek | 0.05 | At or about the limit of determination. |
| | Lettuce, Head | 2 | |
| | Maize fodder (dry) | 0.2 | |
| | Mango | 0.2 | |
| | Meat (from mammals other than marine mammals) | 0.1 | |
| | Melons, except watermelon | 0.2 | |
| | Milks | 0.1 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Nectarine | 0.5 | |
| | Oat straw and fodder, Dry | 1 | |
| | Onion, Bulb | 0.1 | |
| | Peach | 0.5 | |

| | Peanut | 1 | |
|-----------|--|------|---|
| | Peanut fodder | 30 | |
| | Pear | 1 | |
| | Peas (pods and succulent=immature seeds) | 5 | |
| | Peas, Shelled (succulent seeds) | 2 | |
| | Peppers | 1 | |
| | Peppers Chili, dried | 10 | |
| | Plums (including prunes) | 0.2 | |
| | Pomegranate | 1 | |
| | Poultry meat | 0.02 | |
| | Poultry, Edible offal of | 0.05 | |
| | Pulses | 2 | (except soya beans) |
| | Radish leaves (including radish tops) | 5 | |
| | Rape seed | 0.05 | At or about the limit of determination. |
| | Root and tuber vegetables | 0.5 | |
| | Rye straw and fodder, Dry | 1 | |
| | Squash, summer | 1 | |
| | Strawberry | 0.5 | |
| | Sunflower seed | 0.05 | At or about the limit of determination. |
| | Sweet corn (corn-on-the-cob) | 0.02 | At or about the limit of determination. |
| | Tomato | 0.5 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Tree nuts | 0.01 | |
| | Watermelon | 0.2 | |
| | Wheat bran, Unprocessed | 0.3 | |

| | Wheat flour | 0.03 | |
|------------|--|------|--|
| | Wheat straw and fodder, Dry | 1 | |
| Indoxacarb | Alfalfa fodder | 60 | |
| | Apple | 0.5 | |
| | Broccoli | 0.2 | |
| | Cabbages, Head | 3 | |
| | Cauliflower | 0.2 | |
| | Chick-pea (dry) | 0.2 | |
| | Cotton fodder, dry | 20 | |
| | Cotton seed | 1 | |
| | Cowpea (dry) | 0.1 | |
| | Cranberry | 1 | |
| | Dried grapes (=currants, raisins and sultanas) | 5 | |
| | Edible offal (mammalian) | 0.05 | |
| | Egg plant | 0.5 | |
| | Eggs | 0.02 | |
| | Fruiting vegetables, Cucurbits | 0.5 | |
| | Grapes | 2 | |
| | Lettuce, Head | 7 | |
| | Lettuce, Leaf | 3 | |
| | Maize fodder (dry) | 25 | |
| | Meat (from mammals other than marine mammals) | 2 | The MRL/EMRL applies to the fat of meat. |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Milk fats | 2 | |
| | Milks | 0.1 | |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| SUBSTANCE | COMMODITY | MRL | REMARK |
|------------------|--|------------|---|
| | Mints | 15 | |
| | Mung bean (dry) | 0.2 | |
| | Peanut | 0.02 | At or about the limit of determination. |
| | Peanut fodder | 50 | |
| | Pear | 0.2 | |
| | Peppers | 0.3 | |
| | Potato | 0.02 | |
| | Poultry meat | 0.01 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination. |
| | Prunes | 3 | |
| | Soya bean (dry) | 0.5 | |
| | Stone fruits | 1 | |
| | Sweet corn (corn-on-the-cob) | 0.02 | |
| | Tomato | 0.5 | |
| Iprodione | Almonds | 0.2 | |
| | Barley | 2 | |
| | Beans (dry) | 0.1 | |
| | Blackberries | 30 | |
| | Broccoli | 25 | |
| | Carrot | 10 | The MRL accommodates post-harvest treatment of the commodity. |
| | Cherries | 10 | |
| | Common bean (pods and/or immature seeds) | 2 | |
| | Cucumber | 2 | |

| | | | |
|------------|---|------|--|
| | Grapes | 10 | |
| | Kiwifruit | 5 | |
| | Lettuce, Head | 10 | |
| | Lettuce, Leaf | 25 | |
| | Onion, Bulb | 0.2 | |
| | Peach | 10 | |
| | Pome fruits | 5 | he MRL accommodates post-harvest treatment of the commodity. |
| | Rape seed | 0.5 | |
| | Raspberries, Red, Black | 30 | |
| | Rice, Husked | 10 | |
| | Spices, Roots and Rhizomes | 0.1 | At or about the limit of determination. |
| | Spices, Seeds | 0.05 | |
| | Strawberry | 10 | At or about the limit of determination. |
| | Sugar beet | 0.1 | |
| | Sunflower seed | 0.5 | |
| | Tomato | 5 | |
| | Witloof chicory (sprouts) | 1 | |
| Isopyrazam | Banana | 0.06 | |
| | Barley | 0.07 | |
| | Barley straw and fodder, Dry | 3 | |
| | Edible offal (mammalian) | 0.02 | |
| | Eggs | 0.01 | At or about the limit of determination. |
| | Mammalian fats (except milk fats) | 0.01 | At or about the limit of determination. |
| | Meat (from mammals other than marine mammals) | 0.01 | At or about the limit of determination. |
| | Milk fats | 0.02 | |

| SUBSTANCE | COMMODITY | MRL | REMARK |
|-----------------|---|------|---|
| | Milks | 0.01 | At or about the limit of determination. |
| | Poultry fats | 0.01 | At or about the limit of determination. |
| | Poultry meat | 0.01 | At or about the limit of determination. |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination. |
| | Rye | 0.03 | |
| | Rye straw and fodder, Dry | 3 | |
| | Triticale | 0.03 | |
| | Triticale straw and fodder, Dry | 3 | |
| | Wheat | 0.03 | |
| | Wheat bran, Unprocessed | 0.15 | |
| | Wheat straw and fodder, Dry | 3 | |
| Kresoxim-Methyl | Barley | 0.1 | |
| | Cucumber | 0.05 | At or about the limit of determination. |
| | Dried grapes (=currants, raisins and sultanas) | 2 | |
| | Edible offal (mammalian) | 0.05 | At or about the limit of determination. |
| | Grapefruit | 0.5 | |
| | Grapes | 1 | |
| | Mammalian fats (except milk fats) | 0.05 | At or about the limit of determination. |
| | Meat (from mammals other than marine mammals) | 0.05 | At or about the limit of determination. |
| | Milks | 0.01 | At or about the limit of determination. |
| | Olive oil, Virgin | 0.7 | |
| | Olives | 0.2 | |
| | Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars | 0.5 | |
| | Pome fruits | 0.2 | |

| | Poultry meat | 0.05 | At or about the limit of determination. |
|-----------|---|------|--|
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Rye | 0.05 | At or about the limit of determination. |
| | Straw and fodder (dry) of cereal grains | 5 | |
| | Wheat | 0.05 | At or about the limit of determination. |
| Lindane | Barley | 0.01 | At or about the limit of determination. |
| | Edible offal (mammalian) | 0.01 | At or about the limit of determination. |
| | Eggs | 0.01 | At or about the limit of determination. |
| | Maize | 0.01 | At or about the limit of determination. |
| | Meat (from mammals other than marine mammals) | 0.1 | The MRL/EMRL applies to the fat of meat. |
| | Milks | 0.01 | At or about the limit of determination. |
| | Oats | 0.01 | At or about the limit of determination. |
| | Poultry meat | 0.05 | The MRL/EMRL applies to the fat of meat. |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination. |
| | Rye | 0.01 | At or about the limit of determination. |
| | Sorghum | 0.01 | At or about the limit of determination. |
| | Straw and fodder (dry) of cereal grains | 0.01 | At or about the limit of determination. |
| | Sweet corn (kernels) | 0.01 | At or about the limit of determination. |
| | Wheat | 0.01 | At or about the limit of determination. |
| Malathion | Apple | 0.5 | |
| | Asparagus | 1 | |
| | Beans (dry) | 2 | |
| | Beans, except broad bean and soya bean | 1 | |
| | Blueberries | 10 | |
| | Citrus fruits | 7 | (excluding kumquats) |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| SUBSTANCE | COMMODITY | MRL | REMARK |
|------------------|------------------------------|------------|---------------|
| | Cotton seed | 20 | |
| | Cotton seed oil, Crude | 13 | |
| | Cotton seed oil, Edible | 13 | |
| | Cucumber | 0.2 | |
| | Grapes | 5 | |
| | Maize | 0.05 | |
| | Mustard greens | 2 | |
| | Onion, Bulb | 1 | |
| | Peppers | 0.1 | |
| | Peppers Chili, dried | 1 | |
| | Sorghum | 3 | |
| | Spices, Fruits and Berries | 1 | |
| | Spices, Roots and Rhizomes | 0.5 | |
| | Spices, Seeds | 2 | |
| | Spinach | 3 | |
| | Spring Onion | 5 | |
| | Strawberry | 1 | |
| | Sweet corn (corn-on-the-cob) | 0.02 | |
| | Tomato | 0.5 | |
| | Tomato juice | 0.01 | |
| | Turnip greens | 5 | |
| | Turnip, Garden | 0.2 | |
| | Wheat | 10 | |
| | Wheat bran, Unprocessed | 25 | |
| | Wheat flour | 0.2 | |

| Maleic Hydrazide | Garlic | 15 | |
|------------------|--|------|--|
| | Onion, Bulb | 15 | |
| | Potato | 50 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Shallot | 15 | |
| Mandipropamid | Broccoli | 2 | |
| | Cabbages, Head | 3 | |
| | Celery | 20 | |
| | Cucumber | 0.2 | |
| | Dried grapes (=currants, raisins and sultanas) | 5 | |
| | Grapes | 2 | |
| | Leafy vegetables | 25 | |
| | Melons, except watermelon | 0.5 | |
| | Onion, Bulb | 0.1 | |
| | Peppers | 1 | |
| | Peppers Chili, dried | 10 | |
| | Potato | 0.01 | At or about the limit of determination |
| | Spring Onion | 7 | |
| | Squash, summer | 0.2 | |
| | Tomato | 0.3 | |
| MCPA | Barley | 0.2 | |
| | Barley straw and fodder, Dry | 50 | |
| | Edible offal (mammalian) | 3 | |
| | Eggs | 0.05 | At or about the limit of determination |
| | Flax-seed | 0.01 | At or about the limit of determination |
| | Hay or fodder (dry) of grasses | 500 | |

| | Maize | 0.01 | At or about the limit of determination |
|---------------|---|------|--|
| | Maize fodder (dry) | 0.3 | |
| | Mammalian fats (except milk fats) | 0.2 | |
| | Meat (from mammals other than marine mammals) | 0.1 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Milks | 0.04 | |
| | Oat straw and fodder, Dry | 50 | |
| | Oats | 0.2 | |
| | Peas (dry) | 0.01 | At or about the limit of determination |
| | Poultry fats | 0.05 | At or about the limit of determination |
| | Poultry meat | 0.05 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.05 | At or about the limit of determination |
| | Rye | 0.2 | |
| | Rye straw and fodder, Dry | 50 | |
| | Triticale | 0.2 | |
| | Triticale straw and fodder, Dry | 50 | |
| | Wheat | 0.2 | |
| | Wheat straw and fodder, Dry | 50 | |
| Meptyldinocap | Cucumber | 0.07 | |
| | Grapes | 0.2 | |
| | Melons, except watermelon | 0.5 | |
| | Squash, summer | 0.07 | |
| | Strawberry | 0.3 | |
| Metaflumizone | Brussels sprouts | 0.8 | |
| | Chinese cabbage (type pack-choi) | 6 | |

| | Edible offal (mammalian) | 0.02 | At or about the limit of determination |
|-----------|---|------|---|
| | Egg plant | 0.6 | |
| | Lettuce, Head | 7 | |
| | Meat (from mammals other than marine mammals) | 0.02 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Milk fats | 0.02 | |
| | Milks | 0.01 | At or about the limit of determination |
| | Peppers | 0.6 | |
| | Peppers Chili, dried | 6 | |
| | Potato | 0.02 | At or about the limit of determination |
| | Tomato | 0.6 | |
| Metalexyl | Asparagus | 0.05 | At or about the limit of determination |
| | Avocado | 0.2 | |
| | Broccoli | 0.5 | |
| | Brussels sprouts | 0.2 | |
| | Cabbages, Head | 0.5 | |
| | Cacao beans | 0.2 | |
| | Carrot | 0.05 | At or about the limit of determination |
| | Cauliflower | 0.5 | |
| | Cereal grains | 0.05 | At or about the limit of determination |
| | Citrus fruits | 5 | The MRL accommodates post-harvest treatment of the commodity |
| | Cotton seed | 0.05 | At or about the limit of determination |
| | Cucumber | 0.5 | |
| | Gherkin | 0.5 | |
| | Grapes | 1 | |

| | Hops, Dry | 10 | |
|---------------|--|------|--|
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Peas, Shelled (succulent seeds) | 0.05 | At or about the limit of determination |
| | Peppers | 1 | |
| | Peppers Chili, dried | 10 | |
| | Pome fruits | 1 | The MRL accommodates post-harvest treatment of the commodity |
| | Potato | 0.05 | At or about the limit of determination |
| | Raspberries, Red, Black | 0.2 | |
| | Soya bean (dry) | 0.05 | At or about the limit of determination |
| | Spices, Seeds | 5 | |
| | Spinach | 2 | |
| | Squash, summer | 0.2 | |
| | Sugar beet | 0.05 | At or about the limit of determination |
| | Sunflower seed | 0.05 | At or about the limit of determination |
| | Tomato | 0.5 | |
| | Watermelon | 0.2 | |
| | Winter squash | 0.2 | |
| Methamidophos | Artichoke, Globe | 0.2 | |
| | Beans, except broad bean and soya bean | 1 | |
| | Cotton seed | 0.2 | |
| | Edible offal (mammalian) | 0.01 | At or about the limit of determination |

| | Eggs | 0.01 | At or about the limit of determination |
|--------------|---|------|--|
| | Fodder beet | 0.02 | |
| | Meat (from mammals other than marine mammals) | 0.01 | At or about the limit of determination |
| | Milks | 0.02 | |
| | Potato | 0.05 | |
| | Poultry meat | 0.01 | At or about the limit of determination |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination |
| | Rice straw and fodder, Dry | 0.1 | |
| | Rice, Husked | 0.6 | |
| | Soya bean (dry) | 0.1 | |
| | Spices | 0.1 | At or about the limit of determination |
| | Sugar beet | 0.02 | |
| Methidathion | Almonds | 0.05 | At or about the limit of determination |
| | Apple | 0.5 | |
| | Artichoke, Globe | 0.05 | At or about the limit of determination |
| | Beans (dry) | 0.1 | |
| | Cabbages, Head | 0.1 | |
| | Cattle fat | 0.02 | At or about the limit of determination |
| | Cherries | 0.2 | |
| | Cotton seed | 1 | |
| | Cotton seed oil, Crude | 2 | |
| | Cucumber | 0.05 | |
| | Edible offal of cattle, & sheep | 0.02 | At or about the limit of determination |
| | Eggs | 0.02 | At or about the limit of determination |

| | Goat fat | 0.02 | At or about the limit of determination |
|-----------|---|-------|--|
| | Goat meat | 0.02 | At or about the limit of determination |
| | Goat, Edible offal of | 0.02 | At or about the limit of determination |
| | Grapefruit | 2 | |
| | Grapes | 1 | |
| | Hops, Dry | 5 | |
| | Lemons and limes | 2 | |
| | Macadamia nuts | 0.01 | At or about the limit of determination |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Maize | 0.1 | |
| | Mandarins | 5 | |
| | Meat of cattle, & sheep | 0.02 | At or about the limit of determination |
| | Milks | 0.001 | |
| | Nectarine | 0.2 | |
| | Olives | 1 | |
| | Onion, Bulb | 0.1 | |
| | Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars | 2 | |
| | Pear | 1 | |
| | Peas (dry) | 0.1 | |
| | Peas (pods and succulent=immature seeds) | 0.1 | |
| | Pecan | 0.05 | At or about the limit of determination |
| | Pig fat | 0.02 | At or about the limit of determination |
| | Pineapple | 0.05 | |
| | Plums (including prunes) | 0.2 | |
| | Potato | 0.02 | At or about the limit of determination |

| | Poultry fats | 0.02 | At or about the limit of determination |
|------------|--|------|--|
| | Poultry meat | 0.02 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.02 | At or about the limit of determination |
| | Radish | 0.05 | At or about the limit of determination |
| | Rape seed | 0.1 | |
| | Safflower seed | 0.1 | |
| | Sheep fat | 0.02 | At or about the limit of determination |
| | Sorghum | 0.2 | |
| | Spices, Fruits and Berries | 0.02 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Spices, Roots and Rhizomes | 0.05 | |
| | Sugar beet | 0.05 | At or about the limit of determination |
| | Sunflower seed | 0.5 | |
| | Tea, Green, Black (black, fermented and dried) | 0.5 | |
| | Tomato | 0.1 | |
| | Walnuts | 0.05 | At or about the limit of determination |
| Methiocarb | Artichoke, Globe | 0.05 | At or about the limit of determination |
| | Barley | 0.05 | At or about the limit of determination |
| | Barley straw and fodder, Dry | 0.05 | |
| | Brussels sprouts | 0.05 | At or about the limit of determination |
| | Cabbages, Head | 0.1 | |
| | Cauliflower | 0.1 | |
| | Hazelnuts | 0.05 | At or about the limit of determination |
| | Leek | 0.5 | |
| | Lettuce, Head | 0.05 | At or about the limit of determination |

| | Maize | 0.05 | At or about the limit of determination |
|-----------|--|------|--|
| | Melons, except watermelon | 0.2 | |
| | Onion, Bulb | 0.5 | |
| | Pea hay or pea fodder (dry) | 0.5 | |
| | Peas (dry) | 0.1 | |
| | Peas (pods and succulent=immature seeds) | 0.1 | |
| | Peppers, Sweet (including pimento or pimiento) | 2 | |
| | Potato | 0.05 | At or about the limit of determination |
| | Rape seed | 0.05 | At or about the limit of determination |
| | Spices, Fruits and Berries | 0.07 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Spices, Roots and Rhizomes | 0.1 | |
| | Strawberry | 1 | |
| | Sugar beet | 0.05 | At or about the limit of determination |
| | Sunflower seed | 0.05 | At or about the limit of determination |
| | Wheat | 0.05 | At or about the limit of determination |
| | Wheat straw and fodder, Dry | 0.05 | |
| Methomyl | Alfalfa fodder | 20 | |
| | Apple | 0.3 | |
| | Asparagus | 2 | |
| | Barley | 2 | |
| | Bean fodder | 10 | |
| | Beans (dry) | 0.05 | |
| | Beans, except broad bean and soya bean | 1 | |
| | Citrus fruits | 1 | (excluding kumquats) |

| | | | |
|------------------|---|------------|--|
| | Citrus pulp, Dry | 3 | |
| | Common bean (pods and/or immature seeds) | 1 | |
| | Cotton seed | 0.2 | |
| | Cotton seed , meal | 0.05 | |
| | Cotton seed oil, Edible | 0.04 | |
| | Cotton seed, hulls | 0.2 | |
| | Edible offal (mammalian) | 0.02 | At or about the limit of determination |
| | Eggs | 0.02 | At or about the limit of determination |
| | Fruiting vegetables, Cucurbits | 0.1 | |
| | Grapes | 0.3 | |
| | Lettuce, Head | 0.2 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Lettuce, Leaf | 0.2 | |
| | Maize | 0.02 | At or about the limit of determination |
| | Maize oil, Edible | 0.02 | At or about the limit of determination |
| | Meat (from mammals other than marine mammals) | 0.02 | At or about the limit of determination |
| | Milks | 0.02 | At or about the limit of determination |
| | Mint hay | 0.5 | |
| | Nectarine | 0.2 | |
| | Oats | 0.02 | At or about the limit of determination |
| | Onion, Bulb | 0.2 | |
| | Peach | 0.2 | |
| | Pear | 0.3 | |
| | Peas (pods and succulent=immature seeds) | 5 | |
| | Peppers | 0.7 | |

| | Peppers Chili, dried | 10 | |
|------------|--|------|---|
| | Plums (including prunes) | 1 | |
| | Potato | 0.02 | At or about the limit of determination |
| | Poultry meat | 0.02 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.02 | At or about the limit of determination |
| | Rape seed | 0.05 | |
| | Soya bean (dry) | 0.2 | |
| | Soya bean fodder | 0.2 | |
| | Soya bean hulls | 1 | |
| | Soya bean meal | 20 | |
| | Soya bean oil, Crude | 0.2 | |
| | Soya bean oil, Refined | 0.2 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Spices, Fruits and Berries | 0.07 | |
| | Straw, fodder (dry) and hay of cereal grains and other grass-like plants | 10 | |
| | Tomato | 1 | |
| | Wheat | 2 | |
| | Wheat bran, Unprocessed | 3 | |
| | Wheat flour | 0.03 | |
| | Wheat germ | 2 | |
| | Wheat straw and fodder, Dry | 5 | |
| Methoprene | Cereal grains | 10 | The MRL accommodates post-harvest treatment of the commodity |
| | Edible offal (mammalian) | 0.02 | |
| | Eggs | 0.02 | |
| | Maize oil, Crude | 200 | The MRL accommodates post-harvest treatment of the primary food commodity |

| | Meat (from mammals other than marine mammals) | 0.2 | The MRL/EMRL applies to the fat of meat |
|-----------------|--|------|---|
| | Milks | 0.1 | The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products" |
| | Poultry meat | 0.02 | |
| | Poultry, Edible offal of | 0.02 | |
| | Rice hulls | 40 | The MRL accommodates post-harvest treatment of the primary food commodity |
| | Wheat bran, Unprocessed | 25 | The MRL accommodates post-harvest treatment of the primary food commodity |
| Methoxyfenozide | Almond hulls | 50 | |
| | Apple pomace, dry | 7 | |
| | Avocado | 0.7 | |
| | Beans (dry) | 0.5 | |
| | Beans, Shelled | 0.3 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Blueberries | 4 | |
| | Broccoli | 3 | |
| | Cabbages, Head | 7 | |
| | Carrot | 0.5 | |
| | Celery | 15 | |
| | Citrus fruits | 2 | |
| | Common bean (pods and/or immature seeds) | 2 | |
| | Cotton seed | 7 | |
| | Cowpea (dry) | 5 | |
| | Cranberry | 0.7 | |
| | Dried grapes (=currants, raisins and sultanas) | 2 | |

| | Edible offal (mammalian) | 0.2 | |
|-----------|---|------|---|
| | Eggs | 0.01 | |
| | Fruiting vegetables, Cucurbits | 0.3 | (except watermelon) |
| | Grapes | 1 | |
| | Lettuce, Head | 15 | |
| | Lettuce, Leaf | 30 | |
| | Maize | 0.02 | At or about the limit of determination |
| | Maize fodder (dry) | 60 | Dry Weight |
| | Mammalian fats (except milk fats) | 0.3 | |
| | Meat (from mammals other than marine mammals) | 0.3 | The MRL/EMRL applies to the fat of meat |
| | Milks | 0.05 | |
| | Mustard greens | 30 | |
| | Papaya | 1 | |
| | Peanut | 0.03 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Peanut fodder | 80 | |
| | Peanut oil, Edible | 0.1 | |
| | Peas (dry) | 5 | |
| | Peas (pods and succulent=immature seeds) | 2 | |
| | Peas, Shelled (succulent seeds) | 0.3 | |
| | Peppers | 2 | |
| | Peppers Chili, dried | 20 | |
| | Pome fruits | 2 | |
| | Poultry meat | 0.01 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination |

| | Prunes | 2 | |
|----------------|--|------|---|
| | Radish | 0.4 | |
| | Radish leaves (including radish tops) | 7 | |
| | Stone fruits | 2 | |
| | Strawberry | 2 | |
| | Sugar beet | 0.3 | |
| | Sweet corn (corn-on-the-cob) | 0.02 | At or about the limit of determination |
| | Sweet potato | 0.02 | |
| | Tomato | 2 | |
| | Tree nuts | 0.1 | |
| Methyl Bromide | Bread and other cooked cereal products | 0.01 | At or about the limit of determination. To apply to commodity at point of retail sale or when offered for consumption. |
| | Cacao beans | 5 | The MRL accommodates post-harvest treatment of the commodity. To apply at point of entry into a country and, in case of cereal for milling, if product has been freely exposed to air for a period of at least 24 h after fumigation and before. |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Cereal grains | 5 | The MRL accommodates post-harvest treatment of the commodity. To apply at point of entry into a country and, in case of cereal for milling, if product has been freely exposed to air for a period of at least 24 h after fumigation and before. |
| | Cocoa products | 0.01 | At or about the limit of determination. The MRL accommodates post-harvest treatment of the commodity. To apply to commodity at point of retail sale or when offered for consumption. |
| | Dried fruits | 0.01 | At or about the limit of determination. The MRL accommodates post-harvest treatment of the commodity. To apply to commodity at point of retail sale or when offered for consumption. |

| | Dried fruits | 2 | The MRL accommodates post-harvest treatment of the commodity. To apply at point of entry into a country and, in case of cereal for milling, if product has been freely exposed to air for a period of at least 24 h after fumigation and before. |
|--------------|-------------------------|------|---|
| | Milled cereals products | 0.01 | At or about the limit of determination. The MRL accommodates post-harvest treatment of the commodity. To apply to commodity at point of retail sale or when offered for consumption. |
| | Milled cereals products | 1 | The MRL accommodates post-harvest treatment of the commodity. To apply at point of entry into a country and, in case of cereal for milling, if product has been freely exposed to air for a period of at least 24 h after fumigation and before. |
| | Peanut | 0.01 | At or about the limit of determination. The MRL accommodates post-harvest treatment of the commodity. To apply to commodity at point of retail sale or when offered for consumption. |
| | Peanut | 10 | The MRL accommodates post-harvest treatment of the commodity. To apply at point of entry into a country and, in case of cereal for milling, if product has been freely exposed to air for a period of at least 24 h after fumigation and before. |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Tree nuts | 10 | The MRL accommodates post-harvest treatment of the commodity. To apply at point of entry into a country and, in case of cereal for milling, if product has been freely exposed to air for a period of at least 24 h after fumigation and before. |
| | Tree nuts | 0.01 | At or about the limit of determination. The MRL accommodates post-harvest treatment of the commodity. To apply to commodity at point of retail sale or when offered for consumption. |
| Myclobutanil | Banana | 2 | |
| | Cattle meat | 0.01 | At or about the limit of determination |

| | Cattle milk | 0.01 | At or about the limit of determination |
|-----------|---|------|--|
| | Cattle, Edible offal of | 0.01 | At or about the limit of determination |
| | Currant, Black | 0.5 | |
| | Eggs | 0.01 | At or about the limit of determination |
| | Grapes | 1 | |
| | Hops, Dry | 2 | |
| | Plums (including prunes) | 0.2 | Except prunes |
| | Pome fruits | 0.5 | |
| | Poultry meat | 0.01 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination |
| | Prunes | 0.5 | |
| | Stone fruits | 2 | Except plums |
| | Strawberry | 1 | |
| | Tomato | 0.3 | |
| Novaluron | Apple pomace, dry | 40 | |
| | Beans (dry) | 0.1 | |
| | Blueberries | 7 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas | 0.7 | |
| | Chard | 15 | |
| | Common bean (pods and/or immature seeds) | 0.7 | |
| | Cotton seed | 0.5 | |
| | Edible offal (mammalian) | 0.7 | |
| | Eggs | 0.1 | |
| | Fruiting vegetables other than cucurbits | 0.7 | Except sweet corn |

| | Fruiting vegetables, Cucurbits | 0.2 | |
|-----------|---|------|--|
| | Meat (from mammals other than marine mammals) | 10 | The MRL/EMRL applies to the fat of meat |
| | Milk fats | 7 | |
| | Milks | 0.4 | |
| | Mustard greens | 25 | |
| | Pome fruits | 3 | |
| | Potato | 0.01 | At or about the limit of determination |
| | Poultry meat | 0.5 | The MRL/EMRL applies to the fat of meat |
| | Poultry, Edible offal of | 0.1 | |
| | Prunes | 3 | |
| | Soya bean (immature seeds) | 0.01 | At or about the limit of determination |
| | Stone fruits | 7 | |
| | Strawberry | 0.5 | |
| | Sugar cane | 0.5 | |
| Omethoate | Spices, Fruits and Berries | 0.01 | Residues of omethoate resulting from the use of dimethoate |
| | Spices, Roots and Rhizomes | 0.05 | Residues of omethoate resulting from the use of dimethoate |
| Oxamyl | Carrot | 0.1 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Citrus fruits | 5 | |
| | Cotton seed | 0.2 | |
| | Cucumber | 2 | |
| | Edible offal of cattle, goats, & sheep | 0.02 | At or about the limit of determination |
| | Eggs | 0.02 | At or about the limit of determination |
| | Meat (from mammals other than marine mammals) | 0.02 | At or about the limit of determination |
| | Melons, except watermelon | 2 | |

| | Milks | 0.02 | At or about the limit of determination |
|-------------------|--|------|--|
| | Peanut | 0.05 | |
| | Peanut fodder | 0.2 | |
| | Peppers, Sweet (including pimento or pimiento) | 2 | |
| | Potato | 0.1 | |
| | Poultry meat | 0.02 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.02 | At or about the limit of determination |
| | Spices, Fruits and Berries | 0.07 | |
| | Spices, Roots and Rhizomes | 0.05 | |
| | Tomato | 2 | |
| Oxydemeton-Methyl | Barley | 0.02 | At or about the limit of determination |
| | Barley straw and fodder, Dry | 0.1 | |
| | Cattle fat | 0.05 | At or about the limit of determination |
| | Cauliflower | 0.01 | At or about the limit of determination |
| | Common bean (dry) | 0.1 | |
| | Cotton seed | 0.05 | |
| | Eggs | 0.05 | At or about the limit of determination |
| | Kale | 0.01 | At or about the limit of determination |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Kohlrabi | 0.05 | |
| | Lemon | 0.2 | |
| | Meat of cattle & sheep | 0.05 | At or about the limit of determination |
| | Milks | 0.01 | At or about the limit of determination |
| | Pear | 0.05 | |
| | | | |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| | Potato | 0.01 | At or about the limit of determination |
|-----------|---|-------|--|
| | Poultry fats | 0.05 | At or about the limit of determination |
| | Poultry meat | 0.05 | At or about the limit of determination |
| | Rye | 0.02 | At or about the limit of determination |
| | Rye straw and fodder, Dry | 0.1 | |
| | Sheep fat | 0.05 | At or about the limit of determination |
| | Sugar beet | 0.01 | At or about the limit of determination |
| | Wheat | 0.02 | At or about the limit of determination |
| | Wheat straw and fodder, Dry | 0.1 | |
| Paraquat | Almond hulls | 0.01 | At or about the limit of determination |
| | Assorted tropical and sub-tropical fruits - inedible peel | 0.01 | At or about the limit of determination |
| | Berries and other small fruits | 0.01 | At or about the limit of determination |
| | Citrus fruits | 0.02 | |
| | Cotton seed | 2 | |
| | Edible offal (mammalian) | 0.05 | |
| | Eggs | 0.005 | At or about the limit of determination |
| | Fruiting vegetables other than cucurbits | 0.05 | |
| | Fruiting vegetables, Cucurbits | 0.02 | |
| | Hops, Dry | 0.1 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Leafy vegetables | 0.07 | |
| | Maize | 0.03 | |
| | Maize flour | 0.05 | |
| | Maize fodder (dry) | 10 | Dry Weight |
| | Meat (from mammals other than marine mammals) | 0.005 | |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| | Milks | 0.005 | At or about the limit of determination |
|------------------|--|------------|--|
| | Olives | 0.1 | |
| | Pome fruits | 0.01 | At or about the limit of determination |
| | Poultry meat | 0.005 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.005 | At or about the limit of determination |
| | Pulses | 0.5 | |
| | Rice | 0.05 | |
| | Rice straw and fodder, Dry | 0.05 | |
| | Root and tuber vegetables | 0.05 | |
| | Sorghum | 0.03 | |
| | Sorghum straw and fodder, Dry | 0.3 | Dry Weight |
| | Soya bean fodder | 0.5 | Dry Weight |
| | Stone fruits | 0.01 | At or about the limit of determination |
| | Sunflower seed | 2 | |
| | Tea, Green, Black (black, fermented and dried) | 0.2 | |
| | Tree nuts | 0.05 | |
| Parathion | Spices, Fruits and Berries | 0.2 | |
| | Spices, Roots and Rhizomes | 0.2 | |
| | Spices, Seeds | 0.1 | At or about the limit of determination |
| Parathion-Methyl | Apple | 0.2 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Beans (dry) | 0.05 | At or about the limit of determination |
| | Cabbages, Head | 0.05 | |
| | Dried grapes (=currants, raisins and sultanas) | 1 | |
| | Grapes | 0.5 | |

| | Commodity | MRL | Remark |
|--------------|--|------|--|
| | Nectarine | 0.3 | |
| | Peach | 0.3 | |
| | Peas (dry) | 0.3 | |
| | Potato | 0.05 | At or about the limit of determination |
| | Spices, Fruits and Berries | 5 | |
| | Spices, Roots and Rhizomes | 3 | |
| | Spices, Seeds | 5 | |
| | Sugar beet | 0.05 | At or about the limit of determination |
| Penconazole | Cattle meat | 0.05 | At or about the limit of determination |
| | Cattle milk | 0.01 | At or about the limit of determination |
| | Cattle, Edible offal of | 0.05 | At or about the limit of determination |
| | Chicken eggs | 0.05 | At or about the limit of determination |
| | Chicken meat | 0.05 | At or about the limit of determination |
| | Cucumber | 0.1 | |
| | Dried grapes (=currants, raisins and sultanas) | 0.5 | |
| | Grapes | 0.2 | |
| | Hops, Dry | 0.5 | |
| | Melons, except watermelon | 0.1 | |
| | Nectarine | 0.1 | |
| | Peach | 0.1 | |
| | Pome fruits | 0.2 | |
| Substance | Commodity | MRL | Remark |
| | Strawberry | 0.1 | |
| | Tomato | 0.2 | |
| Penthiopyrad | Beans, Shelled | 0.3 | |

| | Beans, except broad bean and soya bean | 3 | (green pods and immature seeds) |
|------------|---|------|------------------------------------|
| | Carrot | 0.6 | |
| | Celery | 15 | |
| | Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower) | 5 | |
| | Fruiting vegetables other than cucurbits | 2 | (except sweet corn and mushroom) |
| | Fruiting vegetables, Cucurbits | 0.5 | |
| | Leafy vegetables | 30 | (except brassica leafy vegetables) |
| | Onion, Bulb | 0.7 | |
| | Onion, Welsh | 4 | |
| | Peas (pods and succulent=immature seeds) | 3 | |
| | Peas, Shelled (succulent seeds) | 0.3 | |
| | Peppers Chili, dried | 14 | |
| | Potato | 0.05 | |
| | Pulses | 0.3 | (except soya beans) |
| | Radish | 3 | |
| | Spring Onion | 4 | |
| | Stone fruits | 4 | |
| | Strawberry | 3 | |
| | Sweet corn (corn-on-the-cob) | 0.02 | |
| | Tree nuts | 0.05 | |
| | Turnip greens | 50 | |
| Permethrin | Alfalfa fodder | 100 | Dry Weight |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Almonds | 0.1 | |
| | Apple pomace, dry | 50 | |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| SUBSTANCE | COMMODITY | MRL | REMARK |
|-----------|---|------|--|
| | Asparagus | 1 | |
| | Beans (dry) | 0.1 | |
| | Blackberries | 1 | |
| | Broccoli | 2 | |
| | Brussels sprouts | 1 | |
| | Cabbage, Savoy | 5 | |
| | Cabbages, Head | 5 | |
| | Carrot | 0.1 | |
| | Cauliflower | 0.5 | |
| | Celery | 2 | |
| | Cereal grains | 2 | The MRL accommodates post-harvest treatment of the commodity |
| | Chinese cabbage (type pe-tsai) | 5 | |
| | Citrus fruits | 0.5 | |
| | Coffee beans | 0.05 | At or about the limit of determination |
| | Common bean (pods and/or immature seeds) | 1 | |
| | Cotton seed | 0.5 | |
| | Cotton seed oil, Edible | 0.1 | |
| | Cucumber | 0.5 | |
| | Currants, Black, Red, White | 2 | |
| | Dewberries (including boysenberry and loganberry) | 1 | |
| | Edible offal (mammalian) | 0.1 | The MRL accommodates external animal treatment |
| | Egg plant | 1 | |
| | Eggs | 0.1 | |
| | Gherkin | 0.5 | |

| SUBSTANCE | COMMODITY | MRL | REMARK |
|-----------|---|------|---|
| | Gooseberry | 2 | |
| | Grapes | 2 | |
| | Hops, Dry | 50 | |
| | Horseradish | 0.5 | |
| | Kale | 5 | |
| | Kiwifruit | 2 | |
| | Kohlrabi | 0.1 | |
| | Leek | 0.5 | |
| | Lettuce, Head | 2 | |
| | Maize fodder (dry) | 100 | Dry Weight |
| | Meat (from mammals other than marine mammals) | 1 | The MRL/EMRL applies to the fat of meat. The MRL accommodates external animal treatment. |
| | Melons, except watermelon | 0.1 | |
| | Milks | | The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products" |
| | Mushrooms | 0.1 | |
| | Olives | 1 | |
| | Peanut | 0.1 | |
| | Peas, Shelled (succulent seeds) | 0.1 | |
| | Peppers | 1 | |
| | Peppers Chili, dried | 10 | |
| | Pistachio nuts | 0.05 | At or about the limit of determination |
| | Pome fruits | 2 | |
| | Potato | 0.05 | At or about the limit of determination |

| | | | |
|--|--|------|---|
| | Poultry meat | 0.1 | |
| | Radish, Japanese | 0.1 | |
| | Rape seed | 0.05 | At or about the limit of determination |
| | Raspberries, Red, Black | 1 | |
| | Sorghum straw and fodder, Dry | 20 | |
| | Soya bean (dry) | 0.05 | At or about the limit of determination |
| | Soya bean fodder | 50 | Dry Weight |
| | Soya bean oil, Crude | 0.1 | |
| | Spices | 0.05 | At or about the limit of determination |
| | Spinach | 2 | |
| | Spring Onion | 0.5 | |
| | Squash, summer | 0.5 | |
| | Stone fruits | 2 | |
| | Strawberry | 1 | |
| | Sugar beet | 0.05 | At or about the limit of determination |
| | Sunflower seed | 1 | |
| | Sunflower seed oil, Edible | 1 | |
| | Sunflower seed oil, crude | 1 | |
| | Sweet corn (corn-on-the-cob) | 0.1 | |
| | Tea, Green, Black (black, fermented and dried) | 20 | |
| | Tomato | 1 | |
| | Wheat bran, Unprocessed | 5 | The MRL accommodates post-harvest treatment of the primary food commodity |
| | Wheat flour | 0.5 | The MRL accommodates post-harvest treatment of the primary food commodity |
| | Wheat germ | 2 | The MRL accommodates post-harvest treatment of the primary food commodity |

| SUBSTANCE | COMMODITY | MRL | REMARK |
|-------------|---|------|---|
| | Wheat wholemeal | 2 | The MRL accommodates post-harvest treatment of the primary food commodity |
| | Winter squash | 0.5 | |
| Phenthroate | Spices, Seeds | 7 | |
| Phorate | Beans (dry) | 0.05 | At or about the limit of determination |
| | Coffee beans | 0.05 | At or about the limit of determination |
| | Common bean (pods and/or immature seeds) | 0.05 | At or about the limit of determination |
| | Cotton seed | 0.05 | At or about the limit of determination |
| | Edible offal (mammalian) | 0.02 | At or about the limit of determination |
| | Eggs | 0.05 | At or about the limit of determination |
| | Maize | 0.05 | At or about the limit of determination |
| | Maize flour | 0.05 | |
| | Maize oil, Crude | 0.1 | |
| | Maize oil, Edible | 0.02 | |
| | Meat (from mammals other than marine mammals) | 0.02 | At or about the limit of determination |
| | Milks | 0.01 | At or about the limit of determination |
| | Potato | 0.3 | |
| | Poultry meat | 0.05 | At or about the limit of determination |
| | Sorghum | 0.05 | At or about the limit of determination |
| | Soya bean (dry) | 0.05 | At or about the limit of determination |
| | Spices, Fruits and Berries | 0.1 | At or about the limit of determination |
| | Spices, Roots and Rhizomes | 0.1 | At or about the limit of determination |
| | Spices, Seeds | 0.5 | |
| | Sugar beet | 0.05 | At or about the limit of determination |
| Phosalone | Almonds | 0.1 | |

| | Apple | 5 | |
|--------------------|----------------------------|------|---|
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Hazelnuts | 0.05 | At or about the limit of determination |
| | Pome fruits | 2 | |
| | Spices, Fruits and Berries | 2 | |
| | Spices, Roots and Rhizomes | 3 | |
| | Spices, Seeds | 2 | |
| | Stone fruits | 2 | |
| | Walnuts | 0.05 | At or about the limit of determination |
| Phosmet | Apricot | 10 | |
| | Blueberries | 10 | |
| | Cattle meat | 1 | The MRL/EMRL applies to the fat of meat |
| | Citrus fruits | 3 | (excluding kumquats) |
| | Cotton seed | 0.05 | |
| | Grapes | 10 | |
| | Milks | 0.02 | |
| | Nectarine | 10 | |
| | Peach | 10 | |
| | Pome fruits | 10 | |
| | Potato | 0.05 | At or about the limit of determination |
| | Tree nuts | 0.2 | |
| Piperonyl Butoxide | Cattle kidney | 0.3 | The MRL accommodates external animal treatment |
| | Cattle liver | 1 | |
| | Cattle meat | 5 | The MRL/EMRL applies to the fat of meat. The MRL accommodates external animal treatment. |

| SUBSTANCE | COMMODITY | MRL | REMARK |
|-----------|---|------|---|
| | Cattle milk | 0.2 | The MRL accommodates external animal treatment |
| | Cereal grains | 30 | The MRL accommodates post-harvest treatment of the commodity |
| | Citrus fruits | 5 | |
| | Citrus juice | 0.05 | |
| | Dried fruits | 0.2 | The MRL accommodates post-harvest treatment of the commodity |
| | Eggs | 1 | The MRL accommodates external animal treatment |
| | Fruiting vegetables, Cucurbits | 1 | |
| | Kidney of cattle, goats, and sheep | 0.2 | Except cattle kidney |
| | Lettuce, Leaf | 50 | |
| | Liver of cattle, goats, & sheep | 1 | |
| | Maize oil, Crude | 80 | The MRL accommodates post-harvest treatment of the primary food commodity |
| | Meat (from mammals other than marine mammals) | 2 | The MRL/EMRL applies to the fat of meat. Except cattle meat. |
| | Milks | 0.05 | The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products" |
| | Mustard greens | 50 | |
| | Pea hay or pea fodder (dry) | 200 | Dry Weight |
| | Peanut, whole | 1 | |
| | Peppers | 2 | |
| | Peppers Chili, dried | 20 | |
| | Poultry meat | 7 | The MRL/EMRL applies to the fat of meat. The MRL accommodates external animal treatment. |
| | Poultry, Edible offal of | 10 | |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | Pulses | 0.2 | The MRL accommodates post-harvest treatment of the commodity |
|------------|---|------|---|
| | Radish leaves (including radish tops) | 50 | |
| | Root and tuber vegetables | 0.5 | Except carrot |
| | Spinach | 50 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Tomato | 2 | |
| | Tomato juice | 0.3 | |
| | Wheat bran, Unprocessed | 80 | The MRL accommodates post-harvest treatment of the primary food commodity |
| | Wheat flour | 10 | The MRL accommodates post-harvest treatment of the primary food commodity |
| | Wheat germ | 90 | The MRL accommodates post-harvest treatment of the primary food commodity |
| | Wheat wholemeal | 30 | The MRL accommodates post-harvest treatment of the primary food commodity |
| Pirimicarb | Artichoke, Globe | 5 | |
| | Asparagus | 0.01 | At or about the limit of determination |
| | Berries and other small fruits | 1 | Except strawberries and grapes |
| | Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas | 0.5 | |
| | Cereal grains | 0.05 | Except rice |
| | Citrus fruits | 3 | (excluding kumquats) |
| | Edible offal (mammalian) | 0.01 | At or about the limit of determination |
| | Eggs | 0.01 | At or about the limit of determination |
| | Fruiting vegetables other than cucurbits | 0.5 | Except edible fungi and Sweet corn |
| | Fruiting vegetables, Cucurbits | 1 | Except melons and watermelons |
| | Garlic | 0.1 | |
| | Kale | 0.3 | |
| | Legume vegetables | 0.7 | Except soya bean |

| | Lettuce, Head | 5 | |
|-------------------|---|------|--|
| | Lettuce, Leaf | 5 | |
| | Meat (from mammals other than marine mammals) | 0.01 | At or about the limit of determination |
| | Melons, except watermelon | 0.2 | |
| | Milks | 0.01 | At or about the limit of determination |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Onion, Bulb | 0.1 | |
| | Pea hay or pea fodder (dry) | 60 | Dry Weight |
| | Peppers Chili, dried | 20 | |
| | Pome fruits | 1 | |
| | Poultry meat | 0.01 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination |
| | Pulses | 0.2 | Except soya bean (dry) |
| | Rape seed | 0.05 | |
| | Root and tuber vegetables | 0.05 | |
| | Spices, Seeds | 5 | |
| | Stone fruits | 3 | |
| | Straw and fodder (dry) of cereal grains | 0.3 | Dry Weight. Except rice straw and fodder, dry. |
| | Sunflower seed | 0.1 | |
| | Sweet corn (kernels) | 0.05 | |
| Pirimiphos-Methyl | Cereal grains | 7 | The MRL accommodates post-harvest treatment of the commodity |
| | Edible offal (mammalian) | 0.01 | At or about the limit of determination |
| | Eggs | 0.01 | |
| | Meat (from mammals other than marine mammals) | 0.01 | At or about the limit of determination |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | Milks | 0.01 | |
|------------|---|------|--|
| | Poultry meat | 0.01 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination |
| | Spices, Fruits and Berries | 0.5 | |
| | Spices, Seeds | 3 | |
| | Wheat bran, Unprocessed | 15 | The MRL accommodates post-harvest treatment of the primary food commodity |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| Prochloraz | Assorted tropical and sub-tropical fruits - inedible peel | 7 | The MRL accommodates post-harvest treatment of the commodity |
| | Cereal grains | 2 | |
| | Citrus fruits | 10 | The MRL accommodates post-harvest treatment of the commodity. (excluding kumquats). |
| | Edible offal (mammalian) | 10 | |
| | Eggs | 0.1 | |
| | Linseed | 0.05 | At or about the limit of determination |
| | Meat (from mammals other than marine mammals) | 0.5 | The MRL/EMRL applies to the fat of meat |
| | Milks | 0.05 | At or about the limit of determination |
| | Mushrooms | 3 | |
| | Pepper, Black; White | 10 | |
| | Poultry meat | 0.05 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.2 | |
| | Rape seed | 0.7 | |
| | Straw and fodder (dry) of cereal grains | 40 | |
| | Sunflower seed | 0.5 | |
| | Sunflower seed oil, Edible | 1 | |
| | Wheat bran, Unprocessed | 7 | |

| Profenofos | Cotton seed | 3 | |
|-------------|---|------|--|
| | Edible offal (mammalian) | 0.05 | At or about the limit of determination |
| | Eggs | 0.02 | At or about the limit of determination |
| | Mango | 0.2 | |
| | Mangostan | 10 | |
| | Meat (from mammals other than marine mammals) | 0.05 | At or about the limit of determination |
| | Milks | 0.01 | At or about the limit of determination |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Peppers Chili | 3 | |
| | Peppers Chili, dried | 20 | |
| | Poultry meat | 0.05 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.05 | At or about the limit of determination |
| | Spices, Fruits and Berries | 0.07 | |
| | Spices, Roots and Rhizomes | 0.05 | |
| | Teas (Tea and herb teas) | 0.5 | |
| | Tomato | 10 | |
| Propamocarb | Cauliflower | 0.2 | |
| | Edible offal (mammalian) | 0.01 | At or about the limit of determination |
| | Egg plant | 0.3 | |
| | Eggs | 0.01 | At or about the limit of determination |
| | Fruiting vegetables, Cucurbits | 5 | |
| | Lettuce, Head | 100 | |
| | Lettuce, Leaf | 100 | |
| | Meat (from mammals other than marine mammals) | 0.01 | At or about the limit of determination |

| | Milks | 0.01 | At or about the limit of determination |
|------------|--|------|--|
| | Peppers Chili, dried | 10 | |
| | Peppers, Sweet (including pimento or pimiento) | 3 | |
| | Potato | 0.3 | |
| | Poultry meat | 0.01 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination |
| | Radish | 1 | |
| | Spinach | 40 | |
| | Tomato | 2 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Witloof chicory (sprouts) | 2 | |
| Propargite | Almond hulls | 50 | |
| | Almonds | 0.1 | At or about the limit of determination |
| | Apple | 3 | |
| | Apple juice | 0.2 | |
| | Beans (dry) | 0.3 | |
| | Broad bean (dry) | 0.3 | |
| | Chick-pea (dry) | 0.3 | |
| | Citrus fruits | 3 | |
| | Citrus pulp, Dry | 10 | |
| | Cotton seed | 0.1 | |
| | Cotton seed oil, Edible | 0.2 | |
| | Dried grapes (=currants, raisins and sultanas) | 12 | |
| | Edible offal (mammalian) | 0.1 | At or about the limit of determination |
| | Eggs | 0.1 | At or about the limit of determination |

الهيئة العامة للطعام والدواء

Saudi Food & Drug Authority

| | Grape juice | 1 | |
|-----------|--|------|---|
| | Grape pomace, Dry | 40 | |
| | Grapes | 7 | |
| | Hops, Dry | 100 | |
| | Lipin (dry) | 0.3 | |
| | Maize | 0.1 | At or about the limit of determination |
| | Maize flour | 0.2 | |
| | Maize oil, Crude | 0.7 | |
| | Maize oil, Edible | 0.5 | |
| | Meat (from mammals other than marine mammals) | 0.1 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Milks | 0.1 | At or about the limit of determination. The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". |
| | Orange juice | 0.3 | |
| | Peanut | 0.1 | At or about the limit of determination |
| | Peanut oil, Crude | 0.3 | |
| | Peanut oil, Edible | 0.3 | |
| | Potato | 0.03 | |
| | Poultry meat | 0.1 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |
| | Poultry, Edible offal of | 0.1 | At or about the limit of determination |
| | Stone fruits | 4 | |
| | Tea, Green, Black (black, fermented and dried) | 5 | |
| | Tomato | 2 | |

| | Walnuts | 0.3 | |
|---------------|---|------|---|
| Propiconazole | Banana | 0.1 | |
| | Barley | 0.2 | |
| | Barley straw and fodder, Dry | 2 | |
| | Coffee beans | 0.02 | |
| | Cranberry | 0.3 | |
| | Edible offal (mammalian) | 0.01 | At or about the limit of determination |
| | Eggs | 0.01 | At or about the limit of determination |
| | Maize | 0.05 | |
| | Meat (from mammals other than marine mammals) | 0.01 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |
| | Milks | 0.01 | At or about the limit of determination |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Pecan | 0.02 | At or about the limit of determination |
| | Pineapple | 0.02 | At or about the limit of determination |
| | Popcorn | 0.05 | |
| | Poultry meat | 0.01 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |
| | Rape seed | 0.02 | |
| | Rye | 0.02 | |
| | Rye straw and fodder, Dry | 2 | |
| | Soya bean (dry) | 0.07 | |
| | Soya bean fodder | 5 | |
| | Sugar beet | 0.02 | |
| | Sugar cane | 0.02 | At or about the limit of determination |
| | Sweet corn (corn-on-the-cob) | 0.05 | |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | Triticale | 0.02 | |
|-----------------|---|-------|--|
| | Triticale straw and fodder, Dry | 2 | |
| | Wheat | 0.02 | |
| | Wheat straw and fodder, Dry | 2 | |
| Prothioconazole | Barley | 0.2 | |
| | Edible offal (mammalian) | 0.5 | |
| | Fodder (dry) of cereal grains | 5 | |
| | Meat (from mammals other than marine mammals) | 0.01 | |
| | Milks | 0.004 | At or about the limit of determination |
| | Oats | 0.05 | |
| | Peanut | 0.02 | At or about the limit of determination |
| | Pulses | 1 | Except soya bean, dry |
| | Rape seed | 0.1 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Rye | 0.05 | |
| | Straw and fodder (dry) of cereal grains | 4 | |
| | Sugar beet | 0.3 | |
| | Triticale | 0.05 | |
| | Wheat | 0.1 | |
| Pyraclostrobin | Alfalfa fodder | 30 | |
| | Apple | 0.5 | |
| | Artichoke, Globe | 2 | |
| | Banana | 0.02 | At or about the limit of determination |
| | Barley | 1 | |
| | Beans (dry) | 0.2 | |

| | Blackberries | 3 | |
|-----------|---|------|--|
| | Blueberries | 4 | |
| | Brussels sprouts | 0.3 | |
| | Cabbages, Head | 0.2 | |
| | Cantaloupe | 0.2 | |
| | Carrot | 0.5 | |
| | Cherries | 3 | |
| | Citrus fruits | 2 | (excluding kumquats) |
| | Citrus oil, edible | 10 | |
| | Coffee beans | 0.3 | |
| | Dried grapes (=currants, raisins and sultanas) | 5 | |
| | Edible offal (mammalian) | 0.05 | At or about the limit of determination |
| | Egg plant | 0.3 | |
| | Eggs | 0.05 | At or about the limit of determination |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower) | 0.1 | |
| | Fruiting vegetables, Cucurbits | 0.5 | |
| | Garlic | 0.15 | |
| | Grapes | 2 | |
| | Hops, Dry | 15 | |
| | Kale | 1 | |
| | Leek | 0.7 | |
| | Lentil (dry) | 0.5 | |
| | Lettuce, Head | 2 | |
| | Maize | 0.02 | At or about the limit of determination |

| | Mango | 0.05 | At or about the limit of determination |
|-----------|---|------|---|
| | Meat (from mammals other than marine mammals) | 0.5 | The MRL/EMRL applies to the fat of meat |
| | Milks | 0.03 | |
| | Nectarine | 0.3 | |
| | Oats | 1 | |
| | Oilseed, except peanut | 0.4 | |
| | Onion, Bulb | 1.5 | |
| | Papaya | 0.15 | |
| | Pea hay or pea fodder (dry) | 30 | |
| | Peach | 0.3 | |
| | Peanut fodder | 50 | |
| | Peanut, whole | 0.02 | At or about the limit of determination |
| | Peas (dry) | 0.3 | |
| | Peas (pods and succulent=immature seeds) | 0.02 | At or about the limit of determination |
| | Peppers | 0.5 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Pistachio nuts | 1 | |
| | Plums (including prunes) | 0.8 | |
| | Potato | 0.02 | At or about the limit of determination |
| | Poultry meat | 0.05 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |
| | Poultry, Edible offal of | 0.05 | At or about the limit of determination |
| | Radish | 0.5 | |
| | Radish leaves (including radish tops) | 20 | |
| | Raspberries, Red, Black | 3 | |

| | Rye | 0.2 | |
|------------|---|------|---|
| | Sorghum | 0.5 | |
| | Soya bean (dry) | 0.05 | |
| | Spelt | 0.2 | |
| | Spring Onion | 1.5 | |
| | Straw and fodder (dry) of cereal grains | 30 | |
| | Strawberry | 1.5 | |
| | Sugar beet | 0.2 | |
| | Tomato | 0.3 | |
| | Tree nuts | 0.02 | At or about the limit of determination. Except pistachio nuts. |
| | Triticale | 0.2 | |
| | Wheat | 0.2 | |
| Pyrethrins | Cereal grains | 0.3 | The MRL accommodates post-harvest treatment of the commodity |
| | Citrus fruits | 0.05 | |
| | Dried fruits | 0.2 | The MRL accommodates post-harvest treatment of the commodity |
| | Fruiting vegetables, Cucurbits | 0.05 | At or about the limit of determination |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Pea hay or pea fodder (dry) | 1 | |
| | Peanut | 0.5 | The MRL accommodates post-harvest treatment of the commodity |
| | Peppers | 0.05 | At or about the limit of determination |
| | Peppers Chili, dried | 0.5 | |
| | Pulses | 0.1 | The MRL accommodates post-harvest treatment of the commodity |
| | Root and tuber vegetables | 0.05 | At or about the limit of determination |
| | Tomato | 0.05 | At or about the limit of determination |

| | Tree nuts | 0.5 | At or about the limit of determination. The MRL accommodates post-harvest treatment of the commodity. |
|--------------|--|------|--|
| Pyrimethanil | Almond hulls | 12 | |
| | Almonds | 0.2 | |
| | Apple pomace, dry | 40 | |
| | Apricot | 3 | |
| | Banana | 0.1 | |
| | Carrot | 1 | |
| | Cherries | 4 | The MRL accommodates post-harvest treatment of the commodity |
| | Citrus fruits | 7 | The MRL accommodates post-harvest treatment of the commodity |
| | Common bean (pods and/or immature seeds) | 3 | |
| | Dried grapes (=currants, raisins and sultanas) | 5 | |
| | Edible offal (mammalian) | 0.1 | |
| | Field pea (dry) | 0.5 | |
| | Grapes | 4 | |
| | Lettuce, Head | 3 | |
| | Meat (from mammals other than marine mammals) | 0.05 | At or about the limit of determination |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Milks | 0.01 | |
| | Nectarine | 4 | |
| | Onion, Bulb | 0.2 | |
| | Pea hay or pea fodder (dry) | 3 | |
| | Peach | 4 | |
| | Plums (including prunes) | 2 | |

| | Pome fruits | 7 | The MRL accommodates post-harvest treatment of the commodity |
|--------------|---|------|---|
| | Potato | 0.05 | At or about the limit of determination |
| | Spring Onion | 3 | |
| | Strawberry | 3 | |
| | Tomato | 0.7 | |
| Pyriproxyfen | Cattle meat | 0.01 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |
| | Cattle, Edible offal of | 0.01 | At or about the limit of determination |
| | Citrus fruits | 0.5 | |
| | Cotton seed | 0.05 | |
| | Cotton seed oil, Crude | 0.01 | |
| | Cotton seed oil, Edible | 0.01 | |
| | Goat meat | 0.01 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |
| | Goat, Edible offal of | 0.01 | At or about the limit of determination |
| Quinoxyfen | Barley | 0.01 | At or about the limit of determination |
| | Cherries | 0.4 | |
| | Currant, Black | 1 | |
| | Edible offal (mammalian) | 0.01 | At or about the limit of determination |
| | Eggs | 0.01 | At or about the limit of determination |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Grapes | 2 | |
| | Hops, Dry | 1 | |
| | Lettuce, Head | 8 | |
| | Lettuce, Leaf | 20 | |
| | Meat (from mammals other than marine mammals) | 0.2 | The MRL/EMRL applies to the fat of meat |

| | Melons, except watermelon | 0.1 | |
|------------|--|------|---|
| | Milk fats | 0.2 | |
| | Milks | 0.01 | |
| | Peppers | 1 | |
| | Peppers Chili, dried | 10 | |
| | Poultry meat | 0.02 | The MRL/EMRL applies to the fat of meat |
| | Poultry, Edible offal of | 0.01 | |
| | Strawberry | 1 | |
| | Sugar beet | 0.03 | |
| | Wheat | 0.01 | At or about the limit of determination |
| Quintozene | Barley | 0.01 | At or about the limit of determination |
| | Barley straw and fodder, Dry | 0.01 | At or about the limit of determination |
| | Broccoli | 0.05 | |
| | Cabbages, Head | 0.1 | |
| | Chicken meat | 0.1 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |
| | Chicken, Edible offal of | 0.1 | At or about the limit of determination |
| | Common bean (dry) | 0.02 | |
| | Common bean (pods and/or immature seeds) | 0.1 | |
| | Cotton seed | 0.01 | |
| | Eggs | 0.03 | At or about the limit of determination |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Maize | 0.01 | At or about the limit of determination |
| | Maize fodder (dry) | 0.01 | |
| | Pea hay or pea fodder (dry) | 0.05 | |

| | Peanut | 0.5 | |
|--------------|--|------|--|
| | Peas (dry) | 0.01 | |
| | Peppers Chili, dried | 0.1 | |
| | Peppers, Sweet (including pimento or pimiento) | 0.05 | At or about the limit of determination |
| | Soya bean (dry) | 0.01 | At or about the limit of determination |
| | Soya bean fodder | 0.01 | At or about the limit of determination |
| | Spices, Fruits and Berries | 0.02 | |
| | Spices, Roots and Rhizomes | 2 | |
| | Spices, Seeds | 0.1 | |
| | Sugar beet | 0.01 | At or about the limit of determination |
| | Tomato | 0.02 | |
| | Wheat | 0.01 | |
| | Wheat straw and fodder, Dry | 0.03 | |
| Saflufenacil | Banana | 0.01 | |
| | Barley straw and fodder, Dry | 0.05 | |
| | Cereal grains | 0.01 | |
| | Citrus fruits | 0.01 | |
| | Coffee beans | 0.01 | |
| | Cotton seed | 0.2 | |
| | Edible offal (mammalian) | 0.3 | |
| | Grapes | 0.01 | |
| | Maize fodder (dry) | 0.05 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Mammalian fats (except milk fats) | 0.01 | |
| | Meat (from mammals other than marine mammals) | 0.01 | |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| SUBSTANCE | COMMODITY | MRL | REMARK |
|-----------|---|------|---|
| | Poultry fats | 0.01 | At or about the limit of determination |
| | Oats | 0.01 | At or about the limit of determination |
| | Oat straw and fodder, Dry | 0.1 | |
| | Milks | 0.01 | At or about the limit of determination |
| | Milk fats | 0.01 | At or about the limit of determination |
| | Meat (from mammals other than marine mammals) | 0.01 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |
| | Mammalian fats (except milk fats) | 0.01 | At or about the limit of determination |
| | Eggs | 0.01 | At or about the limit of determination |
| | Edible offal (mammalian) | 0.01 | At or about the limit of determination |
| | Barley straw and fodder, Dry | 0.1 | |
| | Barley | 0.01 | At or about the limit of determination |
| Sedaxane | | | |
| | Sweet Corn | 0.01 | |
| | Sunflower seed | 0.7 | |
| | Stone fruits | 0.01 | |
| | Pulses | 0.3 | |
| | Rape seed | 0.6 | |
| | Sorghum straw and fodder, Dry | 0.05 | |
| | Peas, Shelled (succulent seeds) | 0.01 | |
| | Peas (pods and succulent=immature seeds) | 0.01 | |
| | Pome fruits | 0.01 | |
| | Milks | 0.01 | |

| | | | |
|------------|---|------|---|
| | Poultry meat | 0.01 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination |
| | Rape seed | 0.01 | At or about the limit of determination |
| | Rye | 0.01 | At or about the limit of determination |
| | Rye straw and fodder, Dry | 0.1 | |
| | Soya bean (dry) | 0.01 | At or about the limit of determination |
| | Triticale | 0.01 | At or about the limit of determination |
| | Triticale straw and fodder, Dry | 0.1 | |
| | Wheat | 0.01 | |
| | Wheat straw and fodder, Dry | 0.1 | |
| Spinetoram | Beans, except broad bean and soya bean | 0.05 | (green pods and immature seeds) |
| | Blueberries | 0.2 | |
| | Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas | 0.3 | |
| | Celery | 6 | |
| | Edible offal (mammalian) | 0.01 | At or about the limit of determination |
| | Eggs | 0.01 | At or about the limit of determination |
| | Grapes | 0.3 | |
| | Lettuce, Head | 10 | |
| | Lettuce, Leaf | 10 | |
| | Meat (from mammals other than marine mammals) | 0.2 | The MRL/EMRL applies to the fat of meat |
| | Milk fats | 0.1 | |
| | Milks | 0.01 | At or about the limit of determination |
| | Nectarine | 0.3 | |
| | Onion, Bulb | 0.01 | At or about the limit of determination |

| SUBSTANCE | COMMODITY | MRL | REMARK |
|-----------|---|------|---|
| | Onion, Welsh | 0.8 | |
| | Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars | 0.07 | |
| | Peach | 0.3 | |
| | Pome fruits | 0.05 | |
| | Poultry fats | 0.01 | At or about the limit of determination |
| | Poultry meat | 0.01 | |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination |
| | Raspberries, Red, Black | 0.8 | |
| | Spinach | 8 | |
| | Spring Onion | 0.8 | |
| | Sugar beet | 0.01 | At or about the limit of determination |
| | Tomato | 0.06 | |
| | Tree nuts | 0.01 | |
| Spinozad | Apple | 0.1 | |
| | Blackberries | 1 | |
| | Blueberries | 0.4 | |
| | Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas | 2 | |
| | Cattle kidney | 1 | The MRL accommodates external animal treatment |
| | Cattle liver | 2 | The MRL accommodates external animal treatment |
| | Cattle meat | 3 | The MRL/EMRL applies to the fat of meat. The MRL accommodates external animal treatment. |
| | Cattle milk | 1 | The MRL accommodates external animal treatment |
| | Cattle milk fat | 5 | |

| | Celery | 2 | |
|-----------|---|------|--|
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Cereal grains | 1 | The MRL accommodates post-harvest treatment of the commodity |
| | Citrus fruits | 0.3 | |
| | Cotton seed | 0.01 | At or about the limit of determination |
| | Cotton seed oil, Crude | 0.01 | At or about the limit of determination |
| | Cotton seed oil, Edible | 0.01 | At or about the limit of determination |
| | Cranberry | 0.02 | |
| | Dewberries (including boysenberry and loganberry) | 1 | |
| | Dried grapes (=currants, raisins and sultanas) | 1 | |
| | Edible offal (mammalian) | 0.5 | Except cattle |
| | Eggs | 0.01 | |
| | Fruiting vegetables, Cucurbits | 0.2 | |
| | Grapes | 0.5 | |
| | Kiwifruit | 0.05 | |
| | Leafy vegetables | 10 | |
| | Legume vegetables | 0.3 | |
| | Maize fodder (dry) | 5 | |
| | Meat (from mammals other than marine mammals) | 2 | The MRL/EMRL applies to the fat of meat |
| | Onion, Bulb | 0.1 | |
| | Passion fruit | 0.7 | |
| | Peppers | 0.3 | |
| | Peppers Chili, dried | 3 | |
| | Potato | 0.01 | At or about the limit of determination |
| | Poultry meat | 0.2 | The MRL/EMRL applies to the fat of meat |

| | Raspberries, Red, Black | 1 | |
|---------------|--|-------|---|
| | Soya bean (dry) | 0.01 | At or about the limit of determination |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Spring Onion | 4 | |
| | Stone fruits | 0.2 | |
| | Sweet corn (corn-on-the-cob) | 0.01 | At or about the limit of determination |
| | Tomato | 0.3 | |
| | Tree nuts | 0.07 | |
| | Wheat bran, Unprocessed | 2 | |
| | Wheat straw and fodder, Dry | 1 | |
| Spriodiclofen | Almond hulls | 15 | |
| | Apple pomace, dry | 4 | |
| | Citrus fruits | 0.4 | |
| | Coffee beans | 0.03 | At or about the limit of determination |
| | Cucumber | 0.07 | |
| | Currants, Black, Red, White | 1 | |
| | Dried grapes (=currants, raisins and sultanas) | 0.3 | |
| | Edible offal (mammalian) | 0.05 | At or about the limit of determination |
| | Gherkin | 0.07 | |
| | Grapes | 0.2 | |
| | Hops, Dry | 40 | |
| | Meat (from mammals other than marine mammals) | 0.01 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |
| | Milks | 0.004 | At or about the limit of determination |
| | Papaya | 0.03 | At or about the limit of determination |

| | Peppers, Sweet (including pimento or pimiento) | 0.2 | |
|----------------|---|------|---|
| | Pome fruits | 0.8 | |
| | Stone fruits | 2 | |
| | Strawberry | 2 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Tomato | 0.5 | |
| | Tree nuts | 0.05 | |
| Spirotetramate | Almond hulls | 10 | |
| | Cabbages, Head | 2 | |
| | Celery | 4 | |
| | Citrus fruits | 0.5 | |
| | Cotton seed | 0.4 | |
| | Cotton seed , meal | 1 | |
| | Dried grapes (=currants, raisins and sultanas) | 4 | |
| | Edible offal (mammalian) | 1 | |
| | Eggs | 0.01 | |
| | Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower) | 1 | |
| | Fruiting vegetables other than cucurbits | 1 | Except sweet corn, mushrooms and chili pepper |
| | Fruiting vegetables, Cucurbits | 0.2 | |
| | Grape pomace, Dry | 4 | |
| | Grapes | 2 | |
| | Hops, Dry | 15 | |
| | Kiwifruit | 0.02 | At or about the limit of determination |
| | Leafy vegetables | 7 | |
| | Legume animal feeds | 30 | |

| | Legume vegetables | 1.5 | |
|-------------|---|-------|--|
| | Litchi | 15 | |
| | Mango | 0.3 | |
| | Meat (from mammals other than marine mammals) | 0.05 | |
| | Milks | 0.005 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Onion, Bulb | 0.4 | |
| | Papaya | 0.4 | |
| | Peppers Chili | 2 | Non-bell |
| | Peppers Chili, dried | 15 | |
| | Pome fruits | 0.7 | |
| | Potato | 0.8 | |
| | Poultry meat | 0.01 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.01 | |
| | Prunes | 5 | |
| | Pulses | 2 | Except soya bean (dry) |
| | Soya bean (dry) | 4 | |
| | Stone fruits | 3 | |
| | Tree nuts | 0.5 | |
| Sulfoxaflor | Barley | 0.6 | |
| | Barley straw and fodder, Dry | 3 | |
| | Broccoli | 3 | |
| | Cabbages, Head | 0.4 | |
| | Cauliflower | 0.04 | |
| | Celery | 1.5 | |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | Cotton seed | 0.4 | |
|-----------|--|------|--|
| | Dried grapes (=currants, raisins and sultanas) | 6 | |
| | Edible offal (mammalian) | 0.6 | |
| | Eggs | 0.1 | |
| | Fruiting vegetables other than cucurbits | 1.5 | (except sweet corn and mushrooms) |
| | Fruiting vegetables, Cucurbits | 0.5 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Garlic | 0.01 | At or about the limit of determination |
| | Grapes | 2 | |
| | Leafy vegetables | 6 | |
| | Meat (from mammals other than marine mammals) | 0.3 | |
| | Milks | 0.2 | |
| | Onion, Bulb | 0.01 | At or about the limit of determination |
| | Peppers Chili, dried | 15 | |
| | Poultry meat | 0.1 | |
| | Poultry, Edible offal of | 0.3 | |
| | Rape seed | 0.15 | |
| | Root and tuber vegetables | 0.03 | (except carrots) |
| | Soya bean (dry) | 0.3 | |
| | Soya bean fodder | 3 | |
| | Spring Onion | 0.7 | |
| | Strawberry | 0.5 | |
| | Triticale | 0.2 | |
| | Wheat | 0.2 | |
| | Wheat straw and fodder, Dry | 3 | |

| Sulfuryl fluoride | Bran, Unprocessed of cereal grain (except buckwheat, cañihua and quinoa) | 0.1 | The MRL accommodates post-harvest treatment of the commodity |
|-------------------|--|------|--|
| | Cereal bran, Processed | 0.1 | The MRL accommodates post-harvest treatment of the commodity |
| | Cereal grains | 0.05 | The MRL accommodates post-harvest treatment of the commodity |
| | Dried fruits | 0.06 | The MRL accommodates post-harvest treatment of the commodity |
| | Maize flour | 0.1 | The MRL accommodates post-harvest treatment of the commodity |
| | Maize meal | 0.1 | The MRL accommodates post-harvest treatment of the commodity |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Rice, Husked | 0.1 | The MRL accommodates post-harvest treatment of the commodity |
| | Rice, Polished | 0.1 | The MRL accommodates post-harvest treatment of the commodity |
| | Rye flour | 0.1 | The MRL accommodates post-harvest treatment of the commodity |
| | Rye wholemeal | 0.1 | The MRL accommodates post-harvest treatment of the commodity |
| | Tree nuts | 3 | The MRL accommodates post-harvest treatment of the commodity |
| | Wheat flour | 0.1 | The MRL accommodates post-harvest treatment of the commodity |
| | Wheat germ | 0.1 | The MRL accommodates post-harvest treatment of the commodity |
| | Wheat wholemeal | 0.1 | The MRL accommodates post-harvest treatment of the commodity |
| Tebuconazole | Apple | 1 | |
| | Apricot | 2 | |
| | Artichoke, Globe | 0.6 | |
| | Banana | 0.05 | |
| | Barley | 2 | |
| | Barley straw and fodder, Dry | 40 | |
| | Beans (dry) | 0.3 | |

| | Broccoli | 0.2 | |
|-----------|--|------|--|
| | Brussels sprouts | 0.3 | |
| | Cabbages, Head | 1 | |
| | Carrot | 0.4 | |
| | Cauliflower | 0.05 | At or about the limit of determination |
| | Cherries | 4 | |
| | Coffee beans | 0.1 | |
| | Cotton seed | 2 | |
| | Cucumber | 0.15 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Dried grapes (=currants, raisins and sultanas) | 7 | |
| | Edible offal (mammalian) | 0.2 | |
| | Egg plant | 0.1 | |
| | Eggs | 0.05 | At or about the limit of determination |
| | Elderberries | 1.5 | |
| | Garlic | 0.1 | |
| | Grapes | 6 | |
| | Hops, Dry | 40 | |
| | Leek | 0.7 | |
| | Lettuce, Head | 5 | |
| | Mango | 0.05 | |
| | Meat (from mammals other than marine mammals) | 0.05 | At or about the limit of determination |
| | Melons, except watermelon | 0.15 | |
| | Milks | 0.01 | At or about the limit of determination |
| | Nectarine | 2 | |

| | Oats | 2 | |
|-----------|--|------|--|
| | Olives | 0.05 | At or about the limit of determination |
| | Onion, Bulb | 0.1 | |
| | Papaya | 2 | |
| | Passion fruit | 0.1 | |
| | Peach | 2 | |
| | Peanut | 0.15 | |
| | Peanut fodder | 40 | |
| | Pear | 1 | |
| | Peppers Chili, dried | 10 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Peppers, Sweet (including pimento or pimiento) | 1 | |
| | Plums (including prunes) | 1 | except prunes |
| | Poultry meat | 0.05 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.05 | At or about the limit of determination |
| | Prunes | 3 | |
| | Rape seed | 0.3 | |
| | Rice | 1.5 | |
| | Rye | 0.15 | |
| | Rye straw and fodder, Dry | 40 | |
| | Soya bean (dry) | 0.15 | |
| | Squash, summer | 0.2 | |
| | Sweet corn (corn-on-the-cob) | 0.6 | |
| | Tomato | 0.7 | |
| | Tree nuts | 0.05 | At or about the limit of determination |

| | Triticale | 0.15 | |
|--------------|--|------|---|
| | Wheat | 0.15 | |
| | Wheat straw and fodder, Dry | 40 | |
| Tebufenozide | Almond hulls | 30 | |
| | Almonds | 0.05 | |
| | Avocado | 1 | |
| | Blueberries | 3 | |
| | Broccoli | 0.5 | |
| | Cabbages, Head | 5 | |
| | Cattle milk | 0.05 | |
| | Citrus fruits | 2 | (excluding kumquats) |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Cranberry | 0.5 | |
| | Dried grapes (=currants, raisins and sultanas) | 2 | |
| | Edible offal (mammalian) | 0.02 | At or about the limit of determination |
| | Eggs | 0.02 | At or about the limit of determination |
| | Grapes | 2 | |
| | Kiwifruit | 0.5 | |
| | Leafy vegetables | 10 | |
| | Meat (from mammals other than marine mammals) | 0.05 | The MRL/EMRL applies to the fat of meat |
| | Milks | 0.01 | At or about the limit of determination |
| | Mints | 20 | |
| | Nectarine | 0.5 | |
| | Peach | 0.5 | |
| | Pecan | 0.01 | At or about the limit of determination |

| | Peppers | 1 | |
|---------------|---|------|--|
| | Peppers Chili, dried | 10 | |
| | Pome fruits | 1 | |
| | Poultry meat | 0.02 | At or about the limit of determination |
| | Rape seed | 2 | |
| | Raspberries, Red, Black | 2 | |
| | Rice, Husked | 0.1 | |
| | Sugar cane | 1 | |
| | Tomato | 1 | |
| | Walnuts | 0.05 | |
| Tecnazene | Potato | 20 | The MRL accommodates post-harvest treatment of the commodity. Washed before analysis. |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| Teflubenzuron | Brussels sprouts | 0.5 | |
| | Cabbages, Head | 0.2 | |
| | Plums (including prunes) | 0.1 | |
| | Pome fruits | 1 | |
| | Potato | 0.05 | At or about the limit of determination |
| Terbufos | Banana | 0.05 | |
| | Coffee beans | 0.05 | At or about the limit of determination |
| | Edible offal (mammalian) | 0.05 | At or about the limit of determination |
| | Eggs | 0.01 | At or about the limit of determination |
| | Maize | 0.01 | At or about the limit of determination |
| | Maize fodder (dry) | 0.2 | |
| | Meat (from mammals other than marine mammals) | 0.05 | At or about the limit of determination |

| | Milks | 0.01 | At or about the limit of determination |
|---------------|-------------------------------|------|--|
| | Poultry meat | 0.05 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.05 | At or about the limit of determination |
| | Sorghum | 0.01 | At or about the limit of determination |
| | Sorghum straw and fodder, Dry | 0.3 | Dry Weight |
| | Sugar beet | 0.02 | |
| | Sweet corn (corn-on-the-cob) | 0.01 | |
| Thiabendazole | Avocado | 15 | The MRL accommodates post-harvest treatment of the commodity |
| | Banana | 5 | The MRL accommodates post-harvest treatment of the commodity |
| | Cattle kidney | 1 | |
| | Cattle liver | 0.3 | |
| | Cattle meat | 0.1 | |
| | Cattle milk | 0.2 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Citrus fruits | 7 | The MRL accommodates post-harvest treatment of the commodity. (excluding kumquats). |
| | Eggs | 0.1 | |
| | Mango | 5 | The MRL accommodates post-harvest treatment of the commodity |
| | Mushrooms | 60 | |
| | Papaya | 10 | The MRL accommodates post-harvest treatment of the commodity |
| | Pome fruits | 3 | The MRL accommodates post-harvest treatment of the commodity |
| | Potato | 15 | The MRL accommodates post-harvest treatment of the commodity |
| | Poultry meat | 0.05 | |
| | Witloof chicory (sprouts) | 0.05 | At or about the limit of determination |

| Almond hulls | 10 | | |
|--|-----------|--|--------|
| Berries and other small fruits | 1 | | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| Cotton seed | 0.02 | At or about the limit of determination | |
| Cucumber | 0.3 | | |
| Edible offal (mammalian) | 0.5 | | |
| Egg plant | 0.7 | | |
| Eggs | 0.02 | At or about the limit of determination | |
| Kiwifruit | 0.2 | | |
| Meat (from mammals other than marine mammals) | 0.1 | | |
| Melons, except watermelon | 0.2 | | |
| Milks | 0.05 | | |
| Mustard seed | 0.5 | | |
| Peppers, Sweet (including pimento or pimiento) | 1 | | |
| Pome fruits | 0.7 | | |
| Potato | 0.02 | At or about the limit of determination | |
| Poultry meat | 0.02 | At or about the limit of determination | |
| Poultry, Edible offal of | 0.02 | At or about the limit of determination | |
| Rape seed | 0.5 | | |
| Rice | 0.02 | At or about the limit of determination | |
| Squash, summer | 0.3 | | |
| Stone fruits | 0.5 | | |
| Tomato | 0.5 | | |
| Tree nuts | 0.02 | | |
| Watermelon | 0.2 | | |

| | Wheat | 0.1 | |
|--------------|---|------|--|
| | Wheat straw and fodder, Dry | 5 | |
| | Winter squash | 0.2 | |
| Thiamethoxam | Artichoke, Globe | 0.5 | |
| | Banana | 0.02 | At or about the limit of determination |
| | Barley | 0.4 | |
| | Barley straw and fodder, Dry | 2 | |
| | Berries and other small fruits | 0.5 | |
| | Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas | 5 | |
| | Cacao beans | 0.02 | At or about the limit of determination |
| | Celery | 1 | |
| | Citrus fruits | 0.5 | (excluding kumquats) |
| | Coffee beans | 0.2 | |
| | Edible offal (mammalian) | 0.01 | At or about the limit of determination |
| | Eggs | 0.01 | At or about the limit of determination |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Fruiting vegetables other than cucurbits | 0.7 | |
| | Fruiting vegetables, Cucurbits | 0.5 | |
| | Leafy vegetables | 3 | |
| | Legume vegetables | 0.01 | At or about the limit of determination |
| | Maize | 0.05 | |
| | Maize fodder (dry) | 0.05 | |
| | Meat (from mammals other than marine mammals) | 0.02 | |
| | Milks | 0.05 | |
| | Oilseed | 0.02 | At or about the limit of determination |

| | Papaya | 0.01 | At or about the limit of determination |
|------------------|--|------|--|
| | Pea hay or pea fodder (dry) | 0.3 | |
| | Pecan | 0.01 | At or about the limit of determination |
| | Peppers Chili, dried | 7 | |
| | Pineapple | 0.01 | At or about the limit of determination |
| | Pome fruits | 0.3 | |
| | Popcorn | 0.01 | At or about the limit of determination |
| | Poultry meat | 0.01 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination |
| | Pulses | 0.04 | |
| | Root and tuber vegetables | 0.3 | |
| | Stone fruits | 1 | |
| | Sweet corn (corn-on-the-cob) | 0.01 | At or about the limit of determination |
| | Tea, Green, Black (black, fermented and dried) | 20 | |
| | Wheat | 0.05 | |
| | Wheat straw and fodder, Dry | 2 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| Tolclofos-Methyl | Lettuce, Head | 2 | |
| | Lettuce, Leaf | 2 | |
| | Potato | 0.2 | |
| | Radish | 0.1 | |
| Tolylfluanid | Blackberries | 5 | |
| | Cucumber | 1 | |
| | Currants, Black, Red, White | 0.5 | |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | Commodity | MRL | Remark |
|-------------|--|------|---|
| | Grapes | 3 | |
| | Hops, Dry | 50 | |
| | Leek | 2 | |
| | Lettuce, Head | 15 | |
| | Peppers Chili, dried | 20 | |
| | Peppers, Sweet (including pimento or pimiento) | 2 | |
| | Pome fruits | 5 | |
| | Raspberries, Red, Black | 5 | |
| | Strawberry | 5 | |
| | Tomato | 3 | |
| Triadimefon | Apple | 0.3 | Based on triadimenol use only |
| | Artichoke, Globe | 0.7 | Based on triadimenol use only |
| | Banana | 1 | Based on triadimenol use only |
| | Cereal grains | 0.2 | Except maize and rice. Based on triadimefon and triadimenol uses |
| | Coffee beans | 0.5 | Based on triadimenol use only |
| | Currants, Black, Red, White | 0.7 | Based on triadimenol use only |
| | Dried grapes (=currants, raisins and sultanas) | 10 | Based on triadimefon and triadimenol uses |
| Substance | Commodity | MRL | Remark |
| | Edible offal (mammalian) | 0.01 | At or about the limit of determination. Based on triadimefon and triadimenol uses. |
| | Eggs | 0.01 | At or about the limit of determination. Based on triadimefon and triadimenol uses. |
| | Fruiting vegetables other than cucurbits | 1 | Except fungi and sweet corn. Based on triadimefon and triadimenol uses. |
| | Fruiting vegetables, Cucurbits | 0.2 | Based on triadimenol use only |

| | Meat (from mammals other than marine mammals) | 0.02 | Based on triadimefon and triadimenol uses |
|-------------|--|------|---|
| | Milks | 0.01 | At or about the limit of determination. Based on triadimefon and triadimenol uses. |
| | Peppers Chili, dried | 5 | Based on triadimefon and triadimenol uses |
| | Pineapple | 5 | The MRL accommodates post-harvest treatment of the commodity. Based on triadimenol use only. |
| | Poultry meat | 0.01 | At or about the limit of determination. Based on triadimefon and triadimenol uses. |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination. Based on triadimefon and triadimenol uses. |
| | Straw and fodder (dry) of cereal grains | 5 | Except maize. Based on triadimefon and triadimenol uses |
| | Strawberry | 0.7 | Based on triadimenol use only |
| | Sugar beet | 0.05 | At or about the limit of determination. Based on triadimenol use only. |
| Triadimenol | Apple | 0.3 | |
| | Artichoke, Globe | 0.7 | |
| | Banana | 1 | |
| | Cereal grains | 0.2 | Except maize and rice |
| | Coffee beans | 0.5 | |
| | Currants, Black, Red, White | 0.7 | |
| | Dried grapes (=currants, raisins and sultanas) | 10 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Edible offal (mammalian) | 0.01 | At or about the limit of determination |
| | Eggs | 0.01 | At or about the limit of determination |
| | Fruiting vegetables other than cucurbits | 1 | Except fungi and sweet corn |
| | Fruiting vegetables, Cucurbits | 0.2 | |

| SUBSTANCE | COMMODITY | MRL | REMARK |
|-----------------|---|------|---|
| | Barley | 0.5 | |
| | Barley straw and fodder, Dry | 7 | |
| | Brussels sprouts | 0.1 | |
| Triazophos | Meat (from mammals other than marine mammals) | 0.02 | |
| | Milks | 0.01 | At or about the limit of determination. The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". |
| | Peppers Chili, dried | 5 | |
| | Pineapple | 5 | The MRL accommodates post-harvest treatment of the commodity |
| | Poultry meat | 0.01 | At or about the limit of determination |
| | Poultry, Edible offal of | 0.01 | At or about the limit of determination |
| | Straw and fodder (dry) of cereal grains | 5 | Except maize |
| | Strawberry | 0.7 | |
| | Sugar beet | 0.05 | At or about the limit of determination |
| Trifloxystrobin | Cereal grains | 0.05 | At or about the limit of determination |
| | Cotton seed | 0.2 | |
| | Cotton seed oil, Crude | 1 | |
| | Soya bean (immature seeds) | 0.5 | |
| | Soya bean (young pod) | 1 | |
| | Spices, Fruits and Berries | 0.07 | |
| | Spices, Roots and Rhizomes | 0.1 | |
| | Almond hulls | 3 | |
| | Asparagus | 0.05 | At or about the limit of determination |
| | Banana | 0.05 | |

الهيئة العامة للطعام والدواء
Saudi Food & Drug Authority

| | Cabbages, Head | 0.5 | |
|-----------|---|------|---|
| | Carrot | 0.1 | |
| | Celery | 1 | |
| | Citrus fruits | 0.5 | |
| | Citrus pulp, Dry | 1 | |
| | Dried grapes (=currants, raisins and sultanas) | 5 | |
| | Egg plant | 0.7 | |
| | Eggs | 0.04 | At or about the limit of determination |
| | Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower) | 0.5 | |
| | Fruiting vegetables, Cucurbits | 0.3 | |
| | Grapes | 3 | |
| | Hops, Dry | 40 | |
| | Kidney of cattle, goats, and sheep | 0.04 | At or about the limit of determination |
| | Leek | 0.7 | |
| | Lettuce, Head | 15 | |
| | Liver of cattle, goats, & sheep | 0.05 | |
| | Maize | 0.02 | |
| | Maize fodder (dry) | 10 | |
| | Meat (from mammals other than marine mammals) | 0.05 | The MRL/EMRL applies to the fat of meat |
| | Milks | 0.02 | At or about the limit of determination |
| | Olive oil, Refined | 1.2 | |
| | Olive oil, Virgin | 0.9 | |
| SUBSTANCE | COMMODITY | MRL | REMARK |
| | Olives | 0.3 | |
| | Papaya | 0.6 | |

| | COMMODITY | MRL | REMARK |
|-----------|--|------|---|
| SUBSTANCE | | | |
| | Peanut | 0.02 | At or about the limit of determination |
| | Peanut fodder | 5 | |
| | Peppers, Sweet (including pimento or pimiento) | 0.3 | |
| | Pome fruits | 0.7 | |
| | Potato | 0.02 | At or about the limit of determination |
| | Poultry meat | 0.04 | At or about the limit of determination. The MRL/EMRL applies to the fat of meat. |
| | Poultry, Edible offal of | 0.04 | At or about the limit of determination |
| | Radish | 0.08 | |
| | Radish leaves (including radish tops) | 15 | |
| | Rice | 5 | |
| | Rice bran, Unprocessed | 7 | |
| | Rice straw and fodder, Dry | 10 | |
| | Stone fruits | 3 | |
| | Strawberry | 1 | |
| | Sugar beet | 0.05 | |
| | Sugar beet molasses | 0.1 | |
| | Sugar beet pulp, Dry | 0.2 | |
| | Tomato | 0.7 | |
| | Tree nuts | 0.02 | At or about the limit of determination |
| | Wheat | 0.2 | |
| | Wheat bran, Unprocessed | 0.5 | |
| | Wheat straw and fodder, Dry | 5 | |
| Triforine | Apple | 2 | |
| | Blueberries | 1 | |

| | | | |
|-------------|--|------|--|
| | Brussels sprouts | 0.2 | |
| | Cereal grains | 0.1 | |
| | Cherries | 2 | |
| | Common bean (pods and/or immature seeds) | 1 | |
| | Currants, Black, Red, White | 1 | |
| | Fruiting vegetables, Cucurbits | 0.5 | |
| | Gooseberry | 1 | |
| | Peach | 5 | The MRL accommodates post-harvest treatment of the commodity |
| | Plums (including prunes) | 2 | |
| | Strawberry | 1 | |
| | Tomato | 0.5 | |
| Vinclozolin | Spices | 0.05 | At or about the limit of determination |
| Zoxamide | Dried grapes (=currants, raisins and sultanas) | 15 | |
| | Fruiting vegetables, Cucurbits | 2 | |
| | Grapes | 5 | |
| | Potato | 0.02 | |
| | Tomato | 2 | |

المراجع:

- REGULATION (EC) NO 396/2005 AND COMMISSION REGULATION (EU) No 293/2013 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on maximum residue levels of pesticides in or on food and feed of plant and animal origin
- Joint FAO/WHO Food Standards Programme Codex maximum residue levels of pesticides in food and feed
- Joint FAO/WHO Food Standards Programme. Guidelines on portion of commodities to which Codex maximum residue limits apply and which is analyzed
- Joint FAO/WHO Food Standards Programme. Codex classification of foods and animal feeds